

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
28 June 2001 (28.06.2001)

PCT

(10) International Publication Number  
**WO 01/45748 A1**

(51) International Patent Classification<sup>7</sup>: **A61K 48/00**,  
C12Q 1/70 NJ 07065-0907 (US). FU, Tong-Ming [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US).

(21) International Application Number: PCT/US00/34724 (74) Common Representative: MERCK & CO., INC.; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US).

(22) International Filing Date:  
21 December 2000 (21.12.2000)

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(30) Priority Data:  
60/171,542 22 December 1999 (22.12.1999) US

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (for all designated States except US): MERCK & CO., INC. [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US).


Published:

— With international search report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(72) Inventors; and

(75) Inventors/Applicants (for US only): SHIVER, John, W. [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). PERRY, Helen, C. [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). CASIMIRO, Danilo, R. [PH/US]; 126 East Lincoln Avenue, Rahway,



A1

**WO 01/45748 A1** (54) Title: POLYNUCLEOTIDE VACCINES EXPRESSING CODON OPTIMIZED HIV-1 POL AND MODIFIED HIV-1 POL

(57) Abstract: Pharmaceutical compositions which comprise HIV Pol DNA vaccines are disclosed, along with the production and use of these DNA vaccines. The pol-based DNA vaccines of the invention are administered directly introduced into living vertebrate tissue, preferably humans, and preferably express inactivated versions of the HIV Pol protein devoid of protease, reverse transcriptase activity, RNase H activity and integrase activity, inducing a cellular immune response which specifically recognizes human immunodeficiency virus-1 (HIV-1). The DNA molecules which comprise the open reading frame of these DNA vaccines are synthetic DNA molecules encoding codon optimized HIV-1 Pol and codon optimized inactive derivatives of optimized HIV-1 Pol, including DNA molecules which encode inactive Pol proteins which comprise an amino terminal leader peptide.

TITLE OF THE INVENTION  
POLYNUCLEOTIDE VACCINES EXPRESSING CODON OPTIMIZED HIV-1  
5 POL AND MODIFIED HIV-1 POL

## CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims the benefit, under 35 U.S.C. §119(e), of U.S.  
provisional application 60/171,542, filed December 22, 1999.

10

## STATEMENT REGARDING FEDERALLY-SPONSORED R&amp;D

Not Applicable

## 15 REFERENCE TO MICROFICHE APPENDIX

Not Applicable

## FIELD OF THE INVENTION

The present invention relates to HIV Pol polynucleotide pharmaceutical products, as well as the production and use thereof which, when directly introduced into living vertebrate tissue, preferably a mammalian host such as a human or a non-human mammal of commercial or domestic veterinary importance, express the HIV Pol protein or biologically relevant portions thereof within the animal, inducing a cellular immune response which specifically recognizes human immunodeficiency virus-1 (HIV-1). The polynucleotides of the present invention are synthetic DNA molecules encoding codon optimized HIV-1 Pol and derivatives of optimized HIV-1 Pol, including constructs wherein protease, reverse transcriptase, RNase H and integrase activity of HIV-1 Pol is inactivated. The polynucleotide vaccines of the present invention should offer a prophylactic advantage to previously uninfected individuals and/or provide a therapeutic effect by reducing viral load levels within an infected individual, thus prolonging the asymptomatic phase of HIV-1 infection.

## BACKGROUND OF THE INVENTION

Human Immunodeficiency Virus-1 (HIV-1) is the etiological agent of acquired human immune deficiency syndrome (AIDS) and related disorders. HIV-1 is an RNA virus of the Retroviridae family and exhibits the 5'LTR-gag-pol-env-LTR 3' organization of all retroviruses. The integrated form of HIV-1, known as the provirus, is approximately 9.8 Kb in length. Each end of the viral genome contains flanking sequences known as long terminal repeats (LTRs). The HIV genes encode at least nine proteins and are divided into three classes; the major structural proteins (Gag, Pol, and Env), the regulatory proteins (Tat and Rev); and the accessory proteins (Vpu, Vpr, Vif and Nef).

The *gag* gene encodes a 55-kilodalton (kDa) precursor protein (p55) which is expressed from the unspliced viral mRNA and is proteolytically processed by the HIV protease, a product of the *pol* gene. The mature p55 protein products are p17 (matrix), p24 (capsid), p9 (nucleocapsid) and p6.

The *pol* gene encodes proteins necessary for virus replication; a reverse transcriptase, a protease, integrase and RNase H. These viral proteins are expressed as a Gag-Pol fusion protein, a 160 kDa precursor protein which is generated via a ribosomal frame shifting. The viral encoded protease proteolytically cleaves the Pol polypeptide away from the Gag-Pol fusion and further cleaves the Pol polypeptide to the mature proteins which provide protease (Pro, P10), reverse transcriptase (RT, P50), integrase (IN, p31) and RNase H (RNase, p15) activities.

The *nef* gene encodes an early accessory HIV protein (Nef) which has been shown to possess several activities such as down regulating CD4 expression, disturbing T-cell activation and stimulating HIV infectivity.

The *env* gene encodes the viral envelope glycoprotein that is translated as a 160-kilodalton (kDa) precursor (gp160) and then cleaved by a cellular protease to yield the external 120-kDa envelope glycoprotein (gp120) and the transmembrane 41-kDa envelope glycoprotein (gp41). Gp120 and gp41 remain associated and are displayed on the viral particles and the surface of HIV-infected cells.

The *tat* gene encodes a long form and a short form of the Tat protein, a RNA binding protein which is a transcriptional transactivator essential for HIV-1 replication.

The *rev* gene encodes the 13 kDa Rev protein, a RNA binding protein. The Rev protein binds to a region of the viral RNA termed the Rev response element

(RRE). The Rev protein is promotes transfer of unspliced viral RNA from the nucleus to the cytoplasm. The Rev protein is required for HIV late gene expression and in turn, HIV replication.

Gp120 binds to the CD4/chemokine receptor present on the surface of helper T-lymphocytes, macrophages and other target cells in addition to other co-receptor molecules. X4 (macrophage tropic) virus show tropism for CD4/CXCR4 complexes while a R5 (T-cell line tropic) virus interacts with a CD4/CCR5 receptor complex. After gp120 binds to CD4, gp41 mediates the fusion event responsible for virus entry. The virus fuses with and enters the target cell, followed by reverse transcription of its single stranded RNA genome into the double-stranded DNA via a RNA dependent DNA polymerase. The viral DNA, known as provirus, enters the cell nucleus, where the viral DNA directs the production of new viral RNA within the nucleus, expression of early and late HIV viral proteins, and subsequently the production and cellular release of new virus particles. Recent advances in the ability to detect viral load within the host shows that the primary infection results in an extremely high generation and tissue distribution of the virus, followed by a steady state level of virus (albeit through a continual viral production and turnover during this phase), leading ultimately to another burst of virus load which leads to the onset of clinical AIDS. Productively infected cells have a half life of several days, whereas chronically or latently infected cells have a 3-week half life, followed by non-productively infected cells which have a long half life (over 100 days) but do not significantly contribute to day to day viral loads seen throughout the course of disease.

Destruction of CD4 helper T lymphocytes, which are critical to immune defense, is a major cause of the progressive immune dysfunction that is the hallmark of HIV infection. The loss of CD4 T-cells seriously impairs the body's ability to fight most invaders, but it has a particularly severe impact on the defenses against viruses, fungi, parasites and certain bacteria, including mycobacteria.

Effective treatment regimens for HIV-1 infected individuals have become available recently. However, these drugs will not have a significant impact on the disease in many parts of the world and they will have a minimal impact in halting the spread of infection within the human population. As is true of many other infectious diseases, a significant epidemiologic impact on the spread of HIV-1 infection will only occur subsequent to the development and introduction of an effective vaccine. There are a number of factors that have contributed to the lack of successful vaccine

development to date. As noted above, it is now apparent that in a chronically infected person there exists constant virus production in spite of the presence of anti-HIV-1 humoral and cellular immune responses and destruction of virally infected cells. As in the case of other infectious diseases, the outcome of disease is the result of a  
5 balance between the kinetics and the magnitude of the immune response and the pathogen replicative rate and accessibility to the immune response. Pre-existing immunity may be more successful with an acute infection than an evolving immune response can be with an established infection. A second factor is the considerable genetic variability of the virus. Although anti-HIV-1 antibodies exist that can  
10 neutralize HIV-1 infectivity in cell culture, these antibodies are generally virus isolate-specific in their activity. It has proven impossible to define serological groupings of HIV-1 using traditional methods. Rather, the virus seems to define a serological "continuum" so that individual neutralizing antibody responses, at best, are effective against only a handful of viral variants. Given this latter observation, it  
15 would be useful to identify immunogens and related delivery technologies that are likely to elicit anti-HIV-1 cellular immune responses. It is known that in order to generate CTL responses antigen must be synthesized within or introduced into cells, subsequently processed into small peptides by the proteasome complex, and translocated into the endoplasmic reticulum/Golgi complex secretory pathway for  
20 eventual association with major histocompatibility complex (MHC) class I proteins. CD8<sup>+</sup> T lymphocytes recognize antigen in association with class I MHC via the T cell receptor (TCR) and the CD8 cell surface protein. Activation of naive CD8<sup>+</sup> T cells into activated effector or memory cells generally requires both TCR engagement of antigen as described above as well as engagement of costimulatory proteins. Optimal  
25 induction of CTL responses usually requires "help" in the form of cytokines from CD4<sup>+</sup> T lymphocytes which recognize antigen associated with MHC class II molecules via TCR and CD4 engagement.

Larder, et al., (1987, *Nature* 327: 716-717) and Larder, et al., (1989, *Proc. Natl. Acad. Sci.* 86: 4803-4807) disclose site specific mutagenesis of HIV-1 RT and  
30 the effect such changes have on *in vitro* activity and infectivity related to interaction with known inhibitors of RT.

Davies, et al. (1991, *Science* 252: 88-95) disclose the crystal structure of the RNase H domain of HTV-1 Pol.

Schatz, et al. (1989, *FEBS Lett.* 257: 311-314) disclose that mutations Glu478Gln and His539Phe in a complete HIV-1 RT/RNase H DNA fragment results in defective RNase activity without effecting RT activity.

5 Mizrahi, et al. (1990, *Nucl. Acids. Res.* 18: pp. 5359-5353) disclose additional mutations Asp443Asn and Asp498Asn in the RNase region of the *pol* gene which also results in defective RNase activity. The authors note that the Asp498Asn mutant was difficult to characterize due to instability of this mutant protein.

10 Leavitt, et al. (1993, *J. Biol. Chem.* 268: 2113-2119) disclose several mutations, including a Asp64Val mutation, which show differing effect on HIV-1 integrase (IN) activity.

Wiskerchen, et al. (1995, *J. Virol.* 69: 376-386) disclose singe and double mutants, including mutation of aspartic acid residues which effect HIV-1 IN and viral replication functions.

15 It would be of great import in the battle against AIDS to produce a prophylactic- and/or therapeutic-based HIV vaccine which generates a strong cellular immune response against an HIV infection. The present invention addresses and meets this needs by disclosing a class of DNA vaccines based on host delivery and expression of modified versions of the HIV-1 gene, *pol*.

## 20 SUMMARY OF THE INVENTION

The present invention relates to synthetic DNA molecules (also referred to herein as "polynucleotides") and associated DNA vaccines (also referred to herein as "polynucleotide vaccines") which elicit cellular immune and humoral responses upon administration to the host, including primates and especially humans, and also 25 including a non-human mammal of commercial or domestic veterinary importance. An effect of the cellular immune-directed vaccines of the present invention should be the lower transmission rate to previously uninfected individuals and/or reduction in the levels of the viral loads within an infected individual, so as to prolong the asymptomatic phase of HIV-1 infection. In particular, the present invention relates to 30 DNA vaccines which encode various forms of HIV-1 Pol, wherein administration, intracellular delivery and expression of the HIV-1 Pol gene of interest elicits a host CTL and Th response. The preferred synthetic DNA molecules of the present invention encode codon optimized versions of wild type HIV-1 Pol, codon optimized versions of HIV-1 Pol fusion proteins, and codon optimized versions of HIV-1 Pol

proteins and fusion protein, including but not limited to *pol* modifications involving residues within the catalytic regions responsible for RT, RNase and IN activity within the host cell.

A particular embodiment of the present invention relates to codon optimized

5 wt-pol DNA constructs wherein DNA sequences encoding the protease (PR) activity are deleted, leaving codon optimized "wild type" sequences which encode RT (reverse transcriptase and RNase H activity) and IN integrase activity. The nucleotide sequence of a DNA molecule which encodes this protein is disclosed herein as SEQ ID NO:1 and the corresponding amino acid sequence of the expressed protein is  
10 disclosed herein as SEQ ID NO:2.

The present invention preferably relates to a HIV-1 DNA pol construct which is devoid of DNA sequences encoding any PR activity, as well as containing a mutation(s) which at least partially, and preferably substantially, abolishes RT, RNase and/or IN activity. One type of HIV-1 pol mutant may include but is not limited to a

15 mutated DNA molecule comprising at least one nucleotide substitution which results in a point mutation which effectively alters an active site within the RT, RNase and/or IN regions of the expressed protein, resulting in at least substantially decreased enzymatic activity for the RT, RNase H and/or IN functions of HIV-1 Pol. In a preferred embodiment of this portion of the invention, a HIV-1 DNA pol construct  
20 contains a mutation or mutations within the Pol coding region which effectively abolishes RT, RNase H and IN activity. An especially preferable HIV-1 DNA pol construct in a DNA molecule which contains at least one point mutation which alters the active site of the RT, RNase H and IN domains of Pol, such that each activity is at least substantially abolished. Such a HIV-1 Pol mutant will most likely comprise at  
25 least one point mutation in or around each catalytic domain responsible for RT, RNase H and IN activity, respectfully. To this end, an especially preferred HIV-1 DNA pol construct is exemplified herein and contains nine codon substitution mutations which results in an inactivated Pol protein (IA Pol: SEQ ID NO:4, Figure 2A-C) which has no PR, RT, RNase or IN activity, wherein three such point  
30 mutations reside within each of the RT, RNase and IN catalytic domains. Any combination of the mutations disclosed herein may suitable and therefore may be utilized as an IA-Pol-based vaccine of the present invention. While addition and deletion mutations are contemplated and within the scope of the invention, the

preferred mutation is a point mutation resulting in a substitution of the wild type amino acid with an alternative amino acid residue.

Another aspect of the present invention is to generate HIV-1 Pol-based vaccine constructions which comprise a eukaryotic trafficking signal peptide such as 5 the leader peptide from human tPA. To this end, the present invention relates to a DNA molecule which encodes a codon optimized wt-pol DNA construct wherein the protease (PR) activity is deleted and a human tPA leader sequence is fused to the 5' end of the coding region. A DNA molecule which encodes this protein is disclosed herein as SEQ ID NO:5, the open reading frame disclosed herein as SEQ ID NO:6.

10 The present invention especially relates to a HIV-1 Pol mutant such as IA-Pol (SEQ ID NO:4) which comprises a leader peptide, such as the human tPA leader, at the amino terminal portion of the protein, which may effect cellular trafficking and hence, immunogenicity of the expressed protein within the host cell. Any such HIV-1 DNA pol mutant disclosed in the above paragraphs is suitable for fusion downstream of a leader 15 peptide, including but by no means limited to the human tPA leader sequence. Therefore, any such leader peptide-based HIV-1 pol mutant construct may include but is not limited to a mutated DNA molecule which effectively alters the catalytic activity of the RT, RNase and/or IN region of the expressed protein, resulting in at least substantially decreased enzymatic activity one or more of the RT, RNase H and/or IN functions of 20 HIV-1 Pol. In a preferred embodiment of this portion of the invention, a leader peptide/HIV-1 DNA pol construct contains a mutation or mutations within the Pol coding region which effectively abolishes RT, RNase H and IN activity. An especially preferable HIV-1 DNA pol construct is a DNA molecule which contains at least one point 25 mutation which alters the active site and catalytic activity within the RT, RNase H and IN domains of Pol, such that each activity is at least substantially abolished, and preferably totally abolished. Such a HIV-1 Pol mutant will most likely comprise at least one point mutation in or around each catalytic domain responsible for RT, RNase H and IN activity, respectfully. An especially preferred embodiment of this portion of the invention relates to a human tPA leader fused to the IA-Pol protein comprising the nine mutations shown 30 in Table 1. The DNA molecule is disclosed herein as SEQ ID NO:7 and the expressed tPA-IA Pol protein comprises a fusion junction as shown in Figure 3. The complete amino acid sequence of the expressed protein is set forth in SEQ ID NO:8.

The present invention also relates to a substantially purified protein expressed from the DNA polynucleotide vaccines of the present invention, especially the purified

proteins set forth below as SEQ ID NOs: 2, 4, 6, and 8. These purified proteins may be useful as protein-based HIV vaccines.

The present invention also relates to non-codon optimized versions of DNA molecules and associated polynucleotides and associated DNA vaccines which 5 encode the various wild type and modified forms of the HIV Pol protein disclosed herein. Partial or fully codon optimized DNA vaccine expression vector constructs are preferred, but it is within the scope of the present invention to utilize "non-codon optimized" versions of the constructs disclosed herein, especially modified versions of HIV Pol which are shown to promote a substantial cellular immune and humoral 10 immune responses subsequent to host administration.

The DNA backbone of the DNA vaccines of the present invention are preferably DNA plasmid expression vectors. DNA plasmid expression vectors utilized in the present invention include but are not limited to constructs which comprise the cytomegalovirus promoter with the intron A sequence (CMV-intA) and 15 a bovine growth hormone transcription termination sequence. In addition, DNA plasmid vectors of the present invention preferably comprise an antibiotic resistance marker, including but not limited to an ampicillin resistance gene, a neomycin resistance gene or any other pharmaceutically acceptable antibiotic resistance marker. In addition, an appropriate polylinker cloning site and a prokaryotic origin of 20 replication sequence are also preferred. Specific DNA vectors exemplified herein include V1, V1J (SEQ ID NO:13), V1Jneo (SEQ ID NO:14), V1Jns (Figure 1A, SEQ ID NO:15), V1R (SEQ ID NO:26), and any of the aforementioned vectors wherein a nucleotide sequence encoding a leader peptide, preferably the human tPA leader, is fused directly downstream of the CMV-intA promoter, including but not limited to 25 V1Jns-tpa, as shown in Figure 1B and SEQ ID NO:28.

The present invention especially relates to a DNA vaccine and a pharmaceutically active vaccine composition which contains this DNA vaccine, and the use as prophylactic and/or therapeutic vaccine for host immunization, preferably 30 human host immunization, against an HIV infection or to combat an existing HIV condition. These DNA vaccines are represented by codon optimized DNA molecules encoding codon optimized HIV-1 Pol (e.g. SEQ ID NO:2), codon optimized HIV-1 Pol fused to an amino terminal localized leader sequence (e.g. SEQ ID NO:6), and especially preferable, and the essence of the present invention, biologically inactive Pol proteins (IA Pol; e.g., SEQ ID NO:4) devoid of significant PR, RT, RNase or IN

activity associated with wild type Pol and a concomitant construct which contains a leader peptide at the amino terminal region of the IA Pol protein. These constructs are ligated within an appropriate DNA plasmid vector, with or without a nucleotide sequence encoding a functional leader peptide. Preferred DNA vaccines of the present invention comprise codon optimized DNA molecules encoding codon optimized HIV-1 Pol and inactivated version of Pol, ligated in DNA vectors disclosed herein, or any of the aforementioned vectors wherein a nucleotide sequence encoding a leader peptide, preferably the human tPA leader, is fused directly downstream of the CMV-intA promoter, including but not limited to V1Jns-tpa, as shown in Figure 1B and SEQ ID NO:28.

Therefore, the present invention relates to DNA vaccines which include, but are in no way limited to V1Jns-WTPol (comprising the DNA molecule encoding WT Pol, as set forth in SEQ ID NO:2), V1Jns-tPA-WTPol, (comprising the DNA molecule encoding tPA Pol, as set forth in SEQ ID NO:6), V1Jns-IAPol (comprising the DNA molecule encoding IA Pol, as set forth in SEQ ID NO:4), and V1Jns-tPA-IAPol, (comprising the DNA molecule encoding tPA-IA Pol, as set forth in SEQ ID NO:8). Especially preferred are V1Jns-IAPol and V1Jns-tPA-IAPol, as exemplified in Example Section 2.

The present invention also relates to HIV Pol polynucleotide pharmaceutical products, as well as the production and use thereof, wherein the DNA vaccines are formulated with an adjuvant or adjuvants which may increase immunogenicity of the DNA polynucleotide vaccines of the present invention, namely by promoting an enhanced cellular and/or humoral response subsequent to inoculation. A preferred adjuvant is an aluminum phosphate-based adjuvant or a calcium phosphate based adjuvant, with an aluminum phosphate adjuvant being especially preferred. Another preferred adjuvant is a non-ionic block copolymer, preferably comprising the blocks of polyoxyethylene (POE) and polyoxypropylene (POP) such as a POE-POP-POE block copolymer. These adjuvanted forms comprising the DNA vaccines disclosed herein are useful in increasing cellular responses to DNA vaccination.

As used herein, a DNA vaccine or DNA polynucleotide vaccine is a DNA molecule (i.e., "nucleic acid", "polynucleotide") which contains essential regulatory elements such that upon introduction into a living, vertebrate cell, it is able to direct the cellular machinery to produce translation products encoded by the respective pol

genes of the present invention.

#### BRIEF DESCRIPTION OF THE FIGURES

Figure 1A-B shows schematic representation of DNA vaccine expression

5 vectors V1Jns (A) and V1Jns-tPA (B) utilized for HIV-1 pol and HIV-1 modified pol constructs.

Figure 2A-C shows the nucleotide (SEQ ID NO:3) and amino acid sequence (SEQ ID NO:4) of IA-Pol. Underlined codons and amino acids denote mutations, as listed in Table 1.

10 Figure 3 shows the codon optimized nucleotide and amino acid sequences through the fusion junction of tPA-IA-Pol (contained within SEQ ID NOs: 7 and 8, respectively). The underlined portion represents the NH<sub>2</sub>-terminal region of IA-Pol.

15 Figure 4 shows generation of a humoral response (measured as the geometric means of anti-RT endpoint titers) from mice immunized with one or two doses of codon optimized V1Jns-IApol and V1Jns-tpa-IApol. A portion of mice that received 30 ug of each plasmid was boosted at T=8 wks; sera from all mice were collected at 4 wk post dose 2.

20 Figure 5 shows the number of IFN-gamma secreting cells per 10e6 cells following stimulation with pools of either CD4<sup>+</sup> (aa641-660, aa731-750) or CD8<sup>+</sup> (aa201-220, aa311-330, aa571-590, aa781-800) specific peptides of splenocytes (pool of 5 spleens/cohort) from control mice and those vaccinated with increasing single dose of codon optimized V1Jns-IApol or 30 ug of codon optimized V1Jns-tpa-IApol (13 wks post dose 1). Mice (n=5) vaccinated with a second dose of 30 ug of either plasmid were analyzed in an Elispot assay at 6 wks post dose 2. Reported are the 25 sums of the number of spots stimulated by each individual CD8<sup>+</sup> peptides because the spots in the wells to which the pool was added are too dense to acquire accurate counts. The CD4<sup>+</sup> cell counts are taken from the responses to the peptide pool. Error bars represent standard deviations for counts from triplicate wells per sample per antigen.

30 Figure 6A-C shows ELIspot analysis of peripheral blood cells collected from rhesus macaques immunized three times (T=0, 4, 8 wks) with 5 mgs of codon optimized HIV-1 Pol expressing plasmids. Antigen-specific IFN-gamma secretion was stimulated by adding one of two pools consisting of 20-mer peptides derived from vaccine sequence (mpol-1, aa1-420; mpol-2, aa411-850). (A) Frequencies of

spot-forming cells (SFC) as a function of time for 3 monkeys (Tag No. 94R008, 94R013, 94R033) vaccinated with V1Jns-IApol. The reported values are corrected for background responses without peptide restimulation. (B) Frequencies of spot-forming cells (SFC) as a function of time for 3 monkeys (Tag No. 920078, 920073, 5 94R028) vaccinated with 5mgs of V1Jns-tpa-IApol. (C) ELIspot responses were also measured from a monkey (920072) that did not receive any immunization.

Figure 7A-B show bulk CTL killing from rhesus macaques immunized with codon optimized V1Jns-IApol (A) or codon optimized V1Jns-tpa-IApol (B) at 8 weeks following the third vaccination. Restimulation was performed using recombinant 10 vaccinia virus expressing pol and target cells were prepared by pulsing with the peptide pools, mpol-1 and mpol-2.

Figure 8 shows detection of *in vitro* pol expression from cell lysates of 293 cells transfected with 10 ug of various pol constructs. Bands were detected using anti-serum from an HIV-1 seropositive human subject. Equal amounts of total protein 15 were loaded for each lane. The lanes contain the lysates from cells transfected with the following: 1: mock; 2: V1Jns-wt-pol; 3: V1Jns-IApol (codon optimized); 4: V1Jns-tpa-IApol (codon optimized); 5: V1Jns-tpa-pol (codon optimized); 6: V1R-wt-pol (codon optimized); 7: blank; and 8: 80 ng RT.

Figure 9 shows the geometric mean anti-RT titers (GMT) plus the standard 20 errors of the geometric means for cohorts of 5 mice that received one (open circles) or two doses (solid circles) of 1, 10, 100  $\mu$ g of V1R-wt-pol (codon optimized) or V1Jns-wt-pol. Sera from all animals were collected at 2 weeks post dose 2 (or 7 wks post dose 1) and assayed simultaneously. Statistical analyses were performed to compare cohorts that received the same amount and number of immunization of either 25 plasmids; p values (two-tail) less than 5% are above the bars the connect the correlated cohorts to reflect statistically significant differences.

Figure 10 shows cellular immune responses in BALB/c mice vaccinated i.m. with 1 (pd1) or 2 (pd2) doses of varying amounts of either wt-pol (virus derived) or 30 wt-pol (codon optimized) plasmids. At 3 wks post dose 2, frequencies of IFN- $\gamma$ - secreting splenocytes are determined from pools of 5 spleens per cohort against mixtures of either CD4 $^{+}$  peptides (aa21-40, aa411-430, aa531-550, aa641-660, aa731-750, aa771-790) or CD8 $^{+}$  peptides (aa201-220, aa311-330) at 4  $\mu$ g/mL final concentration per peptide.

**DETAILED DESCRIPTION OF THE INVENTION**

The present invention relates to synthetic DNA molecules and associated DNA vaccines which elicit CTL and Th cellular immune responses upon administration to the host, including primates and especially humans. An effect of the 5 cellular immune-directed vaccines of the present invention should be a lower transmission rate to previously uninfected individuals and/or reduction in the levels of the viral loads within an infected individual, so as to prolong the asymptomatic phase of HIV-1 infection. In particular, the present invention relates to DNA vaccines which encode various forms of HIV-1 Pol, wherein administration, intracellular 10 delivery and expression of the HIV-1 Pol gene of interest elicits a host CTL and Th response. The preferred synthetic DNA molecules of the present invention encode codon optimized wild type Pol (without Pro activity) and various codon optimized inactivated HIV-1 Pol proteins. The HIV-1 *pol* constructs disclosed herein are especially preferred for pharmaceutical uses, especially for human administration as a 15 DNA vaccine. The HIV-1 genome employs predominantly uncommon codons compared to highly expressed human genes. Therefore, the pol open reading frame has been synthetically manipulated using optimal codons for human expression. As noted above, a preferred embodiment of the present invention relates to DNA molecules which comprise a HIV-1 pol open reading frame, whether encoding full 20 length pol or a modification or fusion as described herein, wherein the codon usage has been optimized for expression in a mammal, especially a human.

The synthetic *pol* gene disclosed herein comprises the coding sequences for the reverse transcriptase (or RT which consists of a polymerase and RNase H activity) and integrase (IN). The protein sequence is based on that of Hxb2r, a clonal isolate of 25 IIIB; this sequence has been shown to be closest to the consensus clade B sequence with only 16 nonidentical residues out of 848 (Korber, et al., 1998, Human retroviruses and AIDS, Los Alamos National Laboratory, Los Alamos, New Mexico). The skilled artisan will understand after review of this specification that any available HIV-1 or HIV-2 strain provides a potential template for the generation of HIV pol 30 DNA vaccine constructs disclosed herein. It is further noted that the protease gene is excluded from the DNA vaccine constructs of the present invention to insure safety from any residual protease activity in spite of mutational inactivation. The design of the gene sequences for both wild-type (wt-pol) and inactivated pol (IA-pol) incorporates the use of human preferred ("humanized") codons for each amino acid

residue in the sequence in order to maximize *in vivo* mammalian expression (Lathe, 1985, J. Mol. Biol. 183:1-12). As can be discerned by inspecting the codon usage in SEQ ID NOs: 1, 3, 5 and 7, the following codon usage for mammalian optimization is preferred: Met (ATG), Gly (GGC), Lys (AAG), Trp (TGG), Ser (TCC), Arg (AGG),  
5 Val (GTG), Pro (CCC), Thr (ACC), Glu (GAG); Leu (CTG), His (CAC), Ile (ATC), Asn (AAC), Cys (TGC), Ala (GCC), Gln (CAG), Phe (TTC) and Tyr (TAC). For an additional discussion relating to mammalian (human) codon optimization, see WO 97/31115 (PCT/US97/02294), which is hereby incorporated by reference. It is intended that the skilled artisan may use alternative versions of codon optimization or  
10 may omit this step when generating HIV pol vaccine constructs within the scope of the present invention. Therefore, the present invention also relates to non-codon optimized versions of DNA molecules and associated DNA vaccines which encode the various wild type and modified forms of the HIV Pol protein disclosed herein. However, codon optimization of these constructs is a preferred embodiment of this  
15 invention.

A particular embodiment of the present invention relates to codon optimized wt-pol DNA constructs (herein, "wt-pol" or "wt-pol (codon optimized)") wherein DNA sequences encoding the protease (PR) activity are deleted, leaving codon optimized "wild type" sequences which encode RT (reverse transcriptase and RNase H activity) and IN integrase activity. A DNA molecule which encodes this protein is disclosed herein as SEQ ID NO:1, the open reading frame being contained from an initiating Met residue at nucleotides 10-12 to a termination codon from nucleotides 2560-2562. SEQ ID NO:1 is as follows:

AGATCTACCA TGGCCCCCAT CTCCCCCATT GAGACTGTGC CTGTGAAGCT GAAGCCTGGC  
25 ATGGATGGCC CCAAGGTGAA GCAGTGGCCC CTGACTGAGG AGAAGATCAA GGCCCTGGTG  
GAAATCTGCA CTGAGATGGA GAAGGAGGGC AAAATCTCCA AGATTGGCCC CGAGAACCCC  
TACAACACCC CTGTGTTTGC CATCAAGAAG AAGGACTCCA CCAAGTGGAG GAAGCTGGTG  
GACTTCAGGG AGCTGAACAA GAGGACCCAG GACTTCTGGG AGGTGCAGCT GGGCATCCCC  
CACCCCGCTG GCCTGAAGAA GAAGAAGTCT GTGACTGTGC TGGATGTGGG GGATGCCTAC  
30 TTCTCTGTGC CCCTGGATGA GGACTTCAGG AAGTACACTG CCTTCACCAT CCCCTCCATC  
AACAAATGAGA CCCCTGGCAT CAGGTACCAAG TACAATGTGC TGCCCCAGGG CTGGAAAGGGC  
TCCCCCTGCCA TCTTCCAGTC CTCCATGACC AAGATCCTGG AGCCCTTCAG GAAGCAGAAC  
CCTGACATTG TGATCTACCA GTACATGGAT GACCTGTATG TGGCTCTGA CCTGGAGATT  
GGGCAGCACA GGACCAAGAT TGAGGAGCTG AGGCAGCACC TGCTGAGGTG GGGCCTGACC

ACCCCTGACA AGAAGCACCA GAAGGAGCCC CCCTTCTGT GGATGGGCTA TGAGCTGCAC  
CCCGACAAGT GGACTGTGCA GCCCATTGTG CTGCCTGAGA AGGACTCCTG GACTGTGAAT  
GACATCCAGA AGCTGGTGGG CAAGCTGAAC TGGGCCTCCC AAATCTACCC TGGCATCAAG  
GTGAGGCAGC TGTGCAAGCT GCTGAGGGCC ACCAAGGCC TGACTGAGGT GATCCCCCTG  
5 ACTGAGGGAGG CTGAGCTGGA GCTGGCTGAG AACAGGGAGA TCCTGAAGGA GCCTGTGCAT  
GGGGTGTACT ATGACCCCTC CAAGGACCTG ATTGCTGAGA TCCAGAAGCA GGGCCAGGGC  
CAGTGGACCT ACCAAATCTA CCAGGAGCCC TTCAAGAACC TGAAGACTGG CAAGTATGCC  
AGGATGAGGG GGGCCCACAC CAATGATGTG AAGCAGCTGA CTGAGGCTGTG GCAGAAGATC  
ACCACTGAGT CCATTGTGAT CTGGGCAAG ACCCCCAAGT TCAAGCTGCC CATCCAGAAG  
10 GAGACCTGGG AGACCTGGTG GACTGAGTAC TGGCAGGCCA CCTGGATCCC TGAGTGGGAG  
TTTGTGAACA CCCCCCCCCCT GGTGAACCTG TGGTACCAAGC TGGAGAAGGA GCCCATTGTG  
GGGGCTGAGA CCTCTATGT GGATGGGCT GCCAACAGGG AGACCAAGCT GGGCAAGGCT  
GGCTATGTGA CCAACAGGGG CAGGCAGAAG GTGGTGACCC TGACTGACAC CACCAACCAG  
AAGACTGAGC TCCAGGCCAT CTACCTGGCC CTCCAGGACT CTGGCCTGGA GGTGAACATT  
15 GTGACTGACT CCCAGTATGC CCTGGGCATC ATCCAGGCC AGCCTGATCA GTCTGAGTCT  
GAGCTGGTGA ACCAGATCAT TGAGCAGCTG ATCAAGAACCG AGAAGGTGTA CCTGGCCTGG  
GTGCCTGCCA ACAAGGGCAT TGGGGCAAT GAGCAGGTGG ACAAGCTGGT GTCTGCTGGC  
ATCAGGAAGG TGCTGTTCCCT GGATGGCATT GACAAGGCC AGGATGAGCA TGAGAAGTAC  
CACTCCAAGT GGAGGGCTAT GGCCCTCTGAC TTCAACCTGC CCCCTGTGGT GGCTAAGGAG  
20 ATTGTGGCCT CCTGTGACAA GTGCCAGCTG AAGGGGAGG CCATGCATGG GCAGGTGGAC  
TGCTCCCCCTG GCATCTGGCA GCTGGACTGC ACCCACCTGG AGGGCAAGGT GATCCTGGTG  
GCTGTGCATG TGGCCTCCGG CTACATTGAG CTCAGGTGA TCCCTGCTGA GACAGGCCAG  
GAGACTGCCT ACTTCCTGCT GAAGCTGGCT GCCAGGTGGC CTGTGAAGAC CATCCACACT  
GACAATGGCT CCAACTTCAC TGGGCCACA GTGAGGGCTG CCTGCTGGTG GGCTGGCATE  
25 AAGCAGGAGT TTGGCATCCC CTACAACCC CAGTCCCAGG GGGTGGTGGA GTCCATGAAC  
AAGGAGCTGA AGAAGATCAT TGGGCAGGTG AGGGACCAGG CTGAGCACCT GAAGACAGCT  
GTGCAGATGG CTGTGTTCAT CCACAACCTTC AAGAGGAAGG GGGCCTCGG GGGCTACTCC  
GCTGGGAGA GGATTGTGGA CATCATTGCC ACAGACATCC AGACCAAGGA GCTCCAGAAG  
CAGATCACCA AGATCCAGAA CTTCAGGGTG TACTACAGGG ACTCCAGGAA CCCCTGTGG  
30 AAGGGCCCTG CCAAGCTGCT GTGGAAGGGG GAGGGGCTG TGGTGATCCA GGACAACCT  
GACATCAAGG TGGTGCCAG GAGGAAGGCC AAGATCATCA GGGACTATGG CAAGCAGATG  
GCTGGGATG ACTGTGTGGC CTCCAGGCAG GATGAGGACT AAAGCCCCGGG CAGATCT (SEQ  
ID NO:1).

The open reading frame of the wild type pol construct disclosed as SEQ ID NO:1 contains 850 amino acids, disclosed herein as SEQ ID NO:2, as follows:

Met Ala Pro Ile Ser Pro Ile Glu Thr Val Pro Val Lys Leu Lys Pro  
Gly Met Asp Gly Pro Lys Val Lys Gln Trp Pro Leu Thr Glu Glu Lys  
5 Ile Lys Ala Leu Val Glu Ile Cys Thr Glu Met Glu Lys Glu Gly Lys  
Ile Ser Lys Ile Gly Pro Glu Asn Pro Tyr Asn Thr Pro Val Phe Ala  
Ile Lys Lys Asp Ser Thr Lys Trp Arg Lys Leu Val Asp Phe Arg  
Glu Leu Asn Lys Arg Thr Gln Asp Phe Trp Glu Val Gln Leu Gly Ile  
Pro His Pro Ala Gly Leu Lys Lys Ser Val Thr Val Leu Asp  
10 Val Gly Asp Ala Tyr Phe Ser Val Pro Leu Asp Glu Asp Phe Arg Lys  
Tyr Thr Ala Phe Thr Ile Pro Ser Ile Asn Asn Glu Thr Pro Gly Ile  
Arg Tyr Gln Tyr Asn Val Leu Pro Gln Gly Trp Lys Gly Ser Pro Ala  
Ile Phe Gln Ser Ser Met Thr Lys Ile Leu Glu Pro Phe Arg Lys Gln  
Asn Pro Asp Ile Val Ile Tyr Gln Tyr Met Asp Asp Leu Tyr Val Gly  
15 Ser Asp Leu Glu Ile Gly Gln His Arg Thr Lys Ile Glu Glu Leu Arg  
Gln His Leu Leu Arg Trp Gly Leu Thr Thr Pro Asp Lys Lys His Gln  
Lys Glu Pro Pro Phe Leu Trp Met Gly Tyr Glu Leu His Pro Asp Lys  
Trp Thr Val Gln Pro Ile Val Leu Pro Glu Lys Asp Ser Trp Thr Val  
Asn Asp Ile Gln Lys Leu Val Gly Lys Leu Asn Trp Ala Ser Gln Ile  
20 Tyr Pro Gly Ile Lys Val Arg Gln Leu Cys Lys Leu Leu Arg Gly Thr  
Lys Ala Leu Thr Glu Val Ile Pro Leu Thr Glu Glu Ala Glu Leu Glu  
Leu Ala Glu Asn Arg Glu Ile Leu Lys Glu Pro Val His Gly Val Tyr  
Tyr Asp Pro Ser Lys Asp Leu Ile Ala Glu Ile Gln Lys Gln Gly Gln  
Gly Gln Trp Thr Tyr Gln Ile Tyr Gln Glu Pro Phe Lys Asn Leu Lys  
25 Thr Gly Lys Tyr Ala Arg Met Arg Gly Ala His Thr Asn Asp Val Lys  
Gln Leu Thr Glu Ala Val Gln Lys Ile Thr Thr Glu Ser Ile Val Ile  
Trp Gly Lys Thr Pro Lys Phe Lys Leu Pro Ile Gln Lys Glu Thr Trp  
Glu Thr Trp Thr Glu Tyr Trp Gln Ala Thr Trp Ile Pro Glu Trp  
Glu Phe Val Asn Thr Pro Pro Leu Val Lys Leu Trp Tyr Gln Leu Glu  
30 Lys Glu Pro Ile Val Gly Ala Glu Thr Phe Tyr Val Asp Gly Ala Ala  
Asn Arg Glu Thr Lys Leu Gly Lys Ala Gly Tyr Val Thr Asn Arg Gly  
Arg Gln Lys Val Val Thr Leu Thr Asp Thr Thr Asn Gln Lys Thr Glu  
Leu Gln Ala Ile Tyr Leu Ala Leu Gln Asp Ser Gly Leu Glu Val Asn  
Ile Val Thr Asp Ser Gln Tyr Ala Leu Gly Ile Ile Gln Ala Gln Pro

Asp Gln Ser Glu Ser Glu Leu Val Asn Gln Ile Ile Glu Gln Leu Ile  
Lys Lys Glu Lys Val Tyr Leu Ala Trp Val Pro Ala His Lys Gly Ile  
Gly Gly Asn Glu Gln Val Asp Lys Leu Val Ser Ala Gly Ile Arg Lys  
Val Leu Phe Leu Asp Gly Ile Asp Lys Ala Gln Asp Glu His Glu Lys  
5 Tyr His Ser Asn Trp Arg Ala Met Ala Ser Asp Phe Asn Leu Pro Pro  
Val Val Ala Lys Glu Ile Val Ala Ser Cys Asp Lys Cys Gln Leu Lys  
Gly Glu Ala Met His Gly Gln Val Asp Cys Ser Pro Gly Ile Trp Gln  
Leu Asp Cys Thr His Leu Glu Gly Lys Val Ile Leu Val Ala Val His  
Val Ala Ser Gly Tyr Ile Glu Ala Glu Val Ile Pro Ala Glu Thr Gly  
10 Gln Glu Thr Ala Tyr Phe Leu Leu Lys Leu Ala Gly Arg Trp Pro Val  
Lys Thr Ile His Thr Asp Asn Gly Ser Asn Phe Thr Gly Ala Thr Val  
Arg Ala Ala Cys Trp Trp Ala Gly Ile Lys Gln Glu Phe Gly Ile Pro  
Tyr Asn Pro Gln Ser Gln Gly Val Val Glu Ser Met Asn Lys Glu Leu  
Lys Lys Ile Ile Gly Gln Val Arg Asp Gln Ala Glu His Leu Lys Thr  
15 Ala Val Gln Met Ala Val Phe Ile His Asn Phe Lys Arg Lys Gly Gly  
Ile Gly Gly Tyr Ser Ala Gly Glu Arg Ile Val Asp Ile Ile Ala Thr  
Asp Ile Gln Thr Lys Glu Leu Gln Lys Gln Ile Thr Lys Ile Gln Asn  
Phe Arg Val Tyr Tyr Arg Asp Ser Arg Asn Pro Leu Trp Lys Gly Pro  
Ala Lys Leu Leu Trp Lys Gly Glu Gly Ala Val Val Ile Gln Asp Asn  
20 Ser Asp Ile Lys Val Val Pro Arg Arg Lys Ala Lys Ile Ile Arg Asp  
Tyr Gly Lys Gln Met Ala Gly Asp Asp Cys Val Ala Ser Arg Gln Asp  
Glu Asp (SEQ ID NO:2).

The present invention especially relates to a codon optimized HIV-1 DNA pol construct wherein, in addition to deletion of the portion of the wild type sequence encoding the protease activity, a combination of active site residue mutations are introduced which are deleterious to HIV-1 pol (RT-RH-IN) activity of the expressed protein. Therefore, the present invention preferably relates to a HIV-1 DNA pol construct which is devoid of DNA sequences encoding any PR activity, as well as containing a mutation(s) which at least partially, and preferably substantially, 25 abolishes RT, RNase and/or IN activity. One type of HIV-1 pol mutant may include but is not limited to a mutated DNA molecule comprising at least one nucleotide substitution which results in a point mutation which effectively alters an active site within the RT, RNase and/or IN regions of the expressed protein, resulting in at least 30 substantially decreased enzymatic activity for the RT, RNase H and/or IN functions of

HIV-1 Pol. In a preferred embodiment of this portion of the invention, a HIV-1 DNA pol construct contains a mutation or mutations within the Pol coding region which effectively abolishes RT, RNase H and IN activity. An especially preferable HIV-1 DNA pol construct in a DNA molecule which contains at least one point mutation

5 which alters the active site of the RT, RNase H and IN domains of Pol, such that each activity is at least substantially abolished. Such a HIV-1 Pol mutant will most likely comprise at least one point mutation in or around each catalytic domain responsible for RT, RNase H and IN activity, respectfully. To this end, an especially preferred HIV-1 DNA pol construct is exemplified herein and contains nine codon substitution

10 mutations which results in an inactivated Pol protein (IA Pol: SEQ ID NO:4, Figure 2A-C) which has no PR, RT, RNase or IN activity, wherein three such point mutations reside within each of the RT, RNase and IN catalytic domains. Therefore, an especially preferred exemplification is a DNA molecule which encodes IA-pol, which contains all nine mutations as shown below in Table 1. An additional preferred

15 amino acid residue for substitution is Asp551, localized within the RNase domain of Pol. Any combination of the mutations disclosed herein may suitable and therefore may be utilized as an IA-Pol-based vaccine of the present invention. While addition and deletion mutations are contemplated and within the scope of the invention, the preferred mutation is a point mutation resulting in a substitution of the wild type

20 amino acid with an alternative amino acid residue.

Table 1

	<u>wt aa</u>	<u>aa residue</u>	<u>mutant aa</u>	<u>enzyme function</u>
25	Asp	112	Ala	RT
	Asp	187	Ala	RT
	Asp	188	Ala	RT
	Asp	445	Ala	RNase H
30	Glu	480	Ala	RNase H
	Asp	500	Ala	RNase H
	Asp	626	Ala	IN
	Asp	678	Ala	IN
	Glu	714	Ala	IN

It is preferred that point mutations be incorporated into the IApol mutant vaccines of the present invention so as to lessen the possibility of altering epitopes in and around the active site(s) of HIV-1 Pol.

To this end, SEQ ID NO:3 discloses the nucleotide sequence which codes for 5 a codon optimized pol in addition to the nine mutations shown in Table 1, disclosed as follows, and referred to herein as "IApol":

```

AGATCTACCA TGGCCCCCAT CTCCCCATT GAGACTGTGC CTGTGAAGCT GAAGCCTGGC
ATGGATGGCC CCAAGGTGAA GCAGTGGCC CTGACTGAGG AGAAGATCAA GGCCCTGGTG
GAAATCTGCA CTGAGATGGA GAAGGAGGGC AAAATCTCCA AGATTGGCCC CGAGAACCCC
10 TACAACACCCC CTGTGTTTGC CATCAAGAAG AAGGACTCCA CCAAGTGGAG GAAGCTGGTG
GACTTCAGGG AGCTGAACAA GAGGACCCAG GACTTCTGGG AGGTGCAGCT GGGCATCCCC
CACCCCGCTG GCCTGAAGAA GAAGAAGTCT GTGACTGTGC TGGCTGTGGG GGATGCCATAC
TTCTCTGTGC CCCTGGATGA GGACTTCAGG AAGTACACTG CCTTCACCAT CCCCTCCATC
AACAAATGAGA CCCCTGGCAT CAGGTACCAG TACAATGTGC TGCCCCAGGG CTGGAAGGGC
15 TCCCTGCCA TCTTCCAGTC CTCCATGACC AAGATCCTGG AGCCCTTCAG GAAGCAGAAC
CCTGACATTG TGATCTACCA GTACATGGCT GCCCTGTATG TGGGCTCTGA CCTGGAGATT
GGGCAGCACA GGACCAAGAT TGAGGAGCTG AGGCAGCACC TGCTGAGGTG GGGCCTGACC
ACCCCTGACA AGAAGCACCA GAAGGGAGCC CCCTTCTGT GGATGGGCTA TGAGCTGCAC
CCCGACAAGT GGACTGTGCA GCCCATTGTG CTGCCTGAGA AGGACTCCTG GACTGTGAAT
20 GACATCCAGA ACCTGGTGGG CAAGCTGAAC TGGGCTCCC AAATCTACCC TGGCATCAAG
GTGAGGCAGC TGTGCAAGCT GCTGAGGGC ACCAAGGCCC TGACTGAGGT GATCCCCCTG
ACTGAGGAGG CTGAGCTGGA GCTGGCTGAG AACAGGGAGA TCCTGAAGGA GCCTGTGCAT
GGGGTGTACT ATGACCCCTC CAAGGACCTG ATTGCTGAGA TCCAGAAGCA GGGCCAGGGC
CAGTGGACCT ACCAAATCTA CCAGGAGCCC TTCAAGAACCG TGAAGACTGG CAAGTATGCC
25 AGGATGAGGG GGGCCCCACAC CAATGATGTG AAGCAGCTGA CTGAGGTGT GCAGAACATC
ACCACTGAGT CCATTGTGAT CTGGGGCAAG ACCCCCAAGT TCAAGCTGCC CATCCAGAAC
GAGACCTGGG AGACCTGGTG GACTGAGTAC TGGCAGGCC CCTGGATCCC TGAGTGGGAG
TTTGTGAACA CCCCCCCCCCT GGTGAAGCTG TGGTACCAAGC TGGAGAAGGA GCCCATTGTG
GGGGCTGAGA CCTTCTATGT GGCTGGGCT GCCAACAGGG AGACCAAGCT GGGCAAGGCT
30 GGCTATGTGA CCAACAGGGG CAGGCAGAACG GTGGTGACCC TGACTGACAC CACCAACCAG
AAGACTGCC TCCAGGCCAT CTACCTGGCC CTCCAGGACT CTGGCCTGGA GGTGAACATT
GTGACTGCCT CCCAGTATGC CCTGGGCATC ATCCAGGCC AGCCTGATCA GTCTGAGTCT
GAGCTGGTGA ACCAGATCAT TGAGCAGCTG ATCAAGAAGG AGAAGGTGTA CCTGGCCTGG
GTGCCTGCC ACAAGGGCAT TGGGGCAAT GAGCAGGTGG ACAAGCTGGT GTCTGCTGGC

```

ATCAGGAAGG TGCTGTTCCCT GGATGGCATT GACAAGGCC AGGATGAGCA TGAGAAGTAC  
CACTCCAAC TGGAGGGCTAT GGCGCTCTGAC TTCAACCTGC CCCCTGTGGT GGCTAAAGGAG  
ATTGTGGCCT CCTGTGACAA GTGCCAGCTG AAGGGGGAGG CCATGCATGG GCAGGGTGGAC  
TGCTCCCCTG GCATCTGGCA GCTGGCCTGC ACCCACCTGG AGGGCAAGGT GATCCTGGTG  
5 GCTGTGCATG TGCGCTCCGG CTACATTGAG GCTGAGGTGA TCCCTGCTGA GACAGGCCAG  
GAGACTGCCT ACTTCCTGCT GAAGCTGGCT GGCAGGTGGC CTGTGAAGAC CATCCACACT  
GCCAATGGCT CCAACTTCAC TGGGGCCACA GTGAGGGCTG CCTGCTGGTG GGCTGGCATC  
AACGAGGAGT TTGGCATCCC CTACAACCCCC CAGTCCCAGG GGGTGGTGGC CTCCATGAAC  
AAGGAGCTGA AGAAGATCAT TGGGCAGGTG AGGGACCAGG CTGAGCACCT GAAGACAGCT  
10 GTGCAGATGG CTGTGTTCAT CCACAACTTC AAGAGGAAGG GGGGCATCGG GGGCTACTCC  
GCTGGGGAGA GGATTGTGGA CATCATTGCC ACAGACATCC AGACCAAGGA GCTCCAGAAG  
CAGATCACCA AGATCCAGAA CTTCAGGGTG TACTACAGGG ACTCCAGGAA CCCCTGTGG  
AAGGGCCCTG CCAAGCTGCT GTGGAAGGGG GAGGGGGCTG TGGTGATCCA GGACAACCT  
GACATCAAGG TGGTGCCCCAG GAGGAAGGCC AAGATCATCA GGGACTATGG CAAGCAGATG  
15 GCTGGGGATG ACTGTGTGGC CTCCAGGCAG GATGAGGACT AAAGCCCGGG CAGATCT (SEQ ID  
NO:3).

In order to produce the IA-pol DNA vaccine construction, inactivation of the enzymatic functions was achieved by replacing a total of nine active-site residues from the enzyme subunits with alanine side-chains. As shown in Table 1, all residues 20 that comprise the catalytic triad of the polymerase, namely Asp112, Asp187, and Asp188, were substituted with alanine (Ala) residues (Larder, et al., *Nature* 1987, 327: 716-717; Larder, et al., 1989, *Proc. Natl. Acad. Sci.* 1989, 86: 4803-4807). Three additional mutations were introduced at Asp445, Glu480 and Asp500 to abolish RNase H activity (Asp551 was left unchanged in this IA Pol construct), with each 25 residue being substituted for an Ala residue, respectively (Davies, et al., 1991, *Science* 252: 88-95; Schatz, et al., 1989, *FEBS Lett.* 257: 311-314; Mizrahi, et al., 1990, *Nucl. Acids. Res.* 18: pp. 5359-5353). HIV pol integrase function was abolished through three mutations at Asp626, Asp678 and Glu714. Again, each of these residues has been substituted with an Ala residue (Wiskerchen, et al., 1995, *J. 30 Virol.* 69: 376-386; Leavitt, et al., 1993, *J. Biol. Chem.* 268: 2113-2119). Amino acid residue Pro3 of SEQ ID NO:4 marks the start of the RT gene. The complete amino acid sequence of IA-Pol is disclosed herein as SEQ ID NO:4, as follows:

Met Ala Pro Ile Ser Pro Ile Glu Thr Val Pro Val Lys Leu Lys Pro  
Gly Met Asp Gly Pro Lys Val Lys Gln Trp Pro Leu Thr Glu Glu Lys

Ile Lys Ala Leu Val Glu Ile Cys Thr Glu Met Glu Lys Glu Gly Lys  
Ile Ser Lys Ile Gly Pro Glu Asn Pro Tyr Asn Thr Pro Val Phe Ala  
Ile Lys Lys Asp Ser Thr Lys Trp Arg Lys Leu Val Asp Phe Arg  
Glu Leu Asn Lys Arg Thr Gln Asp Phe Trp Glu Val Gln Leu Gly Ile  
5 Pro His Pro Ala Gly Leu Lys Lys Lys Ser Val Thr Val Leu Ala  
Val Gly Asp Ala Tyr Phe Ser Val Pro Leu Asp Glu Asp Phe Arg Lys  
Tyr Thr Ala Phe Thr Ile Pro Ser Ile Asn Asn Glu Thr Pro Gly Ile  
Arg Tyr Gln Tyr Asn Val Leu Pro Gln Gly Trp Lys Gly Ser Pro Ala  
Ile Phe Gln Ser Ser Met Thr Lys Ile Leu Glu Pro Phe Arg Lys Gln  
10 Asn Pro Asp Ile Val Ile Tyr Gln Tyr Met Ala Ala Leu Tyr Val Gly  
Ser Asp Leu Glu Ile Gly Gln His Arg Thr Lys Ile Glu Glu Leu Arg  
Gln His Leu Leu Arg Trp Gly Leu Thr Thr Pro Asp Lys Lys His Gln  
Lys Glu Pro Pro Phe Leu Trp Met Gly Tyr Glu Leu His Pro Asp Lys  
Trp Thr Val Gln Pro Ile Val Leu Pro Glu Lys Asp Ser Trp Thr Val  
15 Asn Asp Ile Gln Lys Leu Val Gly Lys Leu Asn Trp Ala Ser Gln Ile  
Tyr Pro Gly Ile Lys Val Arg Gln Leu Cys Lys Leu Leu Arg Gly Thr  
Lys Ala Leu Thr Glu Val Ile Pro Leu Thr Glu Glu Ala Glu Leu Glu  
Leu Ala Glu Asn Arg Glu Ile Leu Lys Glu Pro Val His Gly Val Tyr  
Tyr Asp Pro Ser Lys Asp Leu Ile Ala Glu Ile Gln Lys Gln Gly Gln  
20 Gly Gln Trp Thr Tyr Gln Ile Tyr Gln Glu Pro Phe Lys Asn Leu Lys  
Thr Gly Lys Tyr Ala Arg Met Arg Gly Ala His Thr Asn Asp Val Lys  
Gln Leu Thr Glu Ala Val Gln Lys Ile Thr Thr Glu Ser Ile Val Ile  
Trp Gly Lys Thr Pro Lys Phe Lys Leu Pro Ile Gln Lys Glu Thr Trp  
Glu Thr Trp Trp Thr Glu Tyr Trp Gln Ala Thr Trp Ile Pro Glu Trp  
25 Glu Phe Val Asn Thr Pro Pro Leu Val Lys Leu Trp Tyr Gln Leu Glu  
Lys Glu Pro Ile Val Gly Ala Glu Thr Phe Tyr Val Ala Gly Ala Ala  
Asn Arg Glu Thr Lys Leu Gly Lys Ala Gly Tyr Val Thr Asn Arg Gly  
Arg Gln Lys Val Val Thr Leu Thr Asp Thr Thr Asn Gln Lys Thr Ala  
Leu Gln Ala Ile Tyr Leu Ala Leu Gln Asp Ser Gly Leu Glu Val Asn  
30 Ile Val Thr Ala Ser Gln Tyr Ala Leu Gly Ile Ile Gln Ala Gln Pro  
Asp Gln Ser Glu Ser Glu Leu Val Asn Gln Ile Ile Glu Gln Leu Ile  
Lys Lys Glu Lys Val Tyr Leu Ala Trp Val Pro Ala His Lys Gly Ile  
Gly Gly Asn Glu Gln Val Asp Lys Leu Val Ser Ala Gly Ile Arg Lys  
Val Leu Phe Leu Asp Gly Ile Asp Lys Ala Gln Asp Glu His Glu Lys

Tyr His Ser Asn Trp Arg Ala Met Ala Ser Asp Phe Asn Leu Pro Pro  
Val Val Ala Lys Glu Ile Val Ala Ser Cys Asp Lys Cys Gln Leu Lys  
Gly Glu Ala Met His Gly Gln Val Asp Cys Ser Pro Gly Ile Trp Gln  
Leu Ala Cys Thr His Leu Glu Gly Lys Val Ile Leu Val Ala Val His  
5 Val Ala Ser Gly Tyr Ile Glu Ala Glu Val Ile Pro Ala Glu Thr Gly  
Gln Glu Thr Ala Tyr Phe Leu Leu Lys Leu Ala Gly Arg Trp Pro Val  
Lys Thr Ile His Thr Ala Asn Gly Ser Asn Phe Thr Gly Ala Thr Val  
Arg Ala Ala Cys Trp Trp Ala Gly Ile Lys Gln Glu Phe Gly Ile Pro  
Tyr Asn Pro Gln Ser Gln Gly Val Val Ala Ser Met Asn Lys Glu Leu  
10 Lys Lys Ile Ile Gly Gln Val Arg Asp Gln Ala Glu His Leu Lys Thr  
Ala Val Gln Met Ala Val Phe Ile His Asn Phe Lys Arg Lys Gly Gly  
Ile Gly Gly Tyr Ser Ala Gly Glu Arg Ile Val Asp Ile Ile Ala Thr  
Asp Ile Gln Thr Lys Glu Leu Gln Lys Ile Thr Lys Ile Gln Asn  
Phe Arg Val Tyr Tyr Arg Asp Ser Arg Asn Pro Leu Trp Lys Gly Pro  
15 Ala Lys Leu Leu Trp Lys Gly Glu Gly Ala Val Val Ile Gln Asp Asn  
Ser Asp Ile Lys Val Val Pro Arg Arg Lys Ala Lys Ile Ile Arg Asp  
Tyr Gly Lys Gln Met Ala Gly Asp Asp Cys Val Ala Ser Arg Gln Asp  
Glu Asp (SEQ ID NO:4).

As noted above, it will be understood that any combination of the mutations  
20 disclosed above may be suitable and therefore be utilized as an IA-pol-based vaccine  
of the present invention. For example, it may be possible to mutate only 2 of the 3  
residues within the respective reverse transcriptase, RNase H, and integrase coding  
regions while still abolishing these enzymatic activities. However, the IA-pol  
construct described above and disclosed as SEQ ID NO:3, as well as the expressed  
25 protein (SEQ ID NO:4) is preferred. It is also preferred that at least one mutation be  
present in each of the three catalytic domains.

Another aspect of the present invention is to generate codon optimized HIV-1  
Pol-based vaccine constructions which comprise a eukaryotic trafficking signal  
peptide such as from tPA (tissue-type plasminogen activator) or by a leader peptide  
30 such as is found in highly expressed mammalian proteins such as immunoglobulin  
leader peptides. Any functional leader peptide may be tested for efficacy. However,  
a preferred embodiment of the present invention is to provide for HIV-1 Pol mutant  
vaccine constructions as disclosed herein which also comprise a leader peptide,  
preferably a leader peptide from human tPA. In other words, a codon optimized

HIV-1 Pol mutant such as IA-Pol (SEQ ID NO:4) may also comprise a leader peptide at the amino terminal portion of the protein, which may effect cellular trafficking and hence, immunogenicity of the expressed protein within the host cell. As shown in Figure 1A-B for the DNA vector V1Jns, a DNA vector which may be utilized to practice the present invention may be modified by known recombinant DNA methodology to contain a leader signal peptide of interest, such that downstream cloning of the modified HIV-1 protein of interest results in a nucleotide sequence which encodes a modified HIV-1 tPA/Pol protein. In the alternative, as noted above, insertion of a nucleotide sequence which encodes a leader peptide may be inserted 5 into a DNA vector housing the open reading frame for the Pol protein of interest. Regardless of the cloning strategy, the end result is a polynucleotide vaccine which comprises vector components for effective gene expression in conjunction with 10 nucleotide sequences which encode a modified HIV-1 Pol protein of interest, including but not limited to a HIV-1 Pol protein which contains a leader peptide. The 15 amino acid sequence of the human tPA leader utilized herein is as follows:

MDAMKRLCCVLLLCGAVFVSPSEISS (SEQ ID NO:28). Therefore, another aspect of the present invention is to generate HIV-1 Pol-based vaccine constructions which comprise a eukaryotic trafficking signal peptide such as from tPA. To this end, the present invention relates to a DNA molecule which encodes a codon optimized 20 wt-pol DNA construct wherein the protease (PR) activity is deleted and a human tPA leader sequence is fused to the 5' end of the coding region. A DNA molecule which encodes this protein is disclosed herein as SEQ ID NO:5, the open reading frame disclosed herein as SEQ ID NO:6.

To this end, the present invention relates to a DNA molecule which encodes a 25 codon optimized wt-pol DNA construct wherein the protease (PR) activity is deleted and a human tPA leader sequence is fused to the 5' end of the coding region ( herein, "tPA-wt-pol"). A DNA molecule which encodes this protein is disclosed herein as SEQ ID NO:5, the open reading frame being contained from an initiating Met residue at nucleotides 8-10 to a termination codon from nucleotides 2633-2635. SEQ ID 30 NO:5 is as follows:

GATCACCATG GATGCAATGA AGAGAGGGCT CTGCTGTGTG CTGCTGCTGT GTGGAGCAGT  
CTTCGTTTCG CCCAGCGAGA TCTCCGCCCT CATCTCCCCC ATTGAGACTG TGCCCTGTGAA  
GCTGAAGCCT GGCATGGATG GCCCCAAGGT GAAGCAGTGG CCCCTGACTG AGGAGAAAGAT  
CAAGGCCCTG GTGGAAATCT GCACTGAGAT GGAGAAGGAG GGCAAATCT CCAAGATTGG

CCCCGAGAAC CCCTACAACA CCCCTGTGTT TGCCATCAAG AAGAAGGACT CCACCAAGTG  
GAGGAAGCTG GTGGACTTCA GGGAGCTGAA CAAGAGGACC CAGGACTTCT GGGAGGTGCA  
GCTGGCCTC CCCCACCCCG CTGGCCTGAA GAAGAAGAAG TCTGTGACTG TGCTGGATGT  
GGGGGATGCC TACTTCTCTG TGCCCCCTGGA TGAGGACTTC AGGAAGTACA CTGCCTTCAC  
5 CATCCCCCTCC ATCAACAATG AGACCCCTGG CATCAGGTAC CAGTACAATG TGCTGCCCA  
GGGCTGGAAG GGCTCCCCCTG CCATCTTCCA GTCCTCCATG ACCAAGATCC TGGAGCCCTT  
CAGGAAGCAG AACCCCTGACA TTGTGATCTA CCAGTACATG GATGACCTGT ATGTGGGCTC  
TGACCTGGAG ATGGGGCAGC ACAGGACCAA GATTGAGGAG CTGAGGCAGC ACCTGCTGAG  
GTGGGCCTG ACCACCCCTG ACAAGAAGCA CCAGAAGGAG CCCCCCTTCC TGTGGATGGG  
10 CTATGAGCTG CACCCCGACA AGTGGACTGT GCAGCCCATT GTGCTGCCCTG AGAAGGACTC  
CTGGACTGTG AATGACATCC AGAAGCTGGT GGGCAAGCTG AACTGGGCCT CCCAAATCTA  
CCCTGGCCTC AAGGTGAGGC AGCTGTGCAA GCTGCTGAGG GGCACCAAGG CCCTGACTGA  
GGTGATCCCC CTGACTGAGG AGGCTGAGCT GGAGCTGGCT GAGAACAGGG AGATCCTGAA  
GGAGCCTGTG CATGGGGTGT ACTATGACCC CTCCAAGGAC CTGATTGCTG AGATCCAGAA  
15 GCAGGGCCAG GGCCAGTGGG CCTACCAAAT CTACCAGGAG CCCTTCAAGA ACCTGAAGAC  
TGGCAAGTAT GCCAGGATGA GGGGGGCCA CACCAATGAT GTGAAGCAGC TGACTGAGGC  
TGTGCAGAAG ATCACCACTG AGTCCATTGT GATCTGGGC AAGACCCCA AGTTCAAGCT  
GCCCATCCAG AAGGAGACCT GGGAGACCTG GTGGACTGAG TACTGGCAGG CCACCTGGAT  
CCCTGAGTGG GAGTTTGTGA ACACCCCCCCC CCTGGTGAAG CTGTGGTACC AGCTGGAGAA  
20 GGAGCCCATT GTGGGGGCTG AGACCTTCTA TGTGGATGGG GCTGCCAACAGGGAGACCAA  
GCTGGCAAG GCTGGCTATG TGACCAACAG GGGCAGGCAG AAGGTGGTGA CCCTGACTGA  
CACCAACAC CAGAAGACTG AGCTCCAGGC CATCTACCTG GCCCTCCAGG ACTCTGGCCT  
GGAGGTGAAC ATTGTGACTG ACTCCCAGTA TGCCCTGGGC ATCATCCAGG CCCAGCCTGA  
TCAGTCTGAG TCTGAGCTGG TGAACCAGAT CATTGAGCAG CTGATCAAGA AGGAGAAGGT  
25 GTACCTGGCC TGGGTGCCCTG CCCACAAGGG CATTGGGGGC AATGAGCAGG TGGACAAGCT  
GGTGTCTGCT GGCATCAGGA AGGTGCTGTT CCTGGATGGC ATTGACAAGG CCCAGGATGA  
GCATGAGAAG TACCACTCCA ACTGGAGGGC TATGGCCTCT GACTTCAACC TGCCCCCTGT  
GGTGGCTAAG GAGATTGTGG CCTCTGTGA CAACTGCCAG CTGAAGGGGG AGGCCATGCA  
TGGGCAGGTG GACTGCTCCC CTGGCATCTG GCAGCTGGAC TGCAACCCACC TGGAGGGCAA  
30 GGTGATCTG GTGGCTGTGC ATGTGGCCTC CGGCTACATT GAGGCTGAGG TGATCCCTGC  
TGAGACAGGC CAGGAGACTG CCTACTTCCT GCTGAAGCTG GCTGGCAGGT GGCCTGTGAA  
GACCATCCAC ACTGACAATG GCTCCAACCTT CACTGGGGCC ACAGTGAGGG CTGCCTGCTG  
GTGGGCTGGC ATCAAGCAGG AGTTTGGCAT CCCCTACAAC CCCCAGTCCC AGGGGGTGTT  
GGAGTCCATG AACAAAGGAGC TGAAGAAGAT CATTGGCAG GTGAGGGACC AGGCTGAGCA

CCTGAAGACA GCTGTGCAGA TGGCTGTGTT CATCCACAAAC TTCAAGAGGA AGGGGGGCAT  
 CGGGGGCTAC TCCGCTGGGG AGAGGGATTGT GGACATCAATT GCCACAGACA TCCAGACCAA  
 GGAGCTCCAG AAGCAGATCA CCAAGATCCA GAACTTCAGG GTGTACTACA GGGACTCCAG  
 GAACCCCCCTG TCCAAGGGCC CTGCCAAGCT GCTGTGGAAG GGGGAGGGGG CTGTGGTGAT  
 5 CCAGGACAAC TCTGACATCA AGGTGGTGC CAGGAGGAAG GCCAAGATCA TCAGGGACTA  
 TGGCAAGCAG ATGGCTGGGG ATGACTGTGT GGCCTCCAGG CAGGATGAGG ACTAAAGCCC  
 GGGCAGATCT (SEQ ID NO:5).

The open reading frame of the wild type tPA-pol construct disclosed as SEQ ID NO:5 contains 875 amino acids, disclosed herein as SEQ ID NO:6, as follows:

10 Met Asp Ala Met Lys Arg Gly Leu Cys Cys Val Leu Leu Leu Cys Gly  
 Ala Val Phe Val Ser Pro Ser Glu Ile Ser Ala Pro Ile Ser Pro Ile  
 Glu Thr Val Pro Val Lys Leu Lys Pro Gly Met Asp Gly Pro Lys Val  
 Lys Gln Trp Pro Leu Thr Glu Glu Lys Ile Lys Ala Leu Val Glu Ile  
 Cys Thr Glu Met Glu Lys Glu Gly Lys Ile Ser Lys Ile Gly Pro Glu  
 15 Asn Pro Tyr Asn Thr Pro Val Phe Ala Ile Lys Lys Asp Ser Thr  
 Lys Trp Arg Lys Leu Val Asp Phe Arg Glu Leu Asn Lys Arg Thr Gln  
 Asp Phe Trp Glu Val Gln Leu Gly Ile Pro His Pro Ala Gly Leu Lys  
 Lys Lys Ser Val Thr Val Leu Asp Val Gly Asp Ala Tyr Phe Ser  
 Val Pro Leu Asp Glu Asp Phe Arg Lys Tyr Thr Ala Phe Thr Ile Pro  
 20 Ser Ile Asn Asn Glu Thr Pro Gly Ile Arg Tyr Gln Tyr Asn Val Leu  
 Pro Gln Gly Trp Lys Gly Ser Pro Ala Ile Phe Gln Ser Ser Met Thr  
 Lys Ile Leu Glu Pro Phe Arg Lys Gln Asn Pro Asp Ile Val Ile Tyr  
 Gln Tyr Met Asp Asp Leu Tyr Val Gly Ser Asp Leu Glu Ile Gly Gln  
 His Arg Thr Lys Ile Glu Glu Leu Arg Gln His Leu Leu Arg Trp Gly  
 25 Leu Thr Thr Pro Asp Lys Lys His Gln Lys Glu Pro Pro Phe Leu Trp  
 Met Gly Tyr Glu Leu His Pro Asp Lys Trp Thr Val Gln Pro Ile Val  
 Leu Pro Glu Lys Asp Ser Trp Thr Val Asn Asp Ile Gln Lys Leu Val  
 Gly Lys Leu Asn Trp Ala Ser Gln Ile Tyr Pro Gly Ile Lys Val Arg  
 Gln Leu Cys Lys Leu Leu Arg Gly Thr Lys Ala Leu Thr Glu Val Ile  
 30 Pro Leu Thr Glu Glu Ala Glu Leu Glu Leu Ala Glu Asn Arg Glu Ile  
 Leu Lys Glu Pro Val His Gly Val Tyr Tyr Asp Pro Ser Lys Asp Leu  
 Ile Ala Glu Ile Gln Lys Gln Gly Gln Gly Gln Trp Thr Tyr Gln Ile  
 Tyr Gln Glu Pro Phe Lys Asn Leu Lys Thr Gly Lys Tyr Ala Arg Met  
 Arg Gly Ala His Thr Asn Asp Val Lys Gln Leu Thr Glu Ala Val Gln

Lys Ile Thr Thr Glu Ser Ile Val Ile Trp Gly Lys Thr Pro Lys Phe  
Lys Leu Pro Ile Gln Lys Glu Thr Trp Glu Thr Trp Trp Thr Glu Tyr  
Trp Gln Ala Thr Trp Ile Pro Glu Trp Glu Phe Val Asn Thr Pro Pro  
Leu Val Lys Leu Trp Tyr Gln Leu Glu Lys Glu Pro Ile Val Gly Ala  
5 Glu Thr Phe Tyr Val Asp Gly Ala Ala Asn Arg Glu Thr Lys Leu Gly  
Lys Ala Gly Tyr Val Thr Asn Arg Gly Arg Gln Lys Val Val Thr Leu  
Thr Asp Thr Thr Asn Gln Lys Thr Glu Leu Gln Ala Ile Tyr Leu Ala  
Leu Gln Asp Ser Gly Leu Glu Val Asn Ile Val Thr Asp Ser Gln Tyr  
Ala Leu Gly Ile Ile Gln Ala Gln Pro Asp Gln Ser Glu Ser Glu Leu  
10 Val Asn Gln Ile Ile Glu Gln Leu Ile Lys Lys Glu Lys Val Tyr Leu  
Ala Trp Val Pro Ala His Lys Gly Ile Gly Gly Asn Glu Gln Val Asp  
Lys Leu Val Ser Ala Gly Ile Arg Lys Val Leu Phe Leu Asp Gly Ile  
Asp Lys Ala Gln Asp Glu His Glu Lys Tyr His Ser Asn Trp Arg Ala  
Met Ala Ser Asp Phe Asn Leu Pro Pro Val Val Ala Lys Glu Ile Val  
15 Ala Ser Cys Asp Lys Cys Gln Leu Lys Gly Glu Ala Met His Gly Gln  
Val Asp Cys Ser Pro Gly Ile Trp Gln Leu Asp Cys Thr His Leu Glu  
Gly Lys Val Ile Leu Val Ala Val His Val Ala Ser Gly Tyr Ile Glu  
Ala Glu Val Ile Pro Ala Glu Thr Gly Gln Glu Thr Ala Tyr Phe Leu  
Leu Lys Leu Ala Gly Arg Trp Pro Val Lys Thr Ile His Thr Asp Asn  
20 Gly Ser Asn Phe Thr Gly Ala Thr Val Arg Ala Ala Cys Trp Trp Ala  
Gly Ile Lys Gln Glu Phe Gly Ile Pro Tyr Asn Pro Gln Ser Gln Gly  
Val Val Glu Ser Met Asn Lys Glu Leu Lys Lys Ile Ile Gly Gln Val  
Arg Asp Gln Ala Glu His Leu Lys Thr Ala Val Gln Met Ala Val Phe  
Ile His Asn Phe Lys Arg Lys Gly Gly Ile Gly Gly Tyr Ser Ala Gly  
25 Glu Arg Ile Val Asp Ile Ile Ala Thr Asp Ile Gln Thr Lys Glu Leu  
Gln Lys Gln Ile Thr Lys Ile Gln Asn Phe Arg Val Tyr Tyr Arg Asp  
Ser Arg Asn Pro Leu Trp Lys Gly Pro Ala Lys Leu Leu Trp Lys Gly  
Glu Gly Ala Val Val Ile Gln Asp Asn Ser Asp Ile Lys Val Val Pro  
Arg Arg Lys Ala Lys Ile Ile Arg Asp Tyr Gly Lys Gln Met Ala Gly  
30 Asp Asp Cys Val Ala Ser Arg Gln Asp Glu Asp (SEQ ID NO:6).

The present invention also relates to a codon optimized HIV-1 Pol mutant such as IA-Pol (SEQ ID NO:4) which comprises a leader peptide at the amino terminal portion of the protein, which may effect cellular trafficking and hence, immunogenicity of the expressed protein within the host cell. Any such HIV-1 DNA

pol mutant disclosed in the above paragraphs is suitable for fusion downstream of a leader peptide, such as a leader peptide including but not limited to the human tPA leader sequence. Therefore, any such leader peptide-based HIV-1 pol mutant construct may include but is not limited to a mutated DNA molecule which effectively alters the catalytic activity of the RT, RNase and/or IN region of the expressed protein, resulting in at least substantially decreased enzymatic activity one or more of the RT, RNase H and/or IN functions of HIV-1 Pol. In a preferred embodiment of this portion of the invention, a leader peptide/HIV-1 DNA pol construct contains a mutation or mutations within the Pol coding region which effectively abolishes RT, RNase H and IN activity. An especially preferable HIV-1 DNA pol construct is a DNA molecule which contains at least one point mutation which alters the active site and catalytic activity within the RT, RNase H and IN domains of Pol, such that each activity is at least substantially abolished, and preferably totally abolished. Such a HIV-1 Pol mutant will most likely comprise at least one point mutation in or around each catalytic domain responsible for RT, RNase H and IN activity, respectfully. An especially preferred embodiment of this portion of the invention relates to a human tPA leader fused to the IA-Pol protein comprising the nine mutations shown in Table 1. The DNA molecule is disclosed herein as SEQ ID NO:7 and the expressed tPA-IA Pol protein comprises a fusion junction as shown in Figure 3. The complete amino acid sequence of the expressed protein is set forth in SEQ ID NO:8. To this end, SEQ ID NO:7 discloses the nucleotide sequence which codes for a human tPA leader fused to the IA Pol protein comprising the nine mutations shown in Table 1 (herein, "tPA-opt-IAPol"). The open reading frame begins with the initiating Met (nucleotides 8-10) and terminates with a "TAA" codon at nucleotides 2633-2635. The nucleotide sequence encoding tPA-IAPol is also disclosed as follows:

GATCACCATG GATGCAATGA AGAGAGGGCT CTGCTGTGTG CTGCTGCTGT GTGGAGCAGT  
CTTCGTTTCG CCCAGCGAGA TCTCCGCCCT CATCTCCCCC ATTGAGACTG TGCCTGTGAA  
GCTGAAGCCT GGCATGGATG GCCCCAAGGT GAAGCAGTGG CCCCTGACTG AGGAGAAAGAT  
CAAGGCCCTG GTGGAAATCT GCAC TGAGAT GGAGAAGGAG GGCAAATCT CCAAGATTGG  
CCCCGAGAAC CCCTACAACA CCCCTGTGTT TGCCATCAAG AAGAAGGACT CCACCAAGTG  
GAGGAAGCTG GTGGACTTCA GGGAGCTGAA CAAGAGGACC CAGGACTTCT GGGAGGTGCA  
GCTGGGCATC CCCCACCCCG CTGGCCTGAA GAAGAAGAAG TCTGTGACTG TGCTGGCTGT  
GGGGGATGCC TACTTCTCTG TGCCCTGGA TGAGGACTTC AGGAAGTACA CTGCCTTCAC  
CATCCCTCC ATCAACAATG AGACCCCTGG CATCAGGTAC CAGTACAATG TGCTGCCCA

GGGCTGGAAG GGCTCCCCTG CCATCTTCCA GTCCTCCATG ACCAAGATCC TGGAGCCCTT  
CAGGAAGCAG AACCCCTGACA TTGTGATCTA CCAGTACATG GCTGCCCTGT ATGTGGGCTC  
TGACCTGGAG ATTGGGCAGC ACAGGACCAA GATTGAGGAG CTGAGGCAGC ACCTGCTGAG  
GTGGGGCCTG ACCACCCCTG ACAAGAACCA CCAGAACGGAG CCCCCCTTCC TGTGGATGGG  
5 CTATGAGCTG CACCCCGACA AGTGGACTGT GCAGCCCCATT GTGCTGCCCTG AGAAGGACTC  
CTGGACTGTG AATGACATCC AGAAGCTGGT GGGCAAGCTG AACTGGGCCT CCCAAATCTA  
CCCTGGCATC AAGGTGAGGC AGCTGTGCAA GCTGCTGAGG GGCACCAAGG CCCTGACTGA  
GGTGATCCCC CTGACTGAGG AGGCTGAGCT GGAGCTGGCT GAGAACAGGG AGATCCTGAA  
GGAGCCTGTG CATGGGTGT ACTATGACCC CTCCAAGGAC CTGATTGCTG AGATCCAGAA  
10 GCAGGGCCAG GGCCAGTGA CCTACCAAAT CTACCAGGAG CCCTCAAGA ACCTGAAGAC  
TGGCAAGTAT GCCAGGATGA GGGGGGCCCA CACCAATGAT GTGAAGGCAGC TGACTGAGGC  
TGTGCAGAAG ATCACCACTG AGTCCATTGT GATCTGGGC AAGACCCCCA AGTTCAAGCT  
GCCCATCCAG AAGGAGACCT GGGAGACCTG GTGGACTGAG TACTGGCAGG CCACCTGGAT  
CCCTGAGTGG GAGTTTGTGA ACACCCCCCC CCTGGTGAAG CTGTGGTACC AGCTGGAGAA  
15 GGAGCCATT GTGGGGCTG AGACCTTCTA TGTGGCTGGG GCTGCCAACAA GGGAGACCAA  
GCTGGCAAG GCTGGCTATG TGACCAACAG GGGCAGGCAG AAGGTGGTGA CCCTGACTGA  
CACCAACAC CAGAAGACTG CCCTCCAGGC CATCTACCTG GCCCTCCAGG ACTCTGGCCT  
GGAGGTGAAC ATTGTGACTG CCTCCAGTA TGCCCTGGGC ATCATCCAGG CCCAGCCTGA  
TCAGTCTGAG TCTGAGCTGG TGAACCAGAT CATTGAGCAG CTGATCAAGA AGGAGAAGGT  
20 GTACCTGGCC TGGGTGCCTG CCCACAAGGG CATTGGGGC AATGAGCAGG TGGACAAGCT  
GGTGTCTGCT GGCATCAGGA AGGTGCTGTT CCTGGATGGC ATTGACAAGG CCCAGGATGA  
GCATGAGAAG TACCACTCCA ACTGGAGGGC TATGGCCTCT GACTCAACC TGCCCCCTGT  
GGTGGCTAAG GAGATTGTGG CCTCCTGTGA CAAGTGCCAG CTGAAGGGGG AGGCCATGCA  
TGGGCAGGTG GACTGCTCCC CTGGCATCTG GCAGCTGGCC TGCACCCACC TGGAGGGCAA  
25 GGTGATCTG GTGGCTGTGC ATGTGGCCTC CGGCTACATT GAGGCTGAGG TGATCCCTGC  
TGAGACAGGC CAGGAGACTG CCTACTTCCT GCTGAAGCTG GCTGGCAGGT GGCCTGTGAA  
GACCATCCAC ACTGCCAATG GCTCCAACCT CACTGGGGCC ACAGTGAGGG CTGCCTGCTG  
GTGGGCTGGC ATCAAGCAGG AGTTTGGCAT CCCCTACAAC CCCCAGTCCC AGGGGGTGGT  
GGCCTCCATG AACAAAGGAGC TGAAGAACAT CATTGGCAG GTGAGGGACC AGGCTGAGCA  
30 CCTGAAGACA GCTGTGCAGA TGGCTGTGTT CATCCACAAAC TTCAAGAGGA AGGGGGGCAT  
CGGGGGCTAC TCCGCTGGGG AGAGGATTGT GGACATCATT GCCACAGACA TCCAGACCAA  
GGAGCTCCAG AAGCAGATCA CCAAGATCCA GAACTTCAGG GTGTACTACA GGGACTCCAG  
GAACCCCCCTG TGGAAGGGCC CTGCCAAGCT GCTGTGGAAG GGGGAGGGGG CTGTGGTGAT  
CCAGGACAAC TCTGACATCA AGGTGGTGCC CAGGAGGAAG GCCAAGATCA TCAGGGACTA

TGGCAAGCAG ATGGCTGGGG ATGACTGTGT GGCCTCCAGG CAGGATGAGG ACTAAAGCCC  
GGGCAGATCT (SEQ ID NO:7).

The open reading frame of the tPA-IA-pol construct disclosed as SEQ ID NO:7 contains 875 amino acids, disclosed herein as tPA-IA-Pol and SEQ ID NO:8, as

5 follows:

Met Asp Ala Met Lys Arg Gly Leu Cys Cys Val Leu Leu Cys Gly  
Ala Val Phe Val Ser Pro Ser Glu Ile Ser Ala Pro Ile Ser Pro Ile  
Glu Thr Val Pro Val Lys Leu Lys Pro Gly Met Asp Gly Pro Lys Val  
Lys Gln Trp Pro Leu Thr Glu Glu Lys Ile Lys Ala Leu Val Glu Ile  
10 Cys Thr Glu Met Glu Lys Glu Gly Lys Ile Ser Lys Ile Gly Pro Glu  
Asn Pro Tyr Asn Thr Pro Val Phe Ala Ile Lys Lys Asp Ser Thr  
Lys Trp Arg Lys Leu Val Asp Phe Arg Glu Leu Asn Lys Arg Thr Gln  
Asp Phe Trp Glu Val Gln Leu Gly Ile Pro His Pro Ala Gly Leu Lys  
Lys Lys Ser Val Thr Val Leu Ala Val Gly Asp Ala Tyr Phe Ser  
15 Val Pro Leu Asp Glu Asp Phe Arg Lys Tyr Thr Ala Phe Thr Ile Pro  
Ser Ile Asn Asn Glu Thr Pro Gly Ile Arg Tyr Gln Tyr Asn Val Leu  
Pro Gln Gly Trp Lys Gly Ser Pro Ala Ile Phe Gln Ser Ser Met Thr  
Lys Ile Leu Glu Pro Phe Arg Lys Gln Asn Pro Asp Ile Val Ile Tyr  
Gln Tyr Met Ala Ala Leu Tyr Val Gly Ser Asp Leu Glu Ile Gly Gln  
20 His Arg Thr Lys Ile Glu Glu Leu Arg Gln His Leu Leu Arg Trp Gly  
Leu Thr Thr Pro Asp Lys Lys His Gln Lys Glu Pro Pro Phe Leu Trp  
Met Gly Tyr Glu Leu His Pro Asp Lys Trp Thr Val Gln Pro Ile Val  
Leu Pro Glu Lys Asp Ser Trp Thr Val Asn Asp Ile Gln Lys Leu Val  
Gly Lys Leu Asn Trp Ala Ser Gln Ile Tyr Pro Gly Ile Lys Val Arg  
25 Gln Leu Cys Lys Leu Leu Arg Gly Thr Lys Ala Leu Thr Glu Val Ile  
Pro Leu Thr Glu Glu Ala Glu Leu Glu Ala Glu Asn Arg Glu Ile  
Leu Lys Glu Pro Val His Gly Val Tyr Tyr Asp Pro Ser Lys Asp Leu  
Ile Ala Glu Ile Gln Lys Gln Gly Gln Gln Trp Thr Tyr Gln Ile  
Tyr Gln Glu Pro Phe Lys Asn Leu Lys Thr Gly Lys Tyr Ala Arg Met  
30 Arg Gly Ala His Thr Asn Asp Val Lys Gln Leu Thr Glu Ala Val Gln  
Lys Ile Thr Thr Glu Ser Ile Val Ile Trp Gly Lys Thr Pro Lys Phe  
Lys Leu Pro Ile Gln Lys Glu Thr Trp Glu Thr Trp Trp Thr Glu Tyr  
Trp Gln Ala Thr Trp Ile Pro Glu Trp Glu Phe Val Asn Thr Pro Pro  
Leu Val Lys Leu Trp Tyr Gln Leu Glu Lys Glu Pro Ile Val Gly Ala

Glu Thr Phe Tyr Val Ala Gly Ala Ala Asn Arg Glu Thr Lys Leu Gly  
Lys Ala Gly Tyr Val Thr Asn Arg Gly Arg Gln Lys Val Val Thr Leu  
Thr Asp Thr Thr Asn Gln Lys Thr Ala Leu Gln Ala Ile Tyr Leu Ala  
Leu Gln Asp Ser Gly Leu Glu Val Asn Ile Val Thr Ala Ser Gln Tyr  
5 Ala Leu Gly Ile Ile Gln Ala Gln Pro Asp Gln Ser Glu Ser Glu Leu  
Val Asn Gln Ile Ile Glu Gln Leu Ile Lys Lys Glu Lys Val Tyr Leu  
Ala Trp Val Pro Ala His Lys Gly Ile Gly Gly Asn Glu Gln Val Asp  
Lys Leu Val Ser Ala Gly Ile Arg Lys Val Leu Phe Leu Asp Gly Ile  
Asp Lys Ala Gln Asp Glu His Glu Lys Tyr His Ser Asn Trp Arg Ala  
10 Met Ala Ser Asp Phe Asn Leu Pro Pro Val Val Ala Lys Glu Ile Val  
Ala Ser Cys Asp Lys Cys Gln Leu Lys Gly Glu Ala Met His Gly Gln  
Val Asp Cys Ser Pro Gly Ile Trp Gln Leu Ala Cys Thr His Leu Glu  
Gly Lys Val Ile Leu Val Ala Val His Val Ala Ser Gly Tyr Ile Glu  
Ala Glu Val Ile Pro Ala Glu Thr Gly Gln Glu Thr Ala Tyr Phe Leu  
15 Leu Lys Leu Ala Gly Arg Trp Pro Val Lys Thr Ile His Thr Ala Asn  
Gly Ser Asn Phe Thr Gly Ala Thr Val Arg Ala Ala Cys Trp Trp Ala  
Gly Ile Lys Gln Glu Phe Gly Ile Pro Tyr Asn Pro Gln Ser Gln Gly  
Val Val Ala Ser Met Asn Lys Glu Leu Lys Ile Ile Gly Gln Val  
Arg Asp Gln Ala Glu His Leu Lys Thr Ala Val Gln Met Ala Val Phe  
20 Ile His Asn Phe Lys Arg Lys Gly Gly Ile Gly Gly Tyr Ser Ala Gly  
Glu Arg Ile Val Asp Ile Ile Ala Thr Asp Ile Gln Thr Lys Glu Leu  
Gln Lys Gln Ile Thr Lys Ile Gln Asn Phe Arg Val Tyr Tyr Arg Asp  
Ser Arg Asn Pro Leu Trp Lys Gly Pro Ala Lys Leu Leu Trp Lys Gly  
Glu Gly Ala Val Ile Gln Asp Asn Ser Asp Ile Lys Val Val Pro  
25 Arg Arg Lys Ala Lys Ile Ile Arg Asp Tyr Gly Lys Gln Met Ala Gly  
Asp Asp Cys Val Ala Ser Arg Gln Asp Glu Asp (SEQ ID NO:8).

The present invention also relates to a substantially purified protein expressed from the DNA polynucleotide vaccines of the present invention, especially the purified proteins set forth below as SEQ ID NOs: 2, 4, 6, and 8. These purified proteins may be useful as protein-based HIV vaccines.

The DNA backbone of the DNA vaccines of the present invention are preferably DNA plasmid expression vectors. DNA plasmid expression vectors are well known in the art and the present DNA vector vaccines may be comprised of any such expression backbone which contains at least a promoter for RNA polymerase

transcription, and a transcriptional terminator 3' to the HIV pol coding sequence. In one preferred embodiment, the promoter is the Rous sarcoma virus (RSV) long terminal repeat (LTR) which is a strong transcriptional promoter. A more preferred promoter is the cytomegalovirus promoter with the intron A sequence (CMV-intA).

5 A preferred transcriptional terminator is the bovine growth hormone terminator. In addition, to assist in large scale preparation of an HIV pol DNA vector vaccine, an antibiotic resistance marker is also preferably included in the expression vector.

Ampicillin resistance genes, neomycin resistance genes or any other pharmaceutically acceptable antibiotic resistance marker may be used. In a preferred embodiment of

10 this invention, the antibiotic resistance gene encodes a gene product for neomycin resistance. Further, to aid in the high level production of the pharmaceutical by fermentation in prokaryotic organisms, it is advantageous for the vector to contain an origin of replication and be of high copy number. Any of a number of commercially available prokaryotic cloning vectors provide these benefits. In a preferred

15 embodiment of this invention, these functionalities are provided by the commercially available vectors known as pUC. It is desirable to remove non-essential DNA sequences. Thus, the lacZ and lacI coding sequences of pUC are removed in one embodiment of the invention.

DNA expression vectors which exemplify but in no way limit the present

20 invention are disclosed in PCT International Application No. PCT/US94/02751, International Publication No. WO 94/21797, hereby incorporated by reference. A first DNA expression vector is the expression vector pnRSV, wherein the rous sarcoma virus (RSV) long terminal repeat (LTR) is used as the promoter. A second embodiment relates to plasmid V1, a mutated pBR322 vector into which the CMV

25 promoter and the BGH transcriptional terminator is cloned. Another embodiment regarding DNA vector backbones relates to plasmid V1J. Plasmid V1J is derived from plasmid V1 and removes promoter and transcription termination elements in order to place them within a more defined context, create a more compact vector, and to improve plasmid purification yields. Therefore, V1J also contains the CMVintA

30 promoter and (BGH) transcription termination elements which control the expression of the HIV pol-based genes disclosed herein. The backbone of V1J is provided by pUC18. It is known to produce high yields of plasmid, is well-characterized by sequence and function, and is of minimum size. The entire *lac* operon was removed and the remaining plasmid was purified from an agarose electrophoresis gel,

blunt-ended with the T4 DNA polymerase, treated with calf intestinal alkaline phosphatase, and ligated to the CMVintA/BGH element. In a preferred DNA expression vector, the ampicillin resistance gene is removed from V1J and replaced with a neomycin resistance gene, to generate V1Jneo. An especially preferred DNA expression vector is V1Jns, which is the same as V1J except that a unique Sfi1 restriction site has been engineered into the single Kpn1 site at position 2114 of V1J-  
5 neo. The incidence of Sfi1 sites in human genomic DNA is very low (approximately 1 site per 100,000 bases). Thus, this vector allows careful monitoring for expression vector integration into host DNA, simply by Sfi1 digestion of extracted genomic  
10 DNA. Yet another preferred DNA expression vector used as the backbone to the HIV-1 pol-based DNA vaccines of the present invention is V1R. In this vector, as much non-essential DNA as possible is "trimmed" from the vector to produce a highly compact vector. This vector is a derivative of V1Jns. This vector allows larger inserts to be used, with less concern that undesirable sequences are encoded and  
15 optimizes uptake by cells when the construct encoding specific influenza virus genes is introduced into surrounding tissue. The specific DNA vectors of the present invention include but are not limited to V1, V1J (SEQ ID NO:13), V1Jneo (SEQ ID NO:14), V1Jns (Figure 1A, SEQ ID NO:15), V1R (SEQ ID NO:26), and any of the aforementioned vectors wherein a nucleotide sequence encoding a leader peptide,  
20 preferably the human tPA leader, is fused directly downstream of the CMV-intA promoter, including but not limited to V1Jns-tpa, as shown in Figure 1B and SEQ ID NO:28.

The present invention especially relates to a DNA vaccine and a pharmaceutically active vaccine composition which contains this DNA vaccine, and  
25 the use as prophylactic and/or therapeutic vaccine for host immunization, preferably human host immunization, against an HIV infection or to combat an existing HIV condition. These DNA vaccines are represented by codon optimized DNA molecules encoding HIV-1 Pol or biologically active Pol modifications or Pol-containing fusion proteins which are ligated within an appropriate DNA plasmid vector, with or without  
30 a nucleotide sequence encoding a functional leader peptide. DNA vaccines of the present invention may comprise codon optimized DNA molecules encoding HIV-1 Pol or biologically active Pol modifications or Pol-containing fusion proteins ligated in DNA vectors V1, V1J (SEQ ID NO:14), V1Jneo (SEQ ID NO:15), V1Jns (Figure 1A, SEQ ID NO:16), V1R (SEQ ID NO:26), or any of the aforementioned vectors

wherein a nucleotide sequence encoding a leader peptide, preferably the human tPA leader, is fused directly downstream of the CMV-intA promoter, including but not limited to V1Jns-tpa, as shown in Figure 1B and SEQ ID NO:28. To this end, polynucleotide vaccine constructions include , V1Jns-wtpol and V1R-wtpol

5 (comprising the DNA molecule encoding WT Pol, as set forth in SEQ ID NO:2), V1Jns-tPA-WTPol, (comprising the DNA molecule encoding tPA Pol, as set forth in SEQ ID NO:6), V1Jns-IAPol (comprising the DNA molecule encoding IA Pol, as set forth in SEQ ID NO:4), and V1Jns-tPA-IAPol, (comprising the DNA molecule encoding tPA-IA Pol, as set forth in SEQ ID NO:8). Polynucleotide vaccine  
10 constructions V1R-wtpol, V1Jns-IAPol, and V1Jns-tPA-IAPol, are exemplified in Example Sections 3-5.

It will be evident upon review of the teaching within this specification that numerous vector/Pol antigen constructs may be generated. While the exemplified constructs are preferred, any number of vector/Pol antigen combinations are within  
15 the scope of the present invention, especially wild type or modified/inactivated Pol proteins which comprise at least one, preferably 5 or more and especially all nine mutations as shown in Table 1, with or without the inclusion of a leader sequence such as human tPA.

The DNA vector vaccines of the present invention may be formulated in any  
20 pharmaceutically effective formulation for host administration. Any such formulation may be, for example, a saline solution such as phosphate buffered saline (PBS). It will be useful to utilize pharmaceutically acceptable formulations which also provide long-term stability of the DNA vector vaccines of the present invention. During storage as a pharmaceutical entity, DNA plasmid vaccines undergo a  
25 physiochemical change in which the supercoiled plasmid converts to the open circular and linear form. A variety of storage conditions (low pH, high temperature, low ionic strength) can accelerate this process. Therefore, the removal and/or chelation of trace metal ions (with succinic or malic acid, or with chelators containing multiple phosphate ligands) from the DNA plasmid solution, from the formulation buffers or  
30 from the vials and closures, stabilizes the DNA plasmid from this degradation pathway during storage. In addition, inclusion of non-reducing free radical scavengers, such as ethanol or glycerol, are useful to prevent damage of the DNA plasmid from free radical production that may still occur, even in apparently demetalated solutions. Furthermore, the buffer type, pH, salt concentration, light

exposure, as well as the type of sterilization process used to prepare the vials, may be controlled in the formulation to optimize the stability of the DNA vaccine. Therefore, formulations that will provide the highest stability of the DNA vaccine will be one that includes a demetalated solution containing a buffer (phosphate or bicarbonate) 5 with a pH in the range of 7-8, a salt (NaCl, KCl or LiCl) in the range of 100-200 mM, a metal ion chelator (e.g., EDTA, diethylenetriaminepenta-acetic acid (DTPA), malate, inositol hexaphosphate, tripolyphosphate or polyphosphoric acid), a non-reducing free radical scavenger (e.g. ethanol, glycerol, methionine or dimethyl sulfoxide) and the highest appropriate DNA concentration in a sterile glass vial, 10 packaged to protect the highly purified, nuclease free DNA from light. A particularly preferred formulation which will enhance long term stability of the DNA vector vaccines of the present invention would comprise a Tris-HCl buffer at a pH from about 8.0 to about 9.0; ethanol or glycerol at about 3% w/v; EDTA or DTPA in a concentration range up to about 5 mM; and NaCl at a concentration from about 50 15 mM to about 500 mM. The use of such stabilized DNA vector vaccines and various alternatives to this preferred formulation range is described in detail in PCT International Application No. PCT/US97/06655 and PCT International Publication No. WO 97/40839, both of which are hereby incorporated by reference.

The DNA vector vaccines of the present invention may also be formulated 20 with an adjuvant or adjuvants which may increase immunogenicity of the DNA polynucleotide vaccines of the present invention. A number of these adjuvants are known in the art and are available for use in a DNA vaccine, including but not limited to particle bombardment using DNA-coated gold beads, co-administration of DNA vaccines with plasmid DNA expressing cytokines, chemokines, or 25 costimulatory molecules, formulation of DNA with cationic lipids or with experimental adjuvants such as saponin, monophosphoryl lipid A or other compounds which increase immunogenicity of the DNA vaccine. Another adjuvant for use in the DNA vector vaccines of the present invention are one or more forms of an aluminum phosphate-based adjuvant wherein the aluminum 30 phosphate-based adjuvant possesses a molar PO<sub>4</sub>/Al ratio of approximately 0.9. An additional mineral-based adjuvant may be generated from one or more forms of a calcium phosphate. These mineral-based adjuvants are useful in increasing cellular and humoral responses to DNA vaccination. These mineral-based compounds for use as DNA vaccines adjuvants are disclosed in PCT International

Application No. PCT/US98/02414, PCT International Publication No. WO 98/35562, which is hereby incorporated by reference. Another preferred adjuvant is a non-ionic block copolymer which shows adjuvant activity with DNA vaccines. The basic structure comprises blocks of polyoxyethylene (POE) and 5 polyoxypropylene (POP) such as a POE-POP-POE block copolymer. Newman et al. (1998, *Critical Reviews in Therapeutic Drug Carrier Systems* 15(2): 89-142) review a class of non-ionic block copolymers which show adjuvant activity. The basic structure comprises blocks of polyoxyethylene (POE) and polyoxypropylene (POP) such as a POE-POP-POE block copolymer. Newman et al. *id.*, disclose 10 that certain POE-POP-POE block copolymers may be useful as adjuvants to an influenza protein-based vaccine, namely higher molecular weight POE-POP-POE block copolymers containing a central POP block having a molecular weight of over about 9000 daltons to about 20,000 daltons and flanking POE blocks which comprise up to about 20% of the total molecular weight of the copolymer (see also 15 U.S. Reissue Patent No. 36,665, U.S. Patent No. 5,567,859, U.S. Patent No. 5,691,387, U.S. Patent No. 5,696,298 and U.S. Patent No. 5,990,241, all issued to Emanuele, et al., regarding these POE-POP-POE block copolymers). WO 96/04932 further discloses higher molecular weight POE/POP block 20 copolymers which have surfactant characteristics and show biological efficacy as vaccine adjuvants. The above cited references within this paragraph are hereby incorporated by reference in their entirety. It is therefore within the purview of the skilled artisan to utilize available adjuvants which may increase the immune response of the polynucleotide vaccines of the present invention in comparison to administration of a non-adjuvanted polynucleotide vaccine.

25 The DNA vector vaccines of the present invention are administered to the host by any means known in the art, such as enteral and parenteral routes. These routes of delivery include but are not limited to intramuscular injection, intraperitoneal injection, intravenous injection, inhalation or intranasal delivery, oral delivery, sublingual administration, subcutaneous administration, transdermal administration, 30 transcutaneous administration, percutaneous administration or any form of particle bombardment, such as a biolistic device such as a "gene gun" or by any available needle-free injection device. The preferred methods of delivery of the HIV-1 Pol-based DNA vaccines disclosed herein are intramuscular injection, subcutaneous administration and needle-free injection. An especially preferred method is

intramuscular delivery.

The amount of expressible DNA to be introduced to a vaccine recipient will depend on the strength of the transcriptional and translational promoters used in the DNA construct, and on the immunogenicity of the expressed gene product. In 5 general, an immunologically or prophylactically effective dose of about 1  $\mu$ g to greater than about 20 mg, and preferably in doses from about 1 mg to about 5 mg is administered directly into muscle tissue. As noted above, subcutaneous injection, intradermal introduction, impression through the skin, and other modes of administration such as intraperitoneal, intravenous, inhalation and oral delivery are 10 also contemplated. It is also contemplated that booster vaccinations are to be provided in a fashion which optimizes the overall immune response to the Pol-based DNA vector vaccines of the present invention.

The aforementioned polynucleotides, when directly introduced into a vertebrate *in vivo*, express the respective HIV-1 Pol protein within the animal and in 15 turn induce a cellular immune response within the host to the expressed Pol antigen. To this end, the present invention also relates to methods of using the HIV-1 Pol-based polynucleotide vaccines of the present invention to provide effective 20 immunoprophylaxis, to prevent establishment of an HIV-1 infection following exposure to this virus, or as a post-HIV infection therapeutic vaccine to mitigate the acute HIV-1 infection so as to result in the establishment of a lower virus load with beneficial long term consequences. As noted above, the present invention 25 contemplates a method of administration or use of the DNA pol-based vaccines of the present invention using any of the known routes of introducing polynucleotides into living tissue to induce expression of proteins.

Therefore, the present invention provides for methods of using a DNA pol-based vaccine utilizing the various parameters disclosed herein as well as any additional parameters known in the art, which, upon introduction into mammalian 30 tissue induces intracellular expression of these DNA pol-based vaccines. This intracellular expression of the Pol-based immunogen induces a cellular immune response which provides a substantial level of protection against an existing HIV-1 infection or provides a substantial level of protection against a future infection in a presently uninfected host.

The following examples are provided to illustrate the present invention without, however, limiting the same hereto.

**EXAMPLE 1**  
**Vaccine Vectors**

*V1* – Vaccine vector V1 was constructed from pCMVIE-AKI-DHFR (Whang et al., 1987, *J. Virol.* 61: 1796). The AKI and DHFR genes were removed by cutting the vector with EcoRI and self-ligating. This vector does not contain intron A in the CMV promoter, so it was added as a PCR fragment that had a deleted internal SacI site [at 1855 as numbered in Chapman, et al., 1991, *Nuc. Acids Res.* 19: 3979]. The template used for the PCR reactions was pCMVintA-Lux, made by ligating the HindIII and NheI fragment from pCMV6a120 (see Chapman et al., *ibid.*), which includes hCMV-IE1 enhancer/promoter and intron A, into the HindIII and XbaI sites of pBL3 to generate pCMVIntBL. The 1881 base pair luciferase gene fragment (HindIII-SmaI Klenow filled-in) from RSV-Lux (de Wet et al., 1987, *Mol. Cell Biol.* 7: 725) was ligated into the SalI site of pCMVIntBL, which was Klenow filled-in and phosphatase treated. The primers that spanned intron A are: 5' primer: 5'-CTATAT AAGCAGAGCTCGTTAG-3' (SEQ ID NO:10); 3' primer: 5'-GTAGCAAA GATCTAAGGACGGTGACTGCAG-3' (SEQ ID NO:11). The primers used to remove the SacI site are: sense primer, 5'-GTATGTGTCTGAAAATGAGCGTGGAGATTGGGCTCGCAC-3' (SEQ ID NO:12) and the antisense primer, 5'-GTGCGAGCCAATCTCCACGCTCATTTCAGAC ACATAAC-3' (SEQ ID NO:13). The PCR fragment was cut with Sac I and Bgl II and inserted into the vector which had been cut with the same enzymes.

*V1J* – Vaccine vector V1J was generated to remove the promoter and transcription termination elements from vector V1 in order to place them within a more defined context, create a more compact vector, and to improve plasmid purification yields. V1J is derived from vectors V1 and pUC18, a commercially available plasmid. V1 was digested with SspI and EcoRI restriction enzymes producing two fragments of DNA. The smaller of these fragments, containing the CMVintA promoter and Bovine Growth Hormone (BGH) transcription termination elements which control the expression of heterologous genes, was purified from an agarose electrophoresis gel. The ends of this DNA fragment were then "blunted" using the T4 DNA polymerase enzyme in order to facilitate its ligation to another "blunt-ended" DNA fragment. pUC18 was chosen to provide the "backbone" of the expression vector. It is known to produce high yields of plasmid, is well-

characterized by sequence and function, and is of small size. The entire *lac* operon was removed from this vector by partial digestion with the HaeII restriction enzyme. The remaining plasmid was purified from an agarose electrophoresis gel, blunt-ended with the T4 DNA polymerase treated with calf intestinal alkaline phosphatase, and 5 ligated to the CMVintA/BGH element described above. Plasmids exhibiting either of two possible orientations of the promoter elements within the pUC backbone were obtained. One of these plasmids gave much higher yields of DNA in *E. coli* and was designated V1J. This vector's structure was verified by sequence analysis of the junction regions and was subsequently demonstrated to give comparable or higher 10 expression of heterologous genes compared with V1. The nucleotide sequence of V1J is as follows:

TCGCGCGTTT CGGTGATGAC GGTGAAAACC TCTGACACAT GCAGCTCCCG GAGACGGTCA  
CAGCTTGTCT GTAAGCGGAT GCCGGGAGCA GACAAGCCCG TCAGGGCGCG TCAGCGGGTG  
TTGGCGGGTG TCGGGGCTGG CTTAACTATG CGGCATCAGA GCAGATTGTA CTGAGAGTGC  
15 ACCATATGCG GTGTGAAATA CCGCACAGAT GCGTAAGGAG AAAATACCGC ATCAGATTGG  
CTATTGGCCA TTGCATACGT TGATCCATA TCATAATATG TACATTATA TTGGCTCATG  
TCCAACATTA CCGCCATGTT GACATTGATT ATTGACTAGT TATTAATAGT AATCAATTAC  
GGGGTCATTA GTTCATAGCC CATATATGGA GTTCCCGCGTT ACATAACTTA CGGTAAATGG  
CCCGCCTGGC TGACCGCCA ACGACCCCCG CCCATTGACG TCAATAATGTA CGTATGTTCC  
20 CATAGTAACG CCAATAGGGA CTTTCCATTG ACGTCAATGG GTGGAGTATT TACGGTAAAC  
TGCCCACCTTG GCAGTACATC AAGTGTATCA TATGCCAAGT ACGCCCCCTA TTGACGTCAA  
TGACGGTAAA TGCCCCGCTT GGCAATTATGC CCAGTACATG ACCTTATGGG ACTTTCCTAC  
TTGGCAGTAC ATCTACGTAT TAGTCATCGC TATTACCATG GTGATGCGGT TTTGGCAGTA  
CATCAATGGG CGTGGATAGC GGTGGACTC ACGGGGATTT CCAAGTCTCC ACCCCATTGA  
25 CGTCAATGGG AGTTTGTTTT GGCAACAAAA TCAACGGGAC TTTCCAAAAT GTCGTAACAA  
CTCCGCCCCA TTGACGCAA TGGGCGGTAG GCGTGTACGG TGGGAGGTCT ATATAAGCAG  
AGCTCGTTA GTGAACCGTC AGATCGCCTG GAGACGCCAT CCACGCTGTT TTGACCTCCA  
TAGAACACAC CGGGACCGAT CCAGCCTCCG CGGCCGGAA CGGTGCATTG GAACCGGGAT  
30 TCCCCGTGCC AAGAGTGACG TAAGTACCGC CTATAGAGTC TATAGGCCA CCCCCTTGGC  
TTCTTATGCA TGCTATACTG TTTTGCGCTT GGGGTCTATA CACCCCCGCT TCCTCATGTT  
ATAGGTGATG GTATAGCTTA GCCTATAGGT GTGGGTTATT GACCATTATT GACCACTCCC  
CTATTGGTGA CGATACTTTC CATTACTAAT CCATAACATG GCTCTTTGCC ACAACTCTCT  
TTATTGGCTA TATGCCAATA CACTGTCCCT CAGAGACTGA CACGGACTCT GTATTTTAC  
AGGATGGGGT CTCATTATT ATTACAAAT TCACATATAC AACACCACCG TCCCCAGTGC

CCGCAGTTT TATTAACAT AACGTGGAT CTCCACGCGA ATCTCGGTA CGTGTCCGG  
ACATGGGCTC TTCTCCGTA GCGGCGGAGC TTCTACATCC GAGCCCTGCT CCCATGCC  
CAGCGACTCA TGTCGCTCG GCAGCTCTT GCTCCTAAC A GTGGAGGCC GACTTAGGCA  
CAGCACGATG CCCACCACCA CCAGTGTGCC GCACAAGGCC GTGGCGGTAG GGTATGTGTC  
5 TGAAAATGAG CTCGGGGAGC GGGCTTGAC CGCTGACGCA TTTGGAAGAC TTAAGGCAGC  
GGCAGAAAGAA GATGCAGGCA GCTGAGTTGT TGTGTTCTGA TAAGAGTCAG AGGTAACCTCC  
CGTTGCGGTG CTGTTAACGG TGGAGGGCAG TGTAGTCTGA GCAGTACTCG TTGCTGCC  
GCGCGCCACC AGACATAATA GCTGACAGAC TAACAGACTG TTCCCTTCCA TGGGTCTTT  
CTGCAGTCAC CGTCCTTAGA TCTGCTGTGC CTTCTAGTTG CCAGCCATCT GTTGTGTTGCC  
10 CCTCCCCCGT GCCTTCCTTG ACCCTGGAAG GTGCCACTCC CACTGTCCTT TCCTAATAAA  
ATGAGGAAAT TGCACTCGCAT TGTCTGAGTA GGTGTCATTG TATTCTGGGG GGTGGGGTGG  
GGCAGCACAG CAAGGGGGAG GATTGGGAAG ACAATAGCAG GCATGCTGG GATGCGGTGG  
GCTCTATGGG TACCCAGGTG CTGAAGAATT GACCCGGTTC CTCCCTGGCC AGAAAGAAC  
AGGCACATCC CCTTCTCTGT GACACACCT GTCCACGCC C CTGGTTCTTA GTTCCAGCCC  
15 CACTCATAGG ACACATCAG CTCAGGAGGG CTCCGCCCTTC AATCCCACCC GCTAAAGTAC  
TTGGAGCGGT CTCTCCCTCC CTCATCAGCC CACCAAACCA AACCTAGCCT CCAAGAGTGG  
GAAGAAATTA AAGCAAGATA GGCTATTAAG TGCAGAGGGA GAGAAAATGC CTCCAACATG  
TGAGGAAGTA ATGAGAGAAA TCATAGAATT TCTTCCGCTT CCTCGCTCAC TGACTCGCTG  
CGCTCGGTG TTGGCTGCG GCGAGCGTA TCAGCTCACT CAAAGGCGGT AATACGGTTA  
20 TCCACAGAAAT CAGGGGATAA CGCAGGAAAG AACATGTGAG CAAAAGGCC GCAAAAGGCC  
AGGAACCGTA AAAAGGCCGC GTTGCTGGCG TTTTCCATA GGCTCCGCC CCCTGACGAG  
CATCACAAAA ATCGACGCTC AAGTCAGAGG TGGCGAAACC CGACAGGACT ATAAAGATAC  
CAGGGTTTC CCCCTGGAAG CTCCCTCGTG CGCTCTCCTG TTCCGACCCCT GCGCTTAC  
GGATACCTGT CGCCTTTCT CCCTCAGGA AGCGTGGCGC TTTCTCAATG CTCACGCTGT  
25 AGGTATCTCA GTTCGGGTGTA GGTCGGTCGC TCCAAGCTGG GCTGTGTGCA CGAACCCCC  
GTTCAAGCCCG ACCGCTGCGC CTTATCCGGT AACTATCGTC TTGAGTCCAA CCCGTAAGA  
CACGACTTAT CGCCACTGGC AGCAGCCACT GGTAACAGGA TTAGCAGAGC GAGGTATGTA  
GGCGGTGCTA CAGAGTTCTT GAAGTGGTGG CCTAACTACG GCTACACTAG AAGGACAGTA  
TTTGGTATCT CGCCTCTGCT GAAGCCAGTT ACCTTCGGAA AAAGAGTTGG TAGCTCTG  
30 TCCGGCAAAC AAACCACCGC TGGTAGCGGT GGTTTTTTTG TTGCAAGCA GCAGATTACG  
CGCAGAAAAA AAGGATCTCA AGAAGATCCT TTGATCTTT CTACGGGGTC TGACGCTCAG  
TGGAAAGAAA ACTCACGTTA AGGGATTTG GTCATGAGAT TATCAAAAAG GATCTTCACC  
TAGATCCTTT TAAATTAAAA ATGAAGTTT AAATCAATCT AAAGTATATA TGAGTAAACT  
TGGTCTGACA GTTACCAATG CTTAACAGT GAGGCACCTA TCTCAGCGAT CTGTCTATT

CGTTCATCCA TAGTTGCCTG ACTCCCCGTC GTGTAGATAA CTACGATACG GGAGGGCTTA  
CCATCTGGCC CCAGTGCTGC AATGATACCG CGAGACCCAC GCTCACCGGC TCCAGATTAA  
TCAGCAATAA ACCAGGCCAGC CGGAAGGGCC GAGCGCAGAA GTGGTCTGC AACCTTATCC  
GCCTCCATCC AGTCTATTAA TTGTTGCCGG GAAGCTAGAG TAAGTAGTTC GCCAGTTAAT  
5 AGTTTGCGCA ACAGTTGTTGC CATTGCTACA GGCATCGTGG TGTACGCTC GTCGTTGGT  
ATGGCTTCAT TCAGCTCCGG TTCCCAAACGA TCAAGGCGAG TTACATGATC CCCCATGTTG  
TGCAAAAAAG CGGTTAGCTC CTTCGGTCTT CCGATCGTTG TCAGAAAGTAA GTTGGCCGCA  
GTGTTATCAC TCATGGTTAT GGCAGCACTG CATAATTCTC TTACTGTCT ATCCATCCGTA  
AGATGCTTT CTGTGACTGG TGAGTACTCA ACCAAGTCAT TCTGAGAATA GTGTATGCCG  
10 CGACCGAGTT GCTCTTGCCC GGCCTCAATA CGGGATAATA CCGGCCACCA TAGCAGAACT  
TTAAAAGTGC TCATCATTGG AAAACGTTCT TCAGGGCGAA AACTCTCAAG GATCTTACCG  
CTGTTGAGAT CCAGTTCGAT GTAACCCACT CGTGCACCCA ACTGATCTTC AGCATCTTT  
ACTTTCACCA GCGTTTCTGG GTGAGCAAAA ACAGGAAGGC AAAATGCCGC AAAAAAGGG  
ATAAGGGCGA CACGGAAATG TTGAATACTC ATACTCTTCC TTTTCAATA TTATTGAAGC  
15 ATTATTCAGG GTTATTGTCT CATGAGCGGA TACATATTG AATGTATTTA GAAAAATAAA  
CAAATAGGGG TTCCCGCGCAC ATTTCCCCGA AAAGTGCCAC CTGACGTCTA AGAAACCATT  
ATTATCATGA CATTAACCTA TAAAAATAGG CGTATCACGA GGCCCTTTCG TC (SEQ ID  
NO:14).

VIJneo – Construction of vaccine vector VIJneo expression vector involved  
20 removal of the amp<sup>r</sup> gene and insertion of the kan<sup>r</sup> gene (neomycin  
phosphotransferase). The amp<sup>r</sup> gene from the pUC backbone of VIJ was removed by  
digestion with SspI and Eam1105I restriction enzymes. The remaining plasmid was  
purified by agarose gel electrophoresis, blunt-ended with T4 DNA polymerase, and  
then treated with calf intestinal alkaline phosphatase. The commercially available  
25 kan<sup>r</sup> gene, derived from transposon 903 and contained within the pUC4K plasmid,  
was excised using the PstI restriction enzyme, purified by agarose gel electrophoresis,  
and blunt-ended with T4 DNA polymerase. This fragment was ligated with the VIJ  
backbone and plasmids with the kan<sup>r</sup> gene in either orientation were derived which  
were designated as VIJneo #'s 1 and 3. Each of these plasmids was confirmed by  
30 restriction enzyme digestion analysis, DNA sequencing of the junction regions, and  
was shown to produce similar quantities of plasmid as VIJ. Expression of  
heterologous gene products was also comparable to VIJ for these VIJneo vectors.  
VIJneo#3, referred to as VIJneo hereafter, was selected which contains the kan<sup>r</sup> gene  
in the same orientation as the amp<sup>r</sup> gene in VIJ as the expression construct and

provides resistance to neomycin, kanamycin and G418. The nucleotide sequence of V1Jneo is as follows:

TCGCGCGTTT CGGTGATGAC GGTGAAAACC TCTGACACAT GCAGCTCCCG GAGACGGTCA  
CAGCTTGTCT GTAAGCGGAT GCCGGGAGCA GACAAGCCCG TCAGGGCGCG TCAGCGGGTG  
5 TTGGCGGGTG TCGGGGCTGG CTTAACTATG CGGCATCAGA GCAGATTGTA CTGAGAGTGC  
ACCATATGCG GTGTGAAATA CCGCACAGAT GCGTAAGGAG AAAATACCGC ATCAGATTGG  
CTATTGGCCA TTGCATACGT TGTATCCATA TCATAATATG TACATTTATA TTGGCTCATG  
TCCAACATTA CCGCCATGTT GACATTGATT ATTGACTAGT TATTAATAGT AATCAATTAC  
GGGGTCATTA GTTCATAGCC CATATATGGA GTTCCCGTAA ACATAACTTA CGGTAAATGG  
10 CCCGCCTGGC TGACCGCCCA ACGACCCCCG CCCATTGACG TCAATAATGA CGTATGTTCC  
CATAGTAACG CCAATAGGGA CTTTCCATG ACGTCAATGG GTGGAGTATT TACGGTAAAC  
TGCCCACTTG GCAGTACATC AAGTGTATCA TATGCCAAGT ACGCCCCCTA TTGACGTCAA  
TGACGGTAA TGCCCGCCT GGCATTATGC CCAGTACATG ACCTTATGGG ACTTCTTAC  
TTGGCAGTAC ATCTACGTAT TAGTCATCGC TATTACCATG GTGATGCGGT TTTGGCAGTA  
15 CATCAATGGG CGTGGATAGC GGTTTGACTC ACGGGGATTT CCAAGTCTCC ACCCCATTGA  
CGTCAATGGG AGTTTGTTT GGCACCAAAA TCAACGGGAC TTTCCAAAAT GTCGTAACAA  
CTCCGCCCA TTGACGAAA TGGCGGTAG GCGTGTACGG TGGGAGGTCT ATATAAGCAG  
AGCTCGTTA GTGAACCGTC AGATCGCTG GAGACGCCAT CCACGCTGTT TTGACCTCCA  
TAGAACACAC CGGGACCGAT CCAGCCTCCG CGGCCGGAA CGGTGCATTG GAACGCGGAT  
20 TCCCCGTGCC AAGAGTGCAG TAAGTACCGC CTATAGAGTC TATAGGCCA CCCCCCTTGGC  
TTCTTATGCA TGCTATACTG TTTTTGGCTT GGGGTCTATA CACCCCCGCT TCCTCATGTT  
ATAGGTGATG GTATAGCTTA GCCTATAGGT GTGGGTTATT GACCATTATT GACCACTCCC  
CTATTGGTGA CGATACTTTTC CATTACTAAT CCATAACATG GCTCTTTGCC ACAACTCTCT  
TTATTGGCTA TATGCCAATA CACTGTCCCT CAGAGACTGA CACGGACTCT GTATTTTAC  
25 AGGATGGGGT CTCATTTATT ATTTACAAAT TCACATATAAC AACACCACCG TCCCCAGTGC  
CCGCAGTTT TATTAACAT AACGTGGGAT CTCCACGCGA ATCTCGGGTA CGTGTCCGG  
ACATGGGCTC TTCTCCGGTA GCGGCGGAGC TTCTACATCC GAGCCCTGCT CCCATGCC  
CAGCGACTCA TGGTCGCTCG GCAGCTCCCT GCTCCTAACAA GTGGAGGCCA GACTTAGGCA  
CAGCACGATG CCCACCACCA CCAGTGTGCC GCACAAGGCC GTGGCGGTAG GGTATGTGTC  
30 TGAAAATGAG CTCGGGGAGC GGGCTTGCAC CGCTGACGCA TTGGAAGAC TTAAGGCAGC  
GGCAGAAGAA GATGCAGGCA GCTGAGTTGT TGTGTCTGA TAAGAGTCAG AGGTAACTCC  
CGTTGCGGTG CTGTTAACGG TGGAGGGCAG TGTAGTCTGA GCAGTACTCG TTGCTGCC  
GCGCGCCACC AGACATAATA GCTGACAGAC TAACAGACTG TTCCCTTCCA TGGGTCTTT  
CTGCAGTCAC CGTCCTTAGA TCTGCTGTGC CTTCTAGTTG CCAGCCATCT GTTGTGTTGCC

CCTCCCCGT GCCTTCCTTG ACCCTGGAAG GTGCCACTCC CACTGTCC TTCTAATAAA  
ATGAGGAAAT TGCATCGCAT TGTCTGAGTA GGTGTCATTC TATTCTGGGG GGTGGGGTGG  
GGCAGCACAG CAAGGGGGAG GATTGGGAAG ACAATAGCAG GCATGCTGGG GATGCGGTGG  
GCTCTATGGG TACCCAGGTG CTGAAGAATT GACCCGGTTC CTCCTGGGCC AGAAAGAAC  
5 AGGCACATCC CCTTCTCTGT GACACACCC GTCCACGCC CTGGTTCTTA GTTCCAGCCC  
CACTCATAGG ACACATCATAG CTCAGGAGGG CTCCGCCCTTC AATCCCACCC GCTAAAGTAC  
TTGGAGCGGT CTCTCCCTCC CTCATCAGCC CACCAAACCA AACCTAGCCT CCAAGAGTGG  
GAAGAAATTA AAGCAAGATA GGCTATTAAAG TGCAAGAGGA GAGAAAATGC CTCCAACATG  
TGAGGAAGTA ATGAGAGAAA TCATAGAATT TCTTCCGCTT CCTCGCTCAC TGACTCGCTG  
10 CGCTCGGTG TTCGGCTGCG GCGAGCGGT TAAGCTCACT CAAAGGCCGT AATACGGTTA  
TCCACAGAAAT CAGGGGATAA CGCAGGAAAG AACATGTGAG CAAAAGGCC GCAAAAGGCC  
AGGAACCGTA AAAAGGCCGC GTTGCTGGCG TTTTCCATA GGCTCCGCC CCCTGACGAG  
CATCACAAAA ATCGACGCTC AAGTCAGAGG TGGCGAAACC CGACAGGACT ATAAAGATAC  
CAGGGTTC CCCCTGGAAG CTCCCTCGTG CGCTCTCCTG TTCCGACCTT GCCGCTTACC  
15 GGATACCTGT CGCCCTTCTTCCCTCGGAGCGTGGCGC TTTCTCAATG CTCACGCTGT  
AGGTATCTCA GTTCGGTGTA GGTGCTTCGC TCCAAGCTGG GCTGTGTGCA CGAACCCCCC  
GTTCAAGCCCG ACCGCTGCGC CTTATCCGGT AACTATCGTC TTGAGTCAA CCCGGTAAGA  
CACGACTTAT CGCCACTGGC AGCAGCCACT GGTAACAGGA TTAGCAGAGC GAGGTATGTA  
GGCGGTGCTA CAGAGTCTT GAAGTGGTGG CCTAACTACG GCTACACTAG AAGGACAGTA  
20 TTTGGTATCT GCGCTCTGCT GAAGCCAGTT ACCTTCGGAA AAAGAGTTGG TAGCTCTTGA  
TCCGGCAAAC AAACCACCGC TGGTAGCGGT GGTTTTTTTG TTTGCAAGCA GCAGATTACG  
CGCAGAAAAA AAGGATCTCA AGAAGATCCT TTGATCTTT CTACGGGTC TGACGCTCAG  
TGGAACGAAA ACTCACGTTA AGGGATTTTG GTCATGAGAT TATCAAAAG GATCTTCACC  
TAGATCCTTT TAAATTAAA ATGAAGTTT AAATCAATCT AAAGTATATA TGAGTAAACT  
25 TGGTCTGACA GTTACCAATG CTTAACAGT GAGGCACCTA TCTCAGCGAT CTGCTTATT  
CGTTCATCCA TAGTTGCCCTG ACTCCGGGGG GGGGGGGCGC TGAGGTCTGC CTCGTGAAGA  
AGGTGTTGCT GACTCATACC AGGCCTGAAT CGCCCCATCA TCCAGCCAGA AAGTGAGGG  
GCCACGGTTG ATGAGAGCTT TGGTAGGT GGACCAGTTG GTGATTTGAA ACTTTTGCTT  
TGCCACGGAA CGGTCTGCGT TGCGGGAAAG ATGCGTGATC TGATCCTTCA ACTCAGCAA  
30 AGTTCGATT ATTCAACAAA GCCGCCGTCC CGTCAAGTCA GCGTAATGCT CTGCCAGTGT  
TACAACCAAT TAACCAATTG TGATTAGAAA AACTCATCGA GCATCAAATG AACTGCAAT  
TTATTCATAT CAGGATTATC AATACCATAT TTTGAAAAA GCCGTTCTG TAATGAAGGA  
GAAAACTCAC CGAGGCAGTT CCATAGGATG GCAAGATCCT GGTATCGGTC TGCGATTCCG  
ACTCGTCAA CATCAATACA ACCTATTAAAT TTCCCTCGT CAAAAATAAG GTTATCAAGT

GAGAAATCAC CATGAGTGAC GACTGAATCC GGTGAGAATG GC<sub>AAA</sub>AGCTT ATGCATTCT  
TTCCAGACTT GTTCAACAGG CCAGCCATTA CGCTCGTCAT CAAAATCACT CGCATCAACC  
AAACCGTTAT TCATTCGTGA TTGCGCCTGA GCGAGACGAA ATACCGCAGTC GCTGTTAAA  
GGACAATTAC AAACAGGAAT CGAATGCAAC CGGCGCAGGA ACACGCCAG CGCATCAACA  
5 ATATTTTCAC CTGAATCAGG ATATTCTCT AATACCTGGA ATGCTGTTT CCCGGGGATC  
GCAGTGGTGA GTAACCAGTC ATCATCAGGA GTACGGATAA ATGCTTGAT GGTCGGAAGA  
GGCATAAATT CCGTCAGCCA GTTTAGTCG ACCATCTCAT CTGTAACATC ATTGGCAACG  
CTACCTTCAG CATGTTTCAG AAACAACCTCT GGCGCATCGG GCTTCCCATA CAATCGATAG  
ATTGTCGCAC CTGATTGCC GACATTATCG CGAGCCCATT TATACCCATA TAAATCAGCA  
10 TCCATGTTGG AATTTAACG CGGCCTCGAG CAAGACGTTT CCCGTTGAAT ATGGCTCATA  
ACACCCCTTG TATTA<sup>T</sup>CTGTT TATGTAAGCA GACAGTTTA TTGTTCATGA TGATATATT  
TTATCTTGTG CAATGTAACA TCAGAGATT TGAGACACAA CGTGGCTTTC CCCCCCCCCC  
CATTATTGAA GCATTTATCA GGGTTATTGT CTCATGAGCG GATA<sup>C</sup>ATATT TGAATGTATT  
TAGAAAAATA AACAAATAGG GGTTCCGC<sup>G</sup> ACATTCCCC GAAAAGTG<sup>C</sup> ACCTGACGTC  
15 TAAGAAACCA TTATTATCAT GACATTAACC TATAAAAATA GGCGTATCAC GAGGCC<sup>T</sup>TT  
CGTC (SEQ ID NO:15).

20 V1Jns - The expression vector V1Jns was generated by adding an SfiI site to V1Jneo to facilitate integration studies. A commercially available 13 base pair SfiI linker (New England BioLabs) was added at the KpnI site within the BGH sequence of the vector. V1Jneo was linearized with KpnI, gel purified, blunted by T4 DNA polymerase, and ligated to the blunt SfiI linker. Clonal isolates were chosen by restriction mapping and verified by sequencing through the linker. The new vector was designated V1Jns. Expression of heterologous genes in V1Jns (with SfiI) was comparable to expression of the same genes in V1Jneo (with KpnI).

25 The nucleotide sequence of V1Jns is as follows:

TCGGCGCTTT CGGTGATGAC GGTGAAAACC TCTGACACAT GCAGCTCCCG GAGACGGTCA  
CAGCTTGTCT GTAAGCGGAT GCCGGGAGCA GACAAGCCCG TCAGGGCGCG TCAGCGGGTG  
TTGGCGGGTG TCGGGGCTGG CTTAACTATG CGGCATCAGA GCAGATTGTA CTGAGAGTGC  
ACCATATGCG GTGTGAAATA CCGCACAGAT GCGTAAGGAG AAAATACCGC ATCAGATTGG  
30 CTATTGGCCA TTGCATACGT TGTATCCATA TCATAATATG TACATTATA TTGGCTCATG  
TCCAACATTA CCGCCATGTT GACATGATT ATTGACTAGT TATTAATAGT AATCAATTAC  
GGGGTCATTA GTTCATAGCC CATATATGGA GTTCCGCGTT ACATAACTTA CGGTAAATGG  
CCCGCCTGGC TGACCGCCCA ACGACCCCCG CCCATTGACG TCAATAATGA CGTATGTTCC  
CATAGTAACG CCAATAGGGA CTTTCCATTG ACGTCAATGG GTGGAGTATT TACGGTAAAC

TGCCCACCTTG GCAGTACATC AAGTGTATCA TATGCCAAGT ACCCCCCCTA TTGACGTCAA  
 TGACGGTAAA TGGCCCGCCT GGCAATTATGC CCAGTACATG ACCTTATGGG ACTTTCTAC  
 TTGGCAGTAC ATCTACGTAT TAGTCATCGC TATTACCATG GTGATGCGGT TTTGGCAGTA  
 CATCAATGGG CGTGGATAGC GGTTTGACTC ACGGGGATTT CCAAGTCTCC ACCCCATTGA  
 5 CGTCAATGGG AGTTTGTTTT GGCAACAAAA TCAACGGGAC TTTCCAAAAT GTCGTAACAA  
 CTCCGCCCA TTGACGAAA TGGGCGGTAG GCGTGTACGG TGGGAGGTCT ATATAAGCAG  
 AGCTCGTTA GTGAACCGTC AGATCGCCTG GAGACGCCAT CCACGCTGTT TTGACCTCCA  
 TAGAACACAC CGGGACCGAT CCAGCCTCCG CGGCCCCGAA CGGTGCATTG GAACGCGGAT  
 TCCCCGTGCC AAGAGTGACG TAAGTACCGC CTATAGACTC TATAGGCACA CCCCTTTGGC  
 10 TCTTATGCAT GCTATACTGT TTTTGGCTTG GGGCTATAC ACCCCCGCTT CCTTATGCTA  
 TAGGTGATGG TATAGCTTAG CCTATAGGTG TGGGTTATTG ACCATTATTG ACCACTCCCC  
 TATTGGTGCAC GATACTTTCC ATTACTAATC CATAACATGG CTCTTGCCA CAACTATCTC  
 TATTGGCTAT ATGCCAATAC TCTGTCCCTTC AGAGACTGAC ACGGACTCTG TATTTTTACA  
 GGATGGGGTC CCATTTATTA TTACAAATT CACATATACA ACAACGCCGT CCCCCGTGCC  
 15 CGCAGTTTT ATTAAACATA GCGTGGGATC TCCACCGAA TCTCGGGTAC GTGTTCCGGA  
 CATGGGCTCT TCTCCGGTAG CGGGCGAGCT TCCACATCCG AGCCCTGGTC CCATGCCCTCC  
 AGCGGCTCAT GGTGCGTCGG CAGCTCCTTG CTCCTAACAG TGGAGGCCAG ACTTAGGCAC  
 AGCACAAATGC CCACCACCC CAGTGTGCCG CACAAGGCCG TGGCGGTAGG GTATGTGTCT  
 GAAAATGAGC GTGGAGATTG GGCTCGCACG GCTGACGCCAG ATGGAAGACT TAAGGCAGCG  
 20 GCAGAAGAAG ATGCAGGCAG CTGAGTTGTT GTATTCTGAT AAGAGTCAGA GGTAACCTCCC  
 GTTGGGTGC GTTTAACGGT GGAGGGCAGT GTAGTCTGAG CAGTACTCGT TGCTGCCGCG  
 CGCCCCACCA GACATAATAG CTGACAGACT AACAGACTGT TCCCTTCCAT GGGCTTTTC  
 TGCAGTCACC GTCTTAGAT CTGCTGTGCC TTCTAGTTGC CAGGCCATCTG TTGTTTGGCC  
 CTCCCCGTG CCTCCTTGA CCCTGGAAGG TGCCACTCCC ACTGTCCTTT CCTAATAAAA  
 25 TGAGGAATT GCATCGCATT GTCTGAGTAG GTGTCATTCT ATTCTGGGG GTGGGGTGGG  
 GCAGGACAGC AAGGGGGAGG ATTGGGAAGA CAATAGCAGG CATGCTGGGG ATGCGGTGGG  
 CTCTATGGCC GCTGCGGCCA GGTGCTGAAG AATTGACCCG GTTCCCTCCTG GCCCAGAAAG  
 AAGCAGGCAC ATCCCCCTCT CTGTGACACA CCCTGTCCAC GCCCCCTGGTT CTTAGTTCCA  
 GCCCCACTCA TAGGACACTC ATAGCTCAGG AGGGCTCCGC CTTCAATCCC ACCCGCTAAA  
 30 GTACTTGGAG CGGTCTCTCC CTCCCTCATC AGCCCACCAA ACCAAACCTA GCCTCCAAGA  
 GTGGGAAGAA ATAAAGCAA GATAGGCTAT TAAGTGCAGA GGGAGAGAAA ATGCCTCCAA  
 CATGTGAGGA AGTAATGAGA GAAATCATAG AATTCTTCC GCTTCCTCGC TCACTGACTC  
 GCTGCGCTCG GTCGTTCGGC TGCGGGAGC GGTATCAGCT CACTCAAAGG CGGTAATACG  
 GTTATCCACA GAATCAGGGG ATAACGCAGG AAAGAACATG TGAGCAAAAG GCCAGAAAA

GGCCAGGAAC CGTAAAAGG CCGCGTTGCT GGCGTTTTC CATAGGCTCC GCCCCCCCTGA  
CGAGCATCAC AAAATCGAC GCTCAAGTCA GAGGTGGCGA AACCCGACAG GACTATAAAG  
ATACCAGGCG TTTCCTCCCTG GAAGCTCCCT CGTGCCTCT CCTGTTCCGA CCCTGCCGCT  
TACCGGATAC CTGTCCGCT TTCTCCCTTC GGGAAAGCGTG GCGTTTCTC ATAGCTCACG  
5 CTGTAGGTAT CTCAGTTCGG TGTAGGTCGT TCGCTCCAAG CTGGGCTGTG TGACGAACC  
CCCCGTTCAAG CCCGACCGCT GCGCCTTATC CGGTAACAT CGCTTGTGAGT CCAACCCGGT  
AAGACACGAC TTATCGCCAC TGGCAGCAGC CACTGGTAAC AGGATTAGCA GAGCGAGGTA  
TGTAGGCGGT GCTACAGAT TCTTGAAGTG GTGGCCTAAC TACGGCTACA CTAGAAGAAC  
AGTATTTGGT ATCTGCGCTC TGCTGAAGCC AGTTACCTTC GGAAAAAGAG TTGGTAGCTC  
10 TTGATCCGGC AAACAAACCA CCGCTGGTAG CGGTGGTTTT TTGTTTGCA AGCAGCAGAT  
TACGCGCAGA AAAAAGGAT CTCAAGAAGA TCCTTTGATC TTTTCTACGG GGTCTGACGC  
TCAGTGGAAC GAAAACTCAC GTTAAGGGAT TTTGGTCATG AGATTATCAA AAAGGATCTT  
CACCTAGATC CTTTTAAATT AAAAATGAAG TTTTAAATCA ATCTAAAGTA TATATGAGTA  
AACTTGGTCT GACAGTTAAC AATGCTTAAT CAGTGAGGCA CCTATCTAG CGATCTGTCT  
15 ATTTCGTTCA TCCATAGTTG CCTGACTCGG GGGGGGGGGG CGCTGAGGTC TGCTCGTGA  
AGAAGGTGTT GCTGACTCAT ACCAGGCCTG AATCGCCCCA TCATCCAGCC AGAAAGTGAG  
GGAGGCCACGG TTGATGAGAG CTTTGTGTA GGTGGACAG TTGGTATTT TGAACTTTG  
CTTTGCCACG GAACGGCTCG CGTTGTGGGG AAGATGCGTG ATCTGATCCT TCAACTCAGC  
AAAAGTTCGA TTTATTCAAC AAAGCCGCCG TCCCGTCAAG TCAGCGTAAT GCTCTGCCAG  
20 TGTTACAACC ATTAACCAA TTCTGATTAG AAAAACTCAT CGAGCATCAA ATGAAACTGC  
AATTATTCATCA TATCAGGATT ATCAATACCA TATTGGAA AAAGCCGTTT CTGTAATGAA  
GGAGAAAAC CACCGAGGCA GTTCCATAGG ATGGCAAGAT CCTGGTATCG GTCTGCGATT  
CCGACTCGTC CAACATCAAT ACAACCTATT AATTCCCCCT CGTCAAAAT AAGGTTATCA  
AGTGAGAAAT CACCATGAGT GACGACTGAA TCCGGTGAGA ATGGCAAAG CTTATGCATT  
25 TCTTCCAGA CTTGTTCAAC AGGCCAGCCA TTACGCTCGT CATAAAAATC ACTCGCATCA  
ACCAAACCGT TATTCAATTG TGATTGCGCC TGAGCGAGAC GAAATACGCG ATCGCTGTTA  
AAAGGACAAT TACAAACAGG AATCGAATGC AACCGGCGCA GGAACACTGC CAGCGCATCA  
ACAATATTTT CACCTGAATC AGGATATTCT TCTAATACCT GGAATGCTGT TTTCCGGGG  
ATCGCAGTGG TGAGTAACCA TGCATCATCA GGAGTACGGA TAAATGCTT GATGGTCGGA  
30 AGAGGCATAA ATTCCGTCAG CCAGTTAGT CTGACCATCT CATCTGTAAC ATCATTGGCA  
ACGCTACCTT TGCCATGTTT CAGAAACAAAC TCTGGCGCAT CGGGCTTCCC ATACAATCGA  
TAGATTGTCG CACCTGATTG CCCGACATTA TCGCGAGCCC ATTTATACCC ATATAAAATCA  
GCATCCATGT TGGAAATTAA TCGCGGCCTC GAGCAAGACG TTTCCGTTG AATATGGCTC  
ATAACACCCCC TTGTATTACT GTTTATGTAA GCAGACAGTT TTATTGTTCA TGATGATATA

TTTTTATCTT GTCCAATGTA ACATCAGAGA TTTTGAGACA CAACGTGGCT TTCCCCCCCC  
CCCCATTATT GAAGCATTTA TCAGGGTTAT TGTCTCATGA GCGGATAACAT ATTTGAATGT  
ATTTAGAAAA ATAACACAAAT AGGGGTTCCG CGCACATTTC CCCGAAAAGT GCCACCTGAC  
GTCTAAGAAA CCATTATTAT CATGACATTA ACCTATAAAA ATAGGCGTAT CACGAGGCC

5 TTTCGTC (SEQ ID NO:16).

The underlined nucleotides of SEQ ID NO:16 represent the SfiI site introduced into the Kpn I site of V1Jneo.

*V1Jns-tPA* – The vaccine vector V1Jns-tPA was constructed in order to fuse an heterologous leader peptide sequence to the pol DNA constructs of the present invention. More specifically, the vaccine vector V1Jns was modified to include the human tissue-specific plasminogen activator (tPA) leader. As an exemplification, but by no means a limitation of generating a pol DNA construct comprising an amino-terminal leader sequence, plasmid V1Jneo was modified to include the human tissue-specific plasminogen activator (tPA) leader. Two synthetic complementary oligomers were annealed and then ligated into V1Jneo which had been BglII digested. The sense and antisense oligomers were 5'-GATCACCATGGATGCAATGAAGAG AGGGCTCTGCTGTGCTGCTGTGTGGAGCAGTCTCGTTGCCAG CGA-3' (SEQ ID NO:17); and, 5'-GATCTCGCTGGCGAACGAAGACTGCTCC ACACAGCAGCAGCACACAGCAGAGCCCTCTTCATTGCATCCATGGT-3' (SEQ ID NO:18). The Kozak sequence is underlined in the sense oligomer. These oligomers have overhanging bases compatible for ligation to BglII-cleaved sequences. After ligation the upstream BglII site is destroyed while the downstream BglII is retained for subsequent ligations. Both the junction sites as well as the entire tPA leader sequence were verified by DNA sequencing. Additionally, in order to conform with V1Jns (=V1Jneo with an SfiI site), an SfiI restriction site was placed at the KpnI site within the BGH terminator region of V1Jneo-tPA by blunting the KpnI site with T4 DNA polymerase followed by ligation with an SfiI linker (catalogue #1138, New England Biolabs), resulting in V1Jns-tPA. This modification was verified by restriction digestion and agarose gel electrophoresis.

20 30 The V1Jns-tpa vector nucleotide sequence is as follows:

TCGCGCGTTT CGGTGATGAC GGTGAAAACC TCTGACACAT GCAGCTCCG GAGACGGTCA  
CAGCTTGTCT GTAAGCGGAT GCCGGGAGCA GACAAGCCCG TCAGGGCGCG TCAGCGGGTG  
TTGGCGGGTG TCGGGGCTGG CTAACTATG CGGCATCAGA GCAGATTGTA CTGAGAGTGC  
ACCATATGCG GTGTGAAATA CGGCACAGAT GCGTAAGGAG AAAATACCGC ATCAGATTGG

CTATTGGCCA TTGCATACGT TGTATCCATA TCATAATATG TACATTTATA TTGGCTCATG  
TCCAACATTA CCGCCATGTT GACATTGATT ATTGACTAGT TATTAATAGT AATCAATTAC  
GGGGTCATTA GTTCATAGCC CATATATGGA GTTCCCGCTT ACATAACTTA CGGTAAATGG  
CCCGCCTGGC TGACCGCCA ACGACCCCCG CCCATTGACG TCAATAATGA CGTATGTTCC  
5 CATAGTAACG CCAATAGGGA CTTCCATTG ACGTCAATGG GTGGAGTATT TACGGTAAAC  
TGCCCACCTTG GCAGTACATC AAGTGTATCA TATGCCAAGT ACGCCCCCTA TTGACGTCAA  
TGACGGTAAA TGCCCCGCCT GGCATTATGC CCAGTACATG ACCTTATGGG ACTTTCCTAC  
TTGGCAGTAC ATCTACGTAT TAGTCATCGC TATTACCATG GTGATGCGGT TTTGGCAGTA  
CATCAATGGG CGTGGATAGC GGTTTGACTC ACGGGGATTT CCAAGTCTCC ACCCCATTGA  
10 CGTCAATGGG AGTTTGTTTT GGCACCAAAA TCAACGGGAC TTTCCAAAAT GTCGTAACAA  
CTCCGGCCCA TTGACCCAAA TGGGCGGTAG GCGTGTACGG TGGGAGGTCT ATATAAGCAG  
AGCTCGTTA GTGAACCGTC AGATCGCCTG GAGACGCCAT CCACGCTGTT TTGACCTCCA  
TAGAACACAC CGGGACCGAT CCAGCCTCCG CGGCCGGGAA CGGTGCATTG GAACGCGGAT  
TCCCCGTGCC AAGAGTACG TAAGTACCGC CTATAGACTC TATAGGCACA CCCCTTTGGC  
15 TCTTATGCAT GCTATACTGT TTTGGCTTG GGGCCTATAC ACCCCCGCTT CCTTATGCTA  
TAGGTGATGG TATAGCTTAG CCTATAGGTG TGGGTTATTG ACCATTATTG ACCACTCCCC  
TATTGGTAC GATACTTTCC ATTACTAAC CATAACATGG CTCTTGCCA CAACTATCTC  
TATTGGCTAT ATGCCAATAC TCTGTCCTTC AGAGACTGAC ACGGACTCTG TATTTTACA  
GGATGGGTC CCATTTATTA TTACAAATT CACATATAACA ACAACGCCGT CCCCCGTGCC  
20 CGCAGTTTTT ATTAACATA GCGTGGGATC TCCACCGAA TCTCGGGTAC GTGTTCCGGA  
CATGGCTCT TCTCCGGTAG CGGCGGAGCT TCCACATCCG AGCCCTGGTC CCATGCCTCC  
AGCGGCTCAT GGTGCGCTCGG CAGCTCCTTG CTCTAACAG TGGAGGCCAG ACTTAGGCAC  
AGCACAAATGC CCACCAACAC CAGTGTGCCG CACAAGGCCG TGGCGGTAGG GTATGTGTCT  
GAAAATGAGC GTGGAGATTG GGCTCGCACG GCTGACGCAG ATGGAAGACT TAAGGCAGCG  
25 GCAGAAGAAG ATGCCAGGCAG CTGAGTTGTT GTATTCTGAT AAGAGTCAGA GGTAACTCCC  
GTTGCGGTGC TGTAAACGGT GGAGGGCAGT GTAGTCTGAG CAGTACTCGT TGCTGCCGCG  
CGCGCCACCA GACATAATAG CTGACAGACT AACAGACTGT TCCTTCCAT GGGCTTTTC  
TGCAGTCACC GTCTTAGAT CACCATGGAT GCAATGAAGA GAGGGCTCTG CTGTGTGCTG  
CTGCTGTGTG GAGCAGTCTT CGTTCGCCC AGCGAGATCT GCTGTGCCCTT CTAGTTGCCA  
30 GCCATCTGTT GTTTGCCCTT CCCCCGTGCC TTCTTGACC CTGGAAGGTG CCACTCCCAC  
TGTCCCTTCC TAATAAAATG AGGAAATTGC ATCGCATTGT CTGAGTAGGT GTCATTCTAT  
TCTGGGGGGT GGGGTGGGGC AGGACAGCAA GGGGGAGGAT TGGGAAGACA ATAGCAGGCA  
TGCTGGGAT GCGGTGGGCT CTATGGCCGC TGCGGCCAGG TGCTGAAGAA TTGACCCGGT  
TCCTCCTGGG CCAGAAAGAA GCAGGCACAT CCCCTCTCT GTGACACACC CTGTCCACGC

CCCTGGTCT TAGTTCCAGC CCCACTCATA GGACACTCAT AGCTCAGGAG GGCTCCGCCT  
TCAATCCCAC CCGCTAAAGT ACTTGGAGCG GTCTCTCCCT CCCTCATCAG CCCACCAAAC  
CAAACCTAGC CTCCAAGAGT GGGAGAAAT TAAAGCAAGA TAGGCTATTAGTGCAGAGG  
GAGAGAAAAT GCCTCCAACA TGTGAGGAAG TAATGAGAGA AATCATAGAA TTCTCTCCG  
5 TTCCTCGCTC ACTGACTCGC TGCGCTCGGT CGTTCGGCTG CGCGAGCGG TATCAGCTCA  
CTCAAAGCG GTAATACGGT TATCCACAGA ATCAGGGAT AACGCAGGAA AGAACATGTG  
AGCAAAAGGC CAGCAAAAGG CCAGGAACCG TAAAAAGGCC GCCTTGCTGG CGTTTTCCA  
TAGGCTCCGC CCCCCGTACG AGCATCACAA AAATCGACGC TCAAGTCAGA GGTGGCGAAA  
CCCCGACAGGA CTATAAAGAT ACCAGGC GTT TCCCCCTGGA AGCTCCCTCG TGCGCTCTCC  
10 TGTTCCGACC CTGCCGCTTA CGGATACCT GTCCGCTTT CTCCCTCGG GAAGCGTGGC  
GCTTTCTCAT AGTCACGCT GTAGGTATCT CAGTCGGTG TAGGTGTTG GCTCCAAGCT  
GGGCTGTGTG CACGAACCCC CCGTTCAGCC CGACCGCTGC GCCTTATCCG GTAACTATCG  
TCTTGAGTCC AACCCGGTAA GACACGACTT ATGCCACTG GCAGCAGCCA CTGGTAACAG  
GATTAGCAGA GCGAGGTATG TAGGCGGTGC TACAGAGTTC TTGAAGTGGT GCCCTAACTA  
15 CGGCTACACT AGAAGAACAG TATTTGGTAT CTGCGCTCTG CTGAAGCCAG TTACCTTCGG  
AAAAAGAGTT GGTAGCTCTT GATCCGGCAA ACAAAACCACC GCTGGTAGCG GTGGTTTTT  
TGTTTGCAAG CAGCAGATTA CGCGCAGAAA AAAAGGATCT CAAGAAGATC CTTTGATCTT  
TTCTACGGGG TCTGACGCTC AGTGGAACGA AAACTCACGT TAAGGGATTT TGGTCATGAG  
ATTATCAAAA AGGATCTTCAC CCTAGATCCT TTAAATTAA AAATGAAGTT TTAAATCAAT  
20 CTAAAGTATA TATGAGTAAA CTTGGTCTGA CAGTTACCAA TGCTTAATCA GTGAGGCACC  
TATCTCAGCG ATCTGTCTAT TTGTTCATC CATAGTTGCC TGACTCGGGG GGGGGGGGG  
CTGAGGTCTG CCTCGTGAAG AAGGTGTTGC TGACTCATAC CAGGCCTGAA TCGCCCCATC  
ATCCAGCCAG AAAGTGAGGG AGCCACGGTT GATGAGAGCT TTGTTGTTAGG TGGACCAGTT  
GGTGATTTTG AACTTTGCT TTGCCACGGA ACGGCTGCG TTGTCGGAA GATGCGTGAT  
25 CTGATCCTTC AACTCAGCAA AAGTCGATT TATTCAACAA AGCCGCCGTC CCGTCAAGTC  
AGCGTAATGC TCTGCCAGTG TTACAACCAA TTAACCAATT CTGATTAGAA AAACTCATCG  
AGCATCAAAT GAAACTGCAA TTTATTCTATA TCAGGATTAT CAATACCATA TTTTGAAAAA  
AGCCGTTCT GTAAATGAAGG AGAAAACCTCA CCGAGGCAGT TCCATAGGAT GGCAAGATCC  
TGGTATCGGT CTGCGATTCC GACTCGTCCA ACATCAATAC AACCTATTAA TTCTCCCTCG  
30 TCAAAAATAA GGTTATCAAG TGAGAAATCA CCATGAGTGA CGACTGAATC CGGTGAGAAT  
GGCAAAAGCT TATGCATTTTC TTTCCAGACT TGTTCAACAG GCCAGCCATT ACGCTCGTCA  
TCAAAATCAC TCGCATCAAC CAAACCGTTA TTCAATTGCG ATTGCGCCTG AGCGAGACGA  
AATACCGGAT CGCTGTTAAA AGGACAATTAA CAAACAGGAA TCGAATGCAA CCGGCGCAGG  
AACACTGCCA GCGCATCAAC AATATTTCA CCTGAATCAG GATATTCTTC TAATACCTGG

AATGCTGTTT TCCCAGGGAT CGCAGTGGTG AGTAACCAGT CATCATCAGG AGTACGGATA  
AAATGCTTGA TGGTCGGAAG AGGCATAAAT TCCGTCAGCC AGTTTAGTCT GACCATCTCA  
TCTGTAAACAT CATTGGCAAC GCTACCTTG CCATGTTCA GAAACAACTC TGGCGCATCG  
GGCTTCCCAT ACAATCGATA GATTGTCGCA CCTGATTGCC CGACATTATC GCGAGCCCAT  
5 TTATACCCAT ATAAATCAGC ATCCATGTTG GAATTAAATC GCGGCCTCGA GCAAGACGTT  
TCCCCGTTGAA TATGGCTCAT AACACCCCTT GTATTACTGT TTATGTAAGC AGACAGTTTT  
ATTGTTCATG ATGATATATT TTTATCTTGT GCAATGTAAC ATCAGAGATT TTGAGACACA  
ACGTGGCTTT CCCCCCCCCC CCATTATTGA AGCATTATC AGGGTTATTG TCTCATGAGC  
GGATACATAT TTGAATGTAT TTAGAAAAAT AAACAAATAG GGGTTCCGCG CACATTTCCC  
10 CGAAAAGTGC CACCTGACGT CTAAGAAACC ATTATTATCA TGACATTAAC CTATAAAAAT  
AGGCATATCA CGAGGCCCTT TCGTC (SEQ ID NO:9).

*V1R* – Vaccine vector V1R was constructed to obtain a minimum-sized vaccine vector without unneeded DNA sequences, which still retained the overall optimized heterologous gene expression characteristics and high plasmid yields that 15 V1J and V1Jns afford. It was determined that (1) regions within the pUC backbone comprising the *E. coli* origin of replication could be removed without affecting plasmid yield from bacteria; (2) the 3'-region of the *kan*<sup>r</sup> gene following the kanamycin open reading frame could be removed if a bacterial terminator was inserted in its place; and, (3) ~300 bp from the 3'- half of the BGH terminator could 20 be removed without affecting its regulatory function (following the original KpnI restriction enzyme site within the BGH element). V1R was constructed by using PCR to synthesize three segments of DNA from V1Jns representing the CMVintA promoter/BGH terminator, origin of replication, and kanamycin resistance elements, respectively. Restriction enzymes unique for each segment were added to each 25 segment end using the PCR oligomers: SspI and XhoI for CMVintA/BGH; EcoRV and BamHI for the *kan*<sup>r</sup> gene; and, BclI and SalI for the *ori*<sup>r</sup>. These enzyme sites were chosen because they allow directional ligation of each of the PCR-derived DNA segments with subsequent loss of each site: EcoRV and SspI leave blunt-ended DNAs which are compatible for ligation while BamHI and BclI leave complementary 30 overhangs as do SalI and XhoI. After obtaining these segments by PCR each segment was digested with the appropriate restriction enzymes indicated above and then ligated together in a single reaction mixture containing all three DNA segments. The 5'-end of the *ori*<sup>r</sup> was designed to include the T2 rho independent terminator sequence that is normally found in this region so that it could provide termination

information for the kanamycin resistance gene. The ligated product was confirmed by restriction enzyme digestion (>8 enzymes) as well as by DNA sequencing of the ligation junctions. DNA plasmid yields and heterologous expression using viral genes within V1R appear similar to V1Jns. The net reduction in vector size achieved was  
5 1346 bp (V1Jns = 4.86 kb; V1R = 3.52 kb). PCR oligomer sequences used to synthesize V1R (restriction enzyme sites are underlined and identified in brackets following sequence) are as follows: (1) 5'-GGTACAAATATTGGCTATTGG CCATTGCATAACG-3' (SEQ ID NO:19) [SspI]; (2) 5'-CCACATCTCGAGGAAC CGGGTCAATTCTTCAGCACC-3' (SEQ ID NO:20) [XhoI] (for CMVintA/BGH  
10 segment); (3) 5'-GGTACAGATATCGGAAAGCCACGTTGTG TCTAAAATC-3' (SEQ ID NO:21) [EcoRV]; (4) 5'-CACATGGGATCCGTAAT GCTCTGCCAGTGTT ACAACC-3' (SEQ ID NO:2) [BamHI], (for kanamycin resistance gene segment) (5) 5'-GGTACATG ATCACCGTAGAAAAGATCA AAGGATCTTCTTG-3' (SEQ ID NO:23) [BclI]; (6) 5'-CCACATGTGACCCGTAAA AAGGCCGCGITGCTGG-3'  
15 (SEQ ID NO:24): [SalI], (for *E. coli* origin of replication).

The nucleotide sequence of vector V1R is as follows:

TCGGCCGTTT CGGTGATGAC GGTGAAAACC TCTGACACAT GCAGCTCCCG GAGACGGTCA  
CAGCTTGTCT GTAAGCGGAT GCCGGGAGCA GACAAGCCCG TCAGGGCGCG TCAGCGGGTG  
TTGGCGGGTG TCGGGGCTGG CTTAACTATG CGGCATCAGA GCAGATTGTA CTGAGAGTGC  
20 ACCATATGCG GTGTGAAATA CCGCACAGAT GCGTAAGGAG AAAATACCGC ATCAGATTGG  
CTATTGGCCA TTGCATACGT TGTATCCATA TCATAATATG TACATTATA TTGGCTCATG  
TCCAACATTA CCGCCATGTT GACATTGATT ATTGACTAGT TATTAATAGT AATCAATTAC  
GGGGTCATTA GTTCATAGCC CATATATGGA GTTCCGCGTT ACATAACTTA CGGTAAATGG  
CCC<sub>25</sub>GCCTGGC TGACCGCCCA ACGACCCCCG CCCATTGACG TCAATAATGA CGTATGTTCC  
CATAGTAACG CCAATAGGGA CTTTCCATG ACGTCAATGG GTGGAGTATT TACGGTAAAC  
TGCCCACTTG GCAGTACATC AAGTGTATCA TATGCCAAGT ACGCCCCCTA TTGACGTCAA  
TGACGGTAA TGGCCCGCCT GGCATTATGC CCAGTACATG ACCTTATGGG ACTTTCCCTAC  
TTGGCAGTAC ATCTACGTAT TAGTCATCGC TATTACCATG GTGATGCGGT TTTGGCAGTA  
CATCAATGGG CGTGGATAGC GGTTTGACTC ACGGGGATTT CCAAGTCTCC ACCCCATTGA  
30 CGTCAATGGG AGTTTGTTT GGCACCAAAA TCAACGGAC TTTCCAAAAT GTCGTAACAA  
CTCCGCCCCA TTGACCCAAA TGGGCGGTAG GCGTGTACGG TGGGAGGTCT ATATAAGCAG  
AGCTCGTTA GTGAACCGTC AGATCGCCTG GAGACCCAT CCACGCTGTT TTGACCTCCA  
TAGAAGACAC CGGGACCGAT CCAGCCTCCG CGGCCGGAA CGGTGCATTG GAACGCGGAT  
TCCCCGTGCC AAGAGTGACG TAAGTACCGC CTATAGAGTC TATAGGCCA CCCCCTTGGC

TTCTTATGCA TGCTATACTG TTTTTGGCTT GGGGTCTATA CACCCCCGCT TCCTCATGTT  
 ATAGGTGATG GTATAGCTTA GCCTATAGGT GTGGGTTATT GACCATTATT GACCACTCCC  
 CTATTGGTGA CGATACTTTC CATTACTAAT CCATAACATG GCTCTTGCC ACAACTCTCT  
 TTATTGGCTA TATGCCAATA CACTGTCCCT CAGAGACTGA CACGGACTCT GTATTTTAC  
 5 AGGATGGGGT CTCATTTATT ATTTACAAAT TCACATATAC AACACCACCG TCCCCAGTGC  
 CCGCAGTTT TATTAACAT AACGTGGGAT CTCCACGCGA ATCTCGGGTA CGTGTCCGG  
 ACATGGGCTC TTCTCCGGTA GCGGCGGAGC TTCTACATCC GAGCCCTGCT CCCATGCC  
 CAGCGACTCA TGGTCGCTCG GCAGCTCCCT GCTCCTAAC A GTGGGAGGCC GACTTAGGCA  
 CAGCACGATG CCCACCACCA CCAGTGTGCC GCACAAGGCC GTGGCGGTAG GGTATGTGTC  
 10 TGAAAATGAG CTCGGGGAGC GGGCTTGCAC CGCTGACGCA TTTGGAAGAC TTAAGGCAGC  
 GGCAGAAGAA GATGCAGGCA GCTGAGTTGT TGTGTTCTGA TAAGAGTCAG AGGTAACCTCC  
 CGTTGCGGTG CTGTTAACGG TGGAGGGCAG TGTAGTCTGA GCAGTACTCG TTGCTGCC  
 GCGCGCCACC AGACATAATA GCTGACAGAC TAACAGACTG TTCCCTTCCA TGGGTCTTTT  
 CTGCAGTCAC CGTCCTTAGA TCTGCTGTGC CTTCTAGTTG CCAGCCATCT GTTGTGTTGCC  
 15 CCTCCCCCGT GCCTTCCTTG ACCCTGGAAG GTGCCACTCC CACTGTCCCTT TCCTAATAAA  
 ATGAGGAAAT TGCACTCGCAT TGTCTGAGTA GGTGTCATTG TATTCTGGGG GGTGGGGTGG  
 GGCAGCACAG CAAGGGGGAG GATTGGGAAG ACAATAGCAG GCATGCTGGG GATGCGGTGG  
 GCTCTATGGG TACCCAGGTG CTGAAGAATT GACCCGGTC CTCCCTGGGCC AGAAAGAAC  
 AGGCACATCC CCTTCTCTGT GACACACCCCT GTCCACGCC CTGGTTCTTA GTTCCAGCCC  
 20 CACTCATAGG ACACCATAG CTCAGGAGGG CTCCGCCCTTC AATCCCACCC GCTAAAGTAC  
 TTGGAGCGGT CTCTCCCTCC CTCATCAGCC CACCAAACCA AACCTAGCCT CCAAGAGTGG  
 GAAGAAATTA AAGCAAGATA GGCTATTAAG TGCAAGAGGA GAGAAATGC CTCCAACATG  
 TGAGGAAGTA ATGAGAGAAA TCATAGAATT TCTTCCGCTT CCTCGCTCAC TGACTCGCTG  
 CGCTCGGTG TTCGGCTGCG GCGAGCGGT A 25 TCCACAGAAAT CAGGGATAA CGCAGGAAAG AACATGTGAG CAAAAGGCC GCAAAAGGCC  
 AGGAACCGTA AAAAGGCCGC GTTGCTGGCG TTTTCATA GGCTCCGCC CCCTGACGAG  
 CATCACAAAA ATCGACGCTC AAGTCAGAGG TGGCGAAACC CGACAGGACT ATAAAGATAC  
 CAGGCCGTTTC CCCCTGGAAG CTCCCTCGTG CGCTCTCTG TTCCGACCCCT GCCGCTTACC  
 GGATACCTGT CCCCTTTCT CCCTTCGGGA AGCGTGGCGC TTTCTCAATG CTCACGCTGT  
 30 AGGTATCTCA GTTCGGGTGTA GGTCGTTCCG TCCAAGCTGG GCTGTGTGCA CGAACCCCCC  
 GTTCAGCCCG ACCGCTGCGC CTTATCCGGT AACTATCGTC TTGAGTCAA CCCGGTAAAGA  
 CACGACTTAT CGCCACTGGC AGCAGCCACT GGTAACAGGA TTAGCAGAGC GAGGTATGTA  
 GGCAGGTGCTA CAGAGTTCTT GAAGTGGTGG CCTAACTACG GCTACACTAG AAGGACAGTA  
 TTTGGTATCT GCGCTCTGCT GAAGCCAGTT ACCTTCGGAA AAAGAGTTGG TAGCTCTTGA

TCCGGCAAAC AAACCACCGC TGGTAGCGGT GGTTTTTTTG TTTGCAAGCA GCAGATTACG  
CGCAGAAAAA AAGGATCTCA AGAAGATCCT TTGATCTTT CTACGGGTC TGACGCTCAG  
TGGAACGAAA ACTCACGTTA AGGGATTTG GTCATGAGAT TATCAAAAG GATCTTCACC  
TAGATCCTTT TAAATTAAAA ATGAAGTTT AAATCAATCT AAAGTATATA TGAGTAAACT  
5 TGGTCTGACA GTTACCAATG CTTAATCAGT GAGGCACCTA TCTCAGCGAT CTGTCTATT  
CGTTCATCCA TAGTTGCCTG ACTCCGGGGG GGGGGGGCGC TGAGGTCTGC CTCGTGAAGA  
AGGTGTTGCT GACTCATACC AGGCCTGAAT CGCCCCATCA TCCAGCCAGA AAGTGAGGGA  
GCCACGGITG ATGAGAGCTT TGTTGTAGGT GGACCAGTTG GTGATTTGA ACTTTGCTT  
TGCCCACGGAA CGGTCTGCGT TGTCGGGAAG ATGCGTGATC TGATCCTTCA ACTCAGCAA  
10 AGTTCGATTT ATTCAACAAA GCCGCCGTCC CGTCAAGTCA GCGTAATGCT CTGCCAGTGT  
TACAACCAAT TAACCAATT TGATTAGAAA AACTCATCGA GCATCAAATG AACTGCAAT  
TTATTCAAT CAGGATTATC AATACCATAT TTTTGAAAAA GCCGTTCTG TAATGAAGGA  
GAAAACTCAC CGAGGCAGTT CCATAGGATG GCAAGATCCT GGTATCGGTC TGCGATTCCG  
ACTCGTCAA CATCAATACA ACCTATTAAAT TTCCCTCGT CAAAAATAAG GTTATCAAGT  
15 GAGAAATCAC CATGAGTGAC GACTGAATCC GGTGAGAATG GCAAAAGCTT ATGCATTCT  
TTCCAGACTT GTTCAACAGG CCAGCCATTA CGCTCGTCAT CAAAATCACT CGCATCAACC  
AAACCGTTAT TCATTCTGTA TTGCGCCTGA GCGAGACGAA ATACCGCATC GCTGTTAAA  
GGACAATTAC AACAGGAAT CGAATGCAAC CGGCGCAGGA ACACTGCCAG CGCATCAACA  
ATATTTTCAC CTGAATCAGG ATATTCTCT AATACCTGGA ATGCTGTTT CCCGGGGATC  
20 GCAGTGGTGA GTAACCATGC ATCATCAGGA GTACGGATAA AATGCTTGAT GGTCGGAAGA  
GGCATAAATT CCGTCAGCCA GTTTAGTCTG ACCATCTCAT CTGTAACATC ATTGGCAACG  
CTACCTTGC CATGTTTCAG AAACAACCTCT GGCGCATCGG GCTTCCCATA CAATCGATA  
ATTGTCGCAC CTGATTGCC GACATTATCG CGAGCCCATT TATAACCCATA TAAATCAGCA  
TCCATGTTGG AATTTAATCG CGGCCCTCGAG CAAGACGTTT CCCGTTGAAT ATGGCTCATA  
25 ACACCCCTTG TATTACTGTT TATGTAAGCA GACAGTTTA TTGTTCATGA TGATATATT  
TTATCTTGTG CAATGTAACA TCAGAGATTT TGAGACACAA CGTGGCTTTC CCCCCCCCCC  
CATTATTGAA GCATTTATCA GGGTTATTGT CTCATGAGCG GATACATATT TGAATGTATT  
TAGAAAAATA AACAAATAGG GGTTCCGCGC ACATTTCCCC GAAAAGTGCC ACCTGACGTC  
TAAGAAACCA TTATTATCAT GACATTAACC TATAAAAATA GGCGTATCAC GAGGCCCTTT  
30 CGTC (SEQ ID NO:25).

## EXAMPLE 2

Codon Optimized HIV-1 Pol and HIV-1 IA Pol Derivatives as DNA Vector Vaccines

*Synthesis of WT-optpol and IA-opt-pol Gene* - Construction of both genes were conducted by Midland Certified Reagent Company (Midland, TX) following

5 established strategies. Ten double stranded oligonucleotides, ranging from 159 to 340 bases long and encompassing the entire pol gene, were synthesized by solid state methods and cloned separately into pUC18. For the wt-pol gene, the fragments are as follows:

<i>Bgl</i> II#1- <i>Ecl</i> 136II half site at 282	= pJS6A1-7
10 <i>Pml</i> half site at #285 - <i>Ecl</i> 136II half site at #597	= pJS6B2-5
<i>Ssp</i> I half site at #600 - <i>Ecl</i> 136II half site at #866	= pJS6C1-4
<i>Sma</i> I half site at #869 - <i>Apa</i> I #1095	= pJS6D1-4
<i>Apa</i> I #1095 - <i>Kpn</i> I #1296	= pJS6E1-4
<i>Kpn</i> I #1296 - <i>Xcm</i> I #1636	= pJS6F1-5
15 <i>Xcm</i> I #1636 - <i>Nsi</i> I #1847	= pJS6G1-2
<i>Nsi</i> I #1847 - <i>Bcl</i> II half site at #2174	= pJS6H1-14
<i>Bcl</i> II half site at #2174 - <i>Sac</i> I #2333	= pJS6I1-2
<i>Sac</i> I #2333 - <i>Bgl</i> II #2577	= pJS6J1-1

20 *Eco*RI and *Hind*III sequences were added upstream of each 5' end and downstream of each 3' end, respectively, to allow cloning into the *Eco*RI-*Hind*III sites of pUC18.

The next stage of the synthesis was to consolidate these cassettes into three roughly equal fragments (alpha, beta, gamma) and was performed as follows:

25 Alpha: The *Ssp*I-*Hind*III small fragment of pJS6C1-4 was transferred into the *Ecl*136II-*Hind*III sites of pJS6B2-5 to give pJS6BC1-1. Into the *Eco*RI-*Pml* sites of this plasmid was inserted the *Eco*RI-*Ecl*136II small fragment of pJS6A1-7 to give pJS6α1-8.

30 Beta: The *Eco*RI-*Apa*I small fragment of pJS6D1-4 was inserted into the corresponding sites of pJS6E1-2 to give pJS6DE1-2. Also, the *Eco*RI-*Xcm*I small fragment of pJS6F1-5 was inserted into the corresponding sites of pJS6G1-2 to give pJS6FG1-1. Then the *Eco*RI-*Kpn*I small fragment of pJS6DE1-2 was inserted into the corresponding sites of pJS6FG1-1 to give pJS6β1-1.

Gamma: The *Sac*I-*Hind*III small fragment of pJS6J1-1 was inserted into the corresponding sites of pJS6I1-2 to give pJS6IJ1-1. This plasmid was propagated through *E. coli* SCS110 (*dam*-/*dcm*-) to permit subsequent cleavage at the *Bcl*II site.

The *BclI-HindIII* small fragment of the unmethylated pJS6IJ1-1 was inserted into the *BglII-HindIII* sites of pJS6H1-14 to give pJS6 $\chi$ 1-1.

The wt-pol alpha, beta, gamma were ligated into the entire sequence as follows:

5 The *EcoRI-Ecl136II* small fragment of pJS6 $\alpha$ 1-8 was inserted into the *EcoRI-SmaI* sites of pJS6 $\beta$ 1-1 to give pJS6 $\alpha$  $\beta$ 2-1.

Into the *NsiI-HindIII* sites of this plasmid was inserted the *NsiI-HindIII* small fragment of pJS6 $\chi$ 1-1 to give pUC18-wt-pol. This final plasmid was completely resequenced in both strands.

10 To construct the entire IA-pol gene, only 3 new small fragments were synthesized:

*PmlI* half site at #285 – *Ecl136II* half site at #597 = pJS7B1-1

*KpnI* #1296 – *XcmI* #1636 = pJS7F1-2

*NsiI* #1847 – *BglII* half site at #2174 = pJS7H1-5

15 These were then used in the same reconstruction strategy as described above to give pUC18-IA-pol.

*Expression Vector Construction* - pUC18-wt-pol and pUC18-IA-pol were digested with *BglII* in order to isolate fragments containing the entire pol genes. V1R, V1Jns, V1Jns-tpa (Shiver, et al., 1995, Immune responses to HIV gp120 elicited by

20 DNA vaccination. In *Vaccines 95* (eds. Chanock, R. M., Brown, F., Ginsberg, H.S., & Norrby, E.) @ pp. 95-98; Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York; see also Example Section 1) were digested with *BglII*. The cut vectors were then treated with calf intestinal alkaline phosphatase. Both wt-pol and IA-pol genes were ligated into cut V1R using T4 DNA ligase (16 °C, overnight).

25 Competent DH5 $\alpha$  cells were transformed with aliquots of the ligation mixtures.

Colonies were screened by restriction digestion of amplified plasmid isolates.

Following a similar strategy, the *BglII* fragment containing the IA-pol was subcloned into the *BglII* site of V1Jns. To ligate the IA-pol gene into V1Jns-tpa, the IA-pol

30 gene was PCR-amplified from V1R-IA-pol using pfu polymerase and the following pair of primers: 5'-GGTACAAGATCTCCGCCCCATCTCCCCATTGAGA-3' (SEQ ID NO:26), and 5'-CCACATAGATCTGCCCGGGCTTAGTCCTCATC-3' (SEQ ID NO:27). The upstream primer was designed to remove the initiation met codon and place the pol gene in frame with the tpa leader coding sequence from V1Jns-tpa. The PCR product was purified from the agarose gel slab using Sigma

DNA Purification spin columns. The purified products were digested with *Bg*II and subcloned into the *Bg*II site of V1Jns-tpa.

*Results* - The codon humanized wt- and IA-pol genes were constructed via stepwise ligation of 10 synthetic dsDNA fragments (Ferretti, et al., 1986, *Proc. Natl. Acad. Sci. USA* 83: 599-603). For expression in mammalian systems, the IA-pol gene was subcloned into V1R, V1Jns, and V1Jns-tpa. All these vectors place the gene under the control of the human cytomegalovirus/intron A hybrid promoter (hCMVIA). The DNA sequence of the IA-pol gene and the expressed protein product are shown in Figure 2A-B. Subcloning into V1Jns-tpa attaches the leader sequence from human tissue-specific plasminogen activator (tpa) to the N-terminus of the IA-pol (Pennica, et al., 1983, *Nature* 301: 214-221) to allow secretion of the protein. The sequences of the tpa leader and the fusion junction are shown in Figure 3.

### EXAMPLE 3

#### 15 HIV-1 POL Vaccine - Rodent Studies

*Materials* - *E. coli* DH5 $\alpha$  strain, penicillin, streptomycin, ACK lysis buffer, hepes, L-glutamine, RPMI1640, and ultrapure CsCl were obtained from Gibco/BRL (Grand Island, NY). Fetal bovine serum (FBS) was purchased from Hyclone. Kanamycin, Tween 20, bovine serum albumin, hydrogen peroxide (30%), concentrated sulfuric acid,  $\beta$ -mercaptoethanol ( $\beta$ -ME), and concanavalin A were obtained from Sigma (St. Louis, MO). Female balb/c mice at 4-6 wks of age were obtained from Taconic Farms (Germantown, NY). 0.3-mL insulin syringes were purchased from Myoderm. 96-well flat bottomed Maxisorp plates were obtained from NUNC (Rochester, NY). HIV-1<sub>IIIB</sub> RT p66 recombinant protein was obtained from Advanced Biotechnologies, Inc. (Columbia, MD). 20-mer peptides were synthesized by Research Genetics (Huntsville, AL). Horseradish peroxidase (HRP)-conjugated rabbit anti-mouse IgG1 was obtained from ZYMED (San Francisco, CA). 1,2-phenylenediamine dihydrochloride (OPD) tablets was obtained from DAKO (Norway). Purified rat anti-mouse IFN-gamma (IgG1, clone R4-6A2), biotin-conjugated rat anti-mouse IFN-gamma (IgG1, clone XMG 1.2), and streptavidin-alkaline phosphatase conjugate were purchased from PharMingen (San Diego, CA). 1-STEP NBT/BCIP dye was obtained from Pierce Chemicals (Rockford, IL). 96-well Multiscreen membrane plate was purchased from Millipore (France). Cell strainer was obtained from Becton-Dickinson (Franklin Lakes, NJ).

*Plasmid Preparation* - *E. coli* DH5 $\alpha$  cells expressing the pol plasmids were grown to saturation in LB broth supplemented with 100 ug/mL kanamycin. Plasmid were purified by standard CsCl method and solubilized in saline at concentrations greater than 5 mg/mL until further use.

5       *Vaccination* - The plasmids were prepared in phosphate-buffered saline and administered into balb/c by needle injection (28-1/2G insulin syringe) of 50 uL aliquot into each quad muscle. V1Jns-IApol was administered at 0.3, 3, 30 ug dose and for comparison, V1Jns-tpa-IApol was given at 30 ug dose. Immunizations were conducted at T=0 and T=8 wks (for select animals from the 30-ug dose cohorts).

10      *ELISA Assay* - At T=12 wks, blood samples were collected by making an incision of a tail vein and the serum separated. Anti-RT titers were obtained following standard secondary antibody-based ELISA. Briefly, Maxisorp plates were coated by overnight incubation with 100 uL of 1 ug/mL HIV-1 RT protein (in PBS). The plates were washed with PBS/0.05% Tween 20 and incubated for approx. 2h with

15      200 uL/well of blocking solution (PBS/0.05% tween/1% BSA). The blocking solution was decanted; 100 uL aliquot of serially diluted serum samples were added per well and incubated for 2 h at room temperature. The plates were washed and 100 uL of 1/1000-diluted HRP-rabbit anti-mouse IgG were added with 1 h incubation. The plates were washed thoroughly and soaked with 100 uL OPD/H<sub>2</sub>O<sub>2</sub> solution for

20      15 min. The reaction was quenched by adding 100 uL of 0.5M H<sub>2</sub>SO<sub>4</sub> per well. OD<sub>492</sub> readings were recorded.

25      *ELIspot* - Spleens were collected from 5 mice/cohort at T=13-14 wks and pooled into a tube of 8-mL R10 medium (RPMI1640, 10% FBS, 2mM L-glutamine, 100U/mL Penicillin, 100 u/mL streptomycin, 10 mM Hepes, 50 uM  $\beta$ -ME).

30      Multiscreen opaque plates were coated with 100 $\mu$ l/well of capture mAb (purified R4-6A2 diluted in PBS to 5 $\mu$ g/ml) at 4°C overnight. The plates were washed with PBS/Pen/Strep in hood and blocked with 200 $\mu$ l/well of complete R10 medium for 37°C for at least 2 hrs. The mouse spleens were ground on steel mesh, collected into 15ml tubes and centrifuged at 1200rpm for 10min. The pellet was treated in ACK buffer (4ml of lysis buffer per spleen) for 5min at room temperature to lyse red blood cells. The cell pellet was centrifuged as before, resuspended in K-medium (5ml per mouse spleen), filtered through a cell strainer and counted using a hemacytometer. Block medium was decanted from the plates and 100 $\mu$ l/well of cell samples (5.0x10e5 cells per well) plus antigens were added. Pol-specific CD4 $^{+}$  cells were stimulated

using a mixture of previously identified two epitope-containing peptides (aa641-660, aa731-750). Antigen-specific CD8+ cells were stimulated using a pool of four peptide epitope-containing peptides (aa201-220, aa311-330, aa571-590, aa781-800) or with individual peptides. A final concentration of 4 ug/mL per peptide was used.

5    Each splenocyte sample is tested for IFN-gamma secretion by adding the mitogen, concanavalin A. Plates were incubated at 37°C, 5% CO<sub>2</sub> for 20-24 h. The plates were washed with PBS/0.05% Tween 20 and soaked with 100 uL/well of 5 ug/mL biotin-conjugated rat anti-mouse IFN- mAb (clone XMG1.2) at 4°C overnight. The plates were washed and soaked with 100 uL/well 1/2500 dilution of strepavidin-AP  
10   (in PBS/0.005% Tween/5%FCS) for 30 min at 37 °C. Following a wash, spots were developed by incubating with 100µl/well 1-step NBT/BCIP for 6-10 min. The plates were washed with water and allowed to air dry. The number of spots in each wells were determined using a dissecting microscope and normalized to 10e6 cells.

Results - Single vaccination of balb/c mice with V1Jns-IApol is able to induce  
15 antigen-specific antibody (Figure 4) and T cell (Figure 5) responses in a dose response manner. IFN-gamma secretion from splenocytes can be detected from 3 and 30 ug cohort following stimulation with pools of peptides that contain CD4+ and CD8+ T cell epitopes. These epitopes were identified by (1) screening 20-mer peptides that encompass the entire pol sequence and overlap by 10 amino acid for  
20 ability to stimulate IFN-gamma secretion from vaccinee splenocytes, and (2) determining the T cell type (CD4+ or CD8+) by depleting either population in an Elispot assay. Addition of tpa leader sequence to the pol gene is able to induce comparable, if not slightly higher, frequencies of pol-specific CD4+ and CD8+ cells. A second immunization with either V1Jns-IApol and V1Jns(tpa)-IApol resulted in  
25 effective boosting of the immune responses.

#### EXAMPLE 4

##### HIV-1 Pol Vaccine - Non Human Primate Studies

*Materials* - *E. coli* DH5 $\alpha$  strain, penicillin, streptomycin, and ultrapure CsCl  
30   were obtained from Gibco/BRL (Grand Island, NY). Kanamycin and phytohemagglutinin (PHA-M) were obtained from Sigma (St. Louis, MO). 20-mer peptides were synthesized by SynPep (Dublin, CA) and Research Genetics (Huntsville, AL). 96-well Multiscreen Immobilon-P membrane plates were obtained from Millipore (France). Strepavidin-alkaline phosphatase conjugate were purchased

form Pharmingen (San Diego, CA). 1-Step NBT/BCIP dye was obtained form Pierce Chemicals (Rockford, IL). Rat anti-human IFN-gamma mAb and biotin-conjugated anti-human IFN-gamma reagent were obtained from R&D Systems (Minneapolis, MN). Dynabeads M-450 anti-human CD4 were obtained from Dynal (Norway).

5 HIVp24 antigen assay was purchased from Coulter Corporation (Miami, FL). HIV-<sub>1<sub>MB</sub></sub> RT p66 recombinant protein was obtained from Advanced Biotechnologies, Inc. (Columbia, MD). Plastic 8 well strips/plates, flat bottom, Maxisorp, are obtained from NUNC (Rochester, NY). HIV+ human serum 9711234 was obtained from Biological Specialty Corp.

10 *Plasmid Preparation* - *E. coli* DH5 $\alpha$  cells expressing the pol plasmids were grown to saturation in LB supplemented with 100 ug/mL kanamycin. Plasmid were purified by standard CsCl method and solubilized in saline at concentrations greater than 5 mg/mL until further use.

15 *Vaccination* - Cohorts of 3 rhesus macaques (approx. 5-10 kg) were vaccinated with 5 mg dose of either V1Jns-IApol or V1Jns-tpa-IApol. The vaccine was administered by needle injection of two 0.5 mL aliquots of 5 mg/mL plasmid solution (in phosphate-buffered saline, pH 7.2) into both deltoid muscles. Prior to vaccination, the monkeys were chemically restraint with i.m. injection of 10 mg/kg ketamine. The animals were immunized 3x at 4 week intervals (T=0, 4, 8 wks).

20 *Sample Collection* - Blood samples were collected at T = 0, 4, 8, 12, 16, 18 wks; sera and PBMCs were isolated using established protocols.

25 *ELIsop Assay* - Immobilon-IP plates were coated with 100 uL/well of rat anti-human IFN-gamma mAb at 15 ug/mL at 4 °C overnight. The plates are then washed with PBS and block by adding 200 uL/well of R10 medium. 4x10e5 peripheral blood cells were plated per well and to each well, either media or one of the pol peptide pools (final concentration of 4 ug/mL per peptide) or PHA, a known mitogen, is added to a final volume of 100 uL. Duplicate wells were set up per sample per antigen and stimulation was performed for 20-24 h at 37 °C. The plates are then washed; biotinylated anti-human IFN-gamma reagent is added (0.1 ug/mL, 100 uL per well) and allowed to incubate for overnight at 4 °C. The plates are again washed and 100 uL of 1:2500 dilution of the streptavidin-alkaline phosphatase reagent (in PBS/0.005% Tween/5% FCS) is added and allowed to incubate for 2 h at ambient room temperature. After another wash, spots are developed by incubating with 100 uL/well of 1-step NBT/BCIP for 6-10 min. CD4- T cell depletion was performed by

adding 1 bead particle/10 cell of Dynabeads M450 anti-human CD4, prewashed with PBS, and incubating on the shaker at 4 °C for 30 min. The beads are fractionated magnetically and the unbound cells collected and quantified before plating onto the ELISpot assay plates ( at 4x10e5 cells per well).

5       *CTL Assay* - Procedures for establishing bulk CTL culture with fresh or cryopreserved peripheral blood mononuclear cells (PBMC) are as follows. Twenty percent total PBMC were infected in 0.5 ml volume with recombinant vaccinia virus, Vac-tpaPol, respectively, at multiplicity of infection (moi) of 5 for 1 hr at 37°C, and then combined with the remaining PBMC sample. The cells were washed once in 10  
10 ml R-10 medium, and plated in a 12 well plate at approximately 5 to 10 x 10<sup>6</sup> cells/well in 4 ml R-10 medium. Recombinant human IL-7 was added to the culture at the concentration of 330 U/ml. Two or three days later, one milliliter of R-10 containing recombinant human IL-2 (100 U/ml) was added to each well. And twice weekly thereafter, two milliliters of cultured media were replaced with 2 ml fresh R-  
15 10 medium with rhIL-2 (100 U/ml). The lymphocytes were cultured at 37°C in the presence of 5% CO<sub>2</sub> for approximately 2 weeks, and used in cytotoxicity assay as described below. The effector cells harvested from bulk CTL cultures were tested against autologous B lymphoid cell lines (BLCL) sensitized with peptide pools. To prepare for the peptide-sensitized targets, the BLCL cells were washed once with  
20 R-10 medium, enumerated, and pulsed with peptide pool (about 4 to 8 µg/ml concentration for each individual peptide) in 1 ml volume overnight. A mock target was prepared by pulsing cells with peptide-free DMSO diluent to match the DMSO concentration in the peptide-pulsed targets. The cells were enumerated the next morning, and 1 x 10<sup>6</sup> cells were resuspended in 0.5 ml R-10 medium. Five to ten  
25 microliters of Na<sup>51</sup>CrO<sub>4</sub> were added to the tubes at the same time, and the cells were incubated for 1 to 2 hr 37°C. The cells were then washed 3 times and resuspended at 5x10<sup>4</sup> cells/ml in R-10 medium to be used as target cells. The cultured lymphocytes were plated with target cells at designated effector to target (E:T) ratios in triplicates in 96-well plates, and incubated at 37°C for 4 hours in the presence of 5% CO<sub>2</sub>. A  
30 sample of 30 µl supernatant from each well of cell mixture was harvested onto a well of a Lumaplate-96 (Packard Instrument, Meriden, CT), and the plate was allowed to air dry overnight. The amount of <sup>51</sup>Cr in the well was determined through beta-particle emission, using a plate counter from Packard Instrument. The percentage of specific lysis was calculated using the formula as: % specific lysis = (E-S) / (M-S).

The symbol  $E$  represents the average cpm released from target cells in the presence of effector cells,  $S$  is the spontaneous cpm released in the presence of medium only, and  $M$  is the maximum cpm released in the presence of 2% Triton X-100.

*ELISA Assay* - The pol-specific antibodies in the monkeys were measured in a competitive RT EIA assay, wherein sample activity is determined by the ability to block RT antigen from binding to coating antibody on the plate well. Briefly, Maxisorp plates were coated with saturating amounts of pol positive human serum (97111234). 250 uL of each sample is incubated with 15 uL of 266 ng/mL RT recombinant protein (in RCM 563, 1% BSA, 0.1% tween, 0.1% NaN<sub>3</sub>) and 20 uL of lysis buffer (Coulter p24 antigen assay kit) for 15 min at room temperature. Similar mixtures are prepared using serially diluted samples of a standard and a negative control which defines maximum RT binding. 200 uL/well of each sample and standard were added to the washed plate and the plate incubated 16-24 h at room temperature. Bound RT is quantified following the procedures described in Coulter p24 assay kit and reported in milliMerck units per mL arbitrarily defined by the chosen standard.

*Results* - Repeated vaccinations with V1Jns-IApol induced in 1 of 3 monkeys (94R033) significant levels of antigen-specific T cell activation (Figure 6A-C and Table 2) and CTL killing of peptide-pulsed autologous cells (Figure 7A-B). A significant CD8+ component to the T cell responses in this animal was confirmed by peptide-stimulation of CD4-depleted PBMCs in an ELispot assay (Table 2).

Immunization with V1Jns-tpa-IApol produced T cell responses from all 3 vaccinees (Figures 6A-C, Figure 7A-B; Table 2). Two (920078, 94R028) exhibited bulk CTL activity and detectable CD8+ components as measured by Elispot analyses of CD4-depleted PBMCs. For the third monkey (920073), the activated T cells were largely CD4+ (Table 2). Table 3 shows the time course data on the frequency of IFN-gamma secreting cells (SFC/million cells) upon antigen-specific stimulation for monkeys vaccinated 3x with either V1Jns-IApol or V1Jns-tpa-IApol (5 mg dose). At T=18 wks, CD4-cell depletion were performed; the reported values are the number of spots per million of fractionated cells and are not corrected for the resultant enrichment of CD8+ T cells. PBMCs were stimulated with peptide pools that represent either IA pol protein (mpol-1, mpol-2) or wt Pol (wtpol-1, wtpol-2).

TABLE 2

Vaccine	Animl No.	Antigen	T=0 Wk	T=4 Wk	T=8 Wk	T=12 Wk	T=18 Wk	
			Dose 1	Dose 2	Dose 3		CD4+Dcp1	
VIJns-IApd 5 mgs	94R008	medium	1	15	6	11	11	11
		mpd-1	3	69	28	61	20	15
		mpd-2	0	25	21	19	28	16
	94R013	wmpd-1		49	20	53	18	
		wmpd-2		34	24	24	19	
		medium	0	14	6	9	18	11
	94R033	mpd-1	0	9	63	25	34	9
		mpd-2	1	15	24	36	24	15
		wmpd-1		9	50	33	18	
		wmpd-2		6	21	29	25	
VIJns-ipclApd 5 mgs	920078	medium	4	15	11	14	13	8
		mpd-1	3	29	86	51	41	24
		mpd-2	0	24	25	43	59	64
	920073	wmpd-1		30	38	60	53	
		wmpd-2		48	46	86	61	
		medium	0	24	13	11	14	11
	94R028	mpd-1	3	110	120	119	155	11
		mpd-2	1	221	130	561	289	145
		wmpd-1		115	53	70	116	
		wmpd-2		218	204	490	194	
Naïve	920072	medium	0	13	3	15	15	6
		mpd-1	0	36	51	113	90	14
		mpd-2	0	29	16	83	115	34
	94R028	wmpd-1		20	35	100	74	
		wmpd-2		25	16	79	61	
		medium	0	18	11	18	19	9
	94R028	mpd-1	1	30	24	29	30	28
		mpd-2	1	24	23	66	59	55
		wmpd-1		23	25	34	29	
		wmpd-2		26	28	71	40	

For the Elispot assay, antigen specific stimulation were performed by using pools of 20-mer peptide pools based on the vaccine sequence. The vaccine pol sequence differs from the wild-type HIV-1 sequence by 9 point mutations, thereby affecting 16 of the 20-mer peptides in the pool. Comparable responses were observed  
5 in the vaccinees when these peptides are replaced with those using the wild-type sequences.

Four of the vaccinees gave anti-RT titers above background after 3 dosages of the plasmids (Table 2).

10

**TABLE 3**  
Anti-RT levels in Rhesus Macaques Vaccinated 3x (4 week intervals) with  
5 mgs of V1Jns-IApol or V1Jns-tpa-IApol expressed in mMU/mL.

VaccineMonkey	T=0 Wk	T=4	T=8	T=12	T=16
	DOSE 1	DOSE 2	DOSE 3		
<b>V1Jns-IApol, 5 mg</b>					
94R008	ND	<10	<10	15	14
94R013	ND	<10	<10	<10	<10
94R033	ND	<10	<10	25	19
<b>V1Jns-tpa-IApol, 5 mg</b>					
920078	ND	<10	<10	35	17
920073	ND	<10	<10	<10	<10
94R028	ND	<10	<10	20	63

15

#### EXAMPLE 5

##### Effect of Codon Optimization on In Vivo Expression and Cellular Immune Response of wt-pol

*Materials and Methods - Extraction of virus-derived pol gene* - The gene for RT-JN  
20 (wt-pol; a non-codon optimized wild type pol gene derived directly from the HIV IIIB genome) was extracted and amplified from the HIV IIIB genome using two primers, 5'-CAG GCG AGA TCT ACC ATG GCC CCC ATT AGC CCT ATT GAG ACT GTA-3' (SEQ ID NO:29) and 5'-CAG GCG AGA TCT GCC CGG GCT TTA ATC CTC ATC CTG TCT ACT TGC CAC-3' (SEQ ID NO:30), containing *Bg*III sites.  
25 The reaction contained 200 nmol of each primer, 2.5 U of pfu Turbo DNA polymerase (Stratagene, La Jolla, CA), 0.2 mM of each dNTPs, and the template DNA in 10mM KCl, 10mM (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, 20mM Tris-HCl pH 8.75, 2mM MgSO<sub>4</sub>, 0.1% TritonX-100, 0.1mg/ml bovine serum albumin (BSA). Thermocycling

conditions were as follows: 20 cycles of 1 min at 95 °C, 1 min at 56 °C, and 4 mins at 72 °C with 15-min capping at 72 °C. The digested PCR fragment was subcloned into the *Bgl*II site of the expression plasmid V1Jns (Shiver, et al., 1995, *Immune responses to HIV gp120 elicited by DNA vaccination*. In Chanock, R. M., Brown, F., Ginsberg, H. S., and Norrby, E. (Eds.) *Vaccines 95*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, pp 95-98; see also Example section 1 herein) expression plasmid following similar procedures as described above. The ligation mixtures were then used to transform competent *E. coli* DH5 cells and screened by PCR amplification of individual colonies. Sequence of the entire gene insert was confirmed.

10 All plasmid constructs for animal immunization were purified by CsCl method (Sambrook, et al., 1989, Fritsch and Maniatis, T. (Eds) *Molecular cloning: a laboratory manual*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor).

15 *In vitro expression in mammalian cells* -  $1.5 \times 10^6$  293 cells were transfected with 1 or 10 µg of V1R-wt-pol (codon optimized) and V1Jns-wt-pol (virus derived) using the Cell Pfect kit and incubated for 48 h at 37 °C, 5% CO<sub>2</sub>, 90% humidity. Supernatants and cell lysates were prepared and assayed for protein content using Pierce Protein Assay reagent (Rockford, IL). Aliquots containing equal amounts of total protein were loaded unto 10-20% Tris glycine gel (Novex, San Diego, CA) along with the appropriate molecular weight markers. The pol product was detected using 20 anti-serum from a seropositive patient (Scripps Clinic, San Diego, CA) diluted 1:1000 and the bands developed using goat anti-human IgG-HRP (Bethyl, Montgomery, TX) at 1:2000 dilution and standard ECL reagent kit (Pharmacia LKB Biotechnology, Uppsala, Sweden).

25 *Ultrasensitive RT activity assay of pol constructs* - RT activities from codon optimized wt-pol and IA pol plasmids were analyzed by the Product-Enhanced Reverse Transcriptase (PERT) assay using Perkin Elmer 7700, Taqman technology (Arnold, et al., 1999, One-step fluorescent probe product-enhanced reverse transcriptase assay. In McClelland, M., Pardee, A. (Eds.) *Expression genetics: accelerated and high-throughput methods*. Biotechniques Books, Natick, MA, pp. 30 201-210). Background levels for this assay were determined using 1:100,000 dilution of lysates from mock (chemical treatment only, no vector) transfected 293 cells. This background range is set as RT/reaction tube of 0.00 to 56.28 which is taken from the mean value of 13.80 +/- 3 standard deviations (sd=14.16). Any individual value >56.28 would be considered positive for PERT assay. Cells lysates were prepared

similarly for the following samples: mock transfection with empty V1Jns vector; no vector control; transfection with V1Jns-tpa-pol (codon optimized); and transfection with V1Jns-IApol (codon optimized). Samples were serially diluted to 1:100,000 in PERT buffer and 24 replicates for each sample at this dilution were assayed for RT activity.

5           *Rodent immunization with optimized and virus-derived pol plasmids* - To compare the immunogenic properties of wt-pol (codon optimized) and virus-derived pol gene, cohorts of BALB/c mice (N=10) were vaccinated with 1 µg, 10 µg, and 100 µg doses of V1R-wt-pol (codon optimized) and V1Jns-wt-pol plasmid (virus derived).

10          At 5 weeks post dose 1, 5 of 10 mice per cohort were boosted with the same dose of plasmid they initially received. In all cases, the vaccines were suspended or diluted in 6 mM sodium phosphate, 150 mM sodium chloride, pH 7.2, and the total dose was injected to both quadricep muscles in 50 µL aliquots using a 0.3-mL insulin syringe with 28-1/2G needles (Becton-Dickinson, Franklin Lakes, NJ).

15          *Anti-RT ELISA* - Anti-RT titers were obtained following standard secondary antibody-based ELISA. Maxisorp plates (NUNC, Rochester, NY) were coated by overnight incubation with 100 µL of 1 µg /mL HIV-1 RT protein (Advanced Biotechnologies, Columbia, MD) in PBS. The plates were washed with PBS/0.05% Tween 20 using Titertek MAP instrument (Hunstville, AL) and incubated for approximately 2h with 200 µL/well of blocking solution (PBS/0.05% tween/1% BSA). The blocking solution was decanted; 100 µL aliquot of serially diluted serum samples were added per well and incubated for 2 h at room temperature. An initial dilution of 100-fold is performed followed by 4-fold serial dilution. The plates were washed and 100 µL of 1/1000-diluted HRP-rabbit anti-mouse IgG (ZYMED, San Francisco, CA) were added with 1 h incubation. The plates were washed thoroughly and soaked with 100 µL 1,2-phenylenediamine dihydrochloride/hydrogen peroxide (DAKO, Norway) solution for 15 min. The reaction was quenched by adding 100 µL of 0.5M H<sub>2</sub>SO<sub>4</sub> per well. OD<sub>492</sub> readings were recorded using Titertek Multiskan MCC/340 with S20 stacker. Endpoint titers were defined as the highest serum dilution that resulted in an absorbance value of greater than or equal to 0.1 OD<sub>492</sub> (2.5 times the background value).

20          25          30

*ELIsop assay* - Antigen-specific INF $\gamma$ -secreting cells from mouse spleens were detected using the ELIsop assay (Miyahira, et al., 1995, Quantification of antigen specific CD8 $^{+}$  T cells using an ELISPOT assay. *J. Immunol. Methods* 1995,

181, 45-54). Typically, spleens were collected from 3-5 mice/cohort and pooled into a tube of 8-mL complete RPMI media (RPMI1640, 10% FBS, 2mM L-glutamine, 100U/mL Penicillin, 100 u/mL streptomycin, 10 mM Hepes, 50 uM  $\beta$ -ME).

Multiscreen opaque plates (Millipore, France) were coated with 100  $\mu$ L/well of 5

5  $\mu$ g/mL purified rat anti-mouse IFN- $\gamma$  IgG1, clone R4-6A2 (Pharmingen, San Diego, CA), in PBS at 4°C overnight. The plates were washed with

PBS/penicillin/streptomycin in hood and blocked with 200  $\mu$ L/well of complete

RPMI media for 37 °C for at least 2 h. The mouse spleens were ground on steel

mesh, collected into 15ml tubes and centrifuged at 1200rpm for 10 min. The pellet

10 was treated with 4 mL ACK buffer (Gibco/BRL) for 5 min at room temperature to

lyse red blood cells. The cell pellet was centrifuged as before, resuspended in

complete RPMI media (5 ml per mouse spleen), filtered through a cell strainer and

counted using a hemacytometer. Block media was decanted from the plates and to

each well, 100  $\mu$ L of cell samples ( $5 \times 10^5$  cells per well) and 100  $\mu$ L of the antigen

15 solution were added. To the control well, 100  $\mu$ L of the media were added; for

specific responses, peptide pools containing either CD4 $^{+}$  or CD8 $^{+}$  epitopes were

added. In all cases, a final concentration of 4  $\mu$ g/mL per peptide was used. Each

sample/antigen mixture were performed in triplicate wells. Plates were incubated at

37°C, 5% CO<sub>2</sub>, 90% humidity for 20-24 h. The plates were washed with PBS/0.05%

20 Tween 20 and incubated with 100  $\mu$ L/well of 1.25  $\mu$ g/mL biotin-conjugated rat anti-

mouse IFN- $\gamma$  mAb, clone XMG1.2 (Pharmingen) at 4°C overnight. The plates were

washed and incubated with 100  $\mu$ L/well 1/2500 dilution of streptavidin-alkaline

phosphatase conjugate (Pharmingen) in PBS/0.005% Tween/5% FBS for 30 min at

37 °C. Following a wash, spots were developed by incubating with 100  $\mu$ L/well 1-step

25 NBT/BCIP (Pierce Chemicals) for 6-10 min. The plates were washed with water and

allowed to air dry. The number of spots in each well was determined using a

dissecting microscope and the data normalized to  $10^6$  cell input.

*Results - In vitro expression of Pol in mammalian cells - Heterologous*

expression of the optimized wt or IA pol genes (V1R-wt-pol (codon optimized),

30 V1Jns-IApol (codon optimized), V1Jns-tpa-IApol (codon optimized)) in 293 cells

(Figure 8) yielded a single polypeptide of correct approximate molecular size

(90-kDa) for the RT-IN fusion product. In contrast, no expression could be detected

by transfecting cells with 1 and 10  $\mu$ g of the V1Jns-wt-pol, which bears the virus-

derived *pol*.

*Ultrasensitive RT assay of cells transfected with Pol constructs - Table 4* summarizes the levels of polymerase activity from mock (vector only) control, IApol (codon optimized) and wt-pol plasmids (codon optimized). Results indicate that the wild-type POL transfected cells contained RT activity approximately 4-5 logs higher than the 293 cell only baseline values. Mock transfected cells contained activity no higher than baseline values. The RT activity from opt-IApol-transfected cells was also found to be no different than baseline values; no individual reaction tube resulted in RT activity higher than the established cut-off value of 56.

10

Table 4

Sample	Avg. RT/tube	Standard deviation	Minimum	Maximum
Vector only	16.25	18.52	0.0	42.99
IApol (codon optimized)	2.99	8.01	0.0	35.20
Wt-pol (codon optimized)	126147	21338	68973	152007

*Comparative immunogenicity of optimized and virus-derived pol plasmid - To compare the *in vivo* potencies of both constructs, BALB/c mice (N=10 per group) were vaccinated with escalating doses (1, 10, 100 µg) of either V1Jns-wt-pol (virus derived) or V1R-wt-pol (codon optimized). At 5 wks post dose 1, 5 of 10 animals were randomly boosted with the same vaccine and dose they received initially. Figure 9 shows the geometric mean titers of the BALB/c cohorts determined at 2 wks past boost. No significant anti-RT titers can be observed from animals immunized with one or two doses of the wt-pol plasmid (virus derived). In contrast, animals vaccinated with the humanized gene construct gave cohort anti-RT titers (>1000) significantly above background levels at doses above 10 ug. The responses seen at 10 and 100 ug dose of V1R-wt-pol (codon optimized) were boosted approximately 10-fold with a second immunization, reaching titers as high as 10<sup>6</sup>. Spleens from all mice in each of the cohorts were collected to be analyzed for IFN-γ secretion following stimulation with mixtures of either CD4+ peptide epitopes or CD8+ peptide epitopes. The results are shown in Figure 10. All wt-pol vaccinees did*

not show any significant cellular response above the background controls. In contrast, strong antigen-stimulated IFN- $\gamma$  secretion were observed in a dose-responsive manner from animals vaccinated with one or two doses of 10 or more  $\mu$ g of the wt-pol (codon optimized) construct.

5 The present invention is not to be limited in scope by the specific embodiments described herein. Indeed, various modifications of the invention in addition to those described herein will become apparent to those skilled in the art from the foregoing description. Such modifications are intended to fall within the scope of the appended claims.

10

**WHAT IS CLAIMED IS:**

1. A pharmaceutically acceptable DNA vaccine composition, which comprises:
  - (a) a DNA expression vector; and,
  - (b) a DNA molecule containing a codon optimized open reading frame encoding a Pol protein or inactivated Pol derivative thereof, wherein upon administration of the DNA vaccine to a host the Pol protein or inactivated Pol derivative is expressed and generates a cellular immune response against HIV-1 infection.
- 10 2. The DNA vaccine of claim 1 wherein the DNA molecule encodes wild type Pol.
- 15 3. The DNA vaccine of claim 2 wherein the DNA molecule comprises the nucleotide sequence as set forth in SEQ ID NO:1.
4. The DNA vaccine of claim 3 which is V1Jns-wt-pol.
5. The DNA vaccine of claim 1 wherein the DNA molecule encodes an inactivated Pol derivative which contains a nucleotide sequence encoding a human tissue plasminogen activator leader peptide.
- 20 6. The DNA vaccine of claim 5 wherein the DNA molecule comprises the nucleotide sequence as set forth in SEQ ID NO:5
- 25 7. The DNA vaccine of claim 6 which is V1Jns-tPA-wt-pol.
8. The DNA vaccine of claim 1 wherein the inactivated Pol protein contains at least one amino acid modification within each region of the Pol protein responsible for reverse transcriptase activity, RNase H activity and integrase activity, such that the inactivated Pol protein shows no substantial reverse transcriptase activity, RNase H activity and integrase activity.

9. The DNA vaccine of claim 8 wherein the DNA molecule comprises the nucleotide sequence as set forth in SEQ ID NO:3

10. The DNA vaccine of claim 9 which is V1Jns-IAPol.

5 11. The DNA vaccine of claim 8 wherein the DNA molecule encodes an inactivated Pol derivative which contains a nucleotide sequence encoding a human tissue plasminogen activator leader peptide.

10 12. The DNA vaccine of claim 11 wherein the DNA molecule comprises the nucleotide sequence as set forth in SEQ ID NO:7.

13. The DNA vaccine of claim 7 which is V1Jns-tPA-IAPol.

15 14. A method for inducing an immune response against infection or disease caused by virulent strains of HIV which comprises administering into the tissue of a mammalian host a pharmaceutically acceptable DNA vaccine composition which comprises a DNA expression vector and a DNA molecule containing a codon optimized open reading frame encoding a Pol protein or inactivated Pol derivative thereof, wherein upon administration of the DNA vaccine to the vertebrate host the Pol protein or inactivated Pol derivative is expressed and generates the immune response.

20 15. The method of claim 16 wherein the mammalian host is a human.

25 16. The method of claim 17 wherein the DNA vaccine is selected from the group consisting of V1Jns-WTPol, V1Jns-tPA-WTPol, V1Jns-IAPol and V1Jns-tPA-IAPol.

30 17. A substantially purified protein which comprises an amino acid sequence selected from the group consisting of SEQ ID NO:4, SEQ ID NO:6, and SEQ ID NO:8.




FIG. 1A




FIG. 1B

2/11

FIG.2A

**SUBSTITUTE SHEET (RULE 26)**

3/11

FIG.2B

**SUBSTITUTE SHEET (RULE 26)**

4/11

GGCCTCTGACTCACCTGCCCTGTGGCTAAGGAGATTGCGCTCCTGACAAGTCCAGCTGAAGGGGGAGG  
 tAlaSerAspPheAsnLeuProProValValAlaLysGluIleValAlaSerCysAspLysCysGlnLeuLysGlyGluA  
 590 600 610

CCATGCATGGCAGGTGGACTGCTCCCTGGCATCTGGCAGCTGGCCTGCACCCACCTGGAGGGCAAGGTGATCCTGGTG  
 lalMetHisGlyGlnValAspCysSerProGlyIleTrpGlnLeuAlaCysThrHisLeuGluGlyLysValIleLeuVal  
 620 630

GCTGTGCATGTGGCCTCCGGTACATTGAGGCTGACGTGATCCCTGCTGAGACAGGCCAGGAGACTGCCTACTTCCTGCT  
 AlaValHisValAlaSerGlyTyrIleGluAlaGluValIleProAlaGluThrGlyGlnGluThrAlaTyrPheLeuLe  
 640 650 660

GAAGCTGGCTGGCAGGTGGCTGTGAAGACCATCCACACTGCCATGGCTCCAACTTCACTGGGCCACAGTGAGGGCTG  
 uLysLeuAlaGlyArgTrpProValLysThrIleHisThrAlaAsnGlySerAsnPheThrGlyAlaThrValArgAlaA  
 670 680 690

CCTGCTGGTGGCCTGGCATCAACCAGGAGTTGGCATCCCTACAAACCCCCAGTCCCAGGGGCTGCTGGCCATCCATGAA  
 lalCysTrpTrpAlaGlyIleLysGlnGluPheGlyIleProTyrAsnProGlnSerGlnGlyValValAlaSerMetAsn  
 700 710

AAGGAGCTGAAGAACATATTGGCAGGTGAGGGACCCAGGCTGAGCACCTGAAGACAGCTGCGAGATGGCTGTCTCAT  
 LysGluLeuLysIleIleGlyGlnValArgAspGlnAlaGluHisLeuLysThrAlaValGlnMetAlaValPheII  
 720 730 740

CCACAACTCAAGAGGAAGGGGGCATCGGGGCTACTCCGCTGGGAGAGGATTGGACATCATTGCCACAGACATCC  
 eHisAsnPheLysArgGlyGlyIleGlyGlyTyrSerAlaGlyGluArgIleValAspIleAlaThrAspIleG  
 750 760 770

AGACCAAGGAGCTCCAGAACGAGATCACCAAGATCCAGAACCTCAGGTGTAACACGGACTCCAGGAACCCCTGTGG  
 InThrLysGluLeuGlnLysGinIleThrLysIleGlnAsnPheArgValTyrTyrArgAspSerArgAsnProLeuTrp  
 780 790

AAGGGCCCTGCCAAGCTGCTGGAAGGGGGAGGGGCTGTGGTATCCAGGACAACCTCTGACATCAAGGTGGTGCCAG  
 LysGlyProAlaLysLeuLeuTrpLysGlyGluGlyAlaValValIleGlnAspAsnSerAspIleLysValValProAr  
 800 810 820

GAGGAAGCCCAAGATCATCAGGACTATGCCAACGAGATGGCTGGGATGACTGTGTGGCTCCAGGCAGGATGAGGACT  
 gArgLysAlaLysIleIleArgAspTyrGlyLysGlnMetAlaGlyAspAspCysValAlaSerArgGlnAspGluAspx  
 830 840 850

AAAGCCGGCAGATCT (SEQ ID NO: 3)  
 Xx Bgl II

FIG.2C

SUBSTITUTE SHEET (RULE 26)

5/11

GATACCAATGGATGCAAATGAAGAGAGCCCTGCCTGCCTGCTGGAGACTCTCTCGC Met Asp Ile Met Lys Arg Gly Leu Cys Cys Val Leu Ile Cys Ile Val Phe Val Ser P	-25	-10	
<u>CCAGCGAGATCTCGCCCCATTCGAGACTTGCCTGTGAAGCTGAAGCTGGCATGGATGGC</u> RoSer Glu Ile Ser Ala Pro Ile Ser Pro Ile Ser Pro Ile Ser Pro Val Ile Thr Val Pro Val Lys Leu Ile Val Pro Val Lys Pro Glu Met Asp Gly	-1	2	10
			20
			(within SEQ ID NO: 7)
			(within SEQ ID NO: 8)

FIG. 3




FIG.4




FIG.5

SUBSTITUTE SHEET (RULE 26)

7/11




FIG.6A




FIG.6B

SUBSTITUTE SHEET (RULE 26)

8/11




FIG.6C

9/11




FIG.7A




FIG.7B

10 / 11




FIG.8




FIG.9




FIG.10

## SEQUENCE LISTING

&lt;110&gt; Merck &amp; Co., Inc.

<120> POLYNUCLEOTIDE VACCINES EXPRESSING CODON  
OPTIMIZED HIV-1 POL AND MODIFIED HIV-1 POL

&lt;130&gt; 20608Y PCT

&lt;160&gt; 30

&lt;170&gt; FastSEQ for Windows Version 4.0

&lt;210&gt; 1

&lt;211&gt; 2577

&lt;212&gt; DNA

&lt;213&gt; Human Immunodeficiency Virus-1

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (10)...(2562)

&lt;400&gt; 1

agatctacc	atg	gcc	ccc	atc	tcc	ccc	att	gag	act	gtg	cct	gtg	aag	ctg		51
	Met	Ala	Pro	Ile	Ser	Pro	Ile	Glu	Thr	Val	Pro	Val	Lys	Leu		
	1				5				10							

aag	cct	ggc	atg	gat	ggc	ccc	aag	gtg	aag	cag	tgg	ccc	ctg	act	gag	99
Lys	Pro	Gly	Met	Asp	Gly	Pro	Lys	Val	Lys	Gln	Trp	Pro	Leu	Thr	Glu	
15				20					25						30	

gag	aag	atc	aag	gcc	ctg	gtg	gaa	atc	tgc	act	gag	atg	gag	aag	gag	147
Glu	Lys	Ile	Lys	Ala	Leu	Val	Glu	Ile	Cys	Thr	Glu	Met	Glu	Lys	Glu	
35					40					45						

ggc	aaa	atc	tcc	aag	att	ggc	ccc	gag	aac	ccc	tac	aac	acc	cct	gtg	195
Gly	Lys	Ile	Ser	Lys	Ile	Gly	Pro	Glu	Asn	Pro	Tyr	Asn	Thr	Pro	Val	
50					55					60						

ttt	gcc	atc	aag	aag	gac	tcc	acc	aag	tgg	agg	aag	ctg	gtg	gac		243
Phe	Ala	Ile	Lys	Lys	Asp	Ser	Thr	Lys	Trp	Arg	Lys	Leu	Val	Asp		
65					70					75						

ttc	agg	gag	ctg	aac	aag	agg	acc	cag	gac	ttc	tgg	gag	gtg	cag	ctg	291
Phe	Arg	Glu	Leu	Asn	Lys	Arg	Thr	Gln	Asp	Phe	Trp	Glu	Val	Gln	Leu	
80					85					90						

ggc	atc	ccc	cac	ccc	gct	ggc	ctg	aag	aag	aag	tct	gtg	act	gtg		339
Gly	Ile	Pro	His	Pro	Ala	Gly	Leu	Lys	Lys	Lys	Ser	Val	Thr	Val		
95					100					105			110			

ctg	gat	gtg	ggg	gat	gcc	tac	ttc	tct	gtg	ccc	ctg	gat	gag	gac	ttc	387
Leu	Asp	Val	Gly	Asp	Ala	Tyr	Phe	Ser	Val	Pro	Leu	Asp	Glu	Asp	Phe	
115						120					125					

agg	aag	tac	act	gcc	ttc	acc	atc	ccc	tcc	atc	aac	aat	gag	acc	cct	435
Arg	Lys	Tyr	Thr	Ala	Phe	Thr	Ile	Pro	Ser	Ile	Asn	Asn	Glu	Thr	Pro	
130						135					140					

ggc atc agg tac cag tac aat gtg ctg ccc cag ggc tgg aag ggc tcc Gly Ile Arg Tyr Gln Tyr Asn Val Leu Pro Gln Gly Trp Lys Gly Ser 145 150 155	483
cct gcc atc ttc cag tcc tcc atg acc aag atc ctg gag ccc ttc agg Pro Ala Ile Phe Gln Ser Ser Met Thr Lys Ile Leu Glu Pro Phe Arg 160 165 170	531
aag cag aac cct gac att gtg atc tac cag tac atg gat gac ctg tat Lys Gln Asn Pro Asp Ile Val Ile Tyr Gln Tyr Met Asp Asp Leu Tyr 175 180 185 190	579
gtg ggc tct gac ctg gag att ggg cag cac agg acc aag att gag gag Val Gly Ser Asp Leu Glu Ile Gly Gln His Arg Thr Lys Ile Glu Glu 195 200 205	627
ctg agg cag cac ctg ctg agg tgg ggc ctg acc acc cct gac aag aag Leu Arg Gln His Leu Leu Arg Trp Gly Leu Thr Thr Pro Asp Lys Lys 210 215 220	675
cac cag aag gag ccc ccc ttc ctg tgg atg ggc tat gag ctg cac ccc His Gln Lys Glu Pro Pro Phe Leu Trp Met Gly Tyr Glu Leu His Pro 225 230 235	723
gac aag tgg act gtg cag ccc att gtg ctg cct gag aag gac tcc tgg Asp Lys Trp Thr Val Gln Pro Ile Val Leu Pro Glu Lys Asp Ser Trp 240 245 250	771
act gtg aat gac atc cag aag ctg gtg ggc aag ctg aac tgg gcc tcc Thr Val Asn Asp Ile Gln Lys Leu Val Gly Lys Leu Asn Trp Ala Ser 255 260 265 270	819
caa atc tac cct ggc atc aag gtg agg cag ctg tgc aag ctg ctg agg Gln Ile Tyr Pro Gly Ile Lys Val Arg Gln Leu Cys Lys Leu Leu Arg 275 280 285	867
ggc acc aag gcc ctg act gag gtg atc ccc ctg act gag gag gct gag Gly Thr Lys Ala Leu Thr Glu Val Ile Pro Leu Thr Glu Ala Glu 290 295 300	915
ctg gag ctg gct gag aac agg gag atc ctg aag gag cct gtc cat ggg Leu Glu Ala Glu Asn Arg Glu Ile Leu Lys Glu Pro Val His Gly 305 310 315	963
gtg tac tat gac ccc tcc aag gac ctg att gct gag atc cag aag cag Val Tyr Tyr Asp Pro Ser Lys Asp Leu Ile Ala Glu Ile Gln Lys Gln 320 325 330	1011
ggc cag ggc cag tgg acc tac caa atc tac cag gag ccc ttc aag aac Gly Gln Gly Gln Trp Thr Tyr Gln Ile Tyr Gln Glu Pro Phe Lys Asn 335 340 345 350	1059
ctg aag act ggc aag tat gcc agg atg agg ggg gcc cac acc aat gat Leu Lys Thr Gly Lys Tyr Ala Arg Met Arg Gly Ala His Thr Asn Asp 355 360 365	1107
gtg aag cag ctg act gag gct gtg cag aag atc acc act gag tcc att Val Lys Gln Leu Thr Glu Ala Val Gln Lys Ile Thr Thr Glu Ser Ile 370 375 380	1155

gtg atc tgg ggc aag acc ccc aag ttc aag ctg ccc atc cag aag gag Val Ile Trp Gly Lys Thr Pro Lys Phe Lys Leu Pro Ile Gln Lys Glu 385 390 395	1203
acc tgg gag acc tgg tgg act gag tac tgg cag gcc acc tgg atc cct Thr Trp Glu Thr Trp Trp Thr Glu Tyr Trp Gln Ala Thr Trp Ile Pro 400 405 410	1251
gag tgg gag ttt gtg aac acc ccc ccc ctg gtg aag ctg tgg tac cag Glu Trp Glu Phe Val Asn Thr Pro Pro Leu Val Lys Leu Trp Tyr Gln 415 420 425 430	1299
ctg gag aag gag ccc att gtg ggg gct gag acc ttc tat gtg gat ggg Leu Glu Lys Glu Pro Ile Val Gly Ala Glu Thr Phe Tyr Val Asp Gly 435 440 445	1347
gct gcc aac agg gag acc aag ctg ggc aag gct ggc tat gtg acc aac Ala Ala Asn Arg Glu Thr Lys Leu Gly Lys Ala Gly Tyr Val Thr Asn 450 455 460	1395
agg ggc agg cag aag gtg gtg acc ctg act gac acc acc aac cag aag Arg Gly Arg Gln Lys Val Val Thr Leu Thr Asp Thr Thr Asn Gln Lys 465 470 475	1443
act gag ctc cag gcc atc tac ctg gcc ctc cag gac tct ggc ctg gag Thr Glu Leu Gln Ala Ile Tyr Leu Ala Leu Gln Asp Ser Gly Leu Glu 480 485 490	1491
gtg aac att gtg act gac tcc cag tat gcc ctg ggc atc atc cag gcc Val Asn Ile Val Thr Asp Ser Gln Tyr Ala Leu Gly Ile Ile Gln Ala 495 500 505 510	1539
cag cct gat cag tct gag tct gag ctg gtg aac cag atc att gag cag Gln Pro Asp Gln Ser Glu Ser Glu Leu Val Asn Gln Ile Ile Glu Gln 515 520 525	1587
ctg atc aag aag gag aag gtg tac ctg gcc tgg gtg cct gcc cac aag Leu Ile Lys Glu Lys Val Tyr Leu Ala Trp Val Pro Ala His Lys 530 535 540	1635
ggc att ggg ggc aat gag cag gtg gac aag ctg gtg tct gct ggc atc Gly Ile Gly Gly Asn Glu Gln Val Asp Lys Leu Val Ser Ala Gly Ile 545 550 555	1683
agg aag gtg ctg ttc ctg gat ggc att gac aag gcc cag gat gag cat Arg Lys Val Leu Phe Leu Asp Gly Ile Asp Lys Ala Gln Asp Glu His 560 565 570	1731
gag aag tac cac tcc aac tgg agg gct atg gcc tct gac ttc aac ctg Glu Lys Tyr His Ser Asn Trp Arg Ala Met Ala Ser Asp Phe Asn Leu 575 580 585 590	1779
ccc cct gtg gtg gct aag gag att gtg gcc tcc tgt gac aag tgc cag Pro Pro Val Val Ala Lys Glu Ile Val Ala Ser Cys Asp Lys Cys Gln 595 600 605	1827
ctg aag ggg gag gcc atg cat ggg cag gtg gac tgc tcc cct ggc atc Leu Lys Gly Glu Ala Met His Gly Gln Val Asp Cys Ser Pro Gly Ile 610 615 620	1875

tgg cag ctg gac tgc acc cac ctg gag ggc aag gtg atc ctg gtg gct Trp Gln Leu Asp Cys Thr His Leu Glu Gly Lys Val Ile Leu Val Ala 625 630 635	1923
gtg cat gtg gcc tcc ggc tac att gag gct gag gtg atc cct gct gag Val His Val Ala Ser Gly Tyr Ile Glu Ala Glu Val Ile Pro Ala Glu 640 645 650	1971
aca ggc cag gag act gcc tac ttc ctg ctg aag ctg gct ggc agg tgg Thr Gly Gln Glu Thr Ala Tyr Phe Leu Leu Lys Leu Ala Gly Arg Trp 655 660 665 670	2019
cct gtg aag acc atc cac act gac aat ggc tcc aac ttc act ggg gcc Pro Val Lys Thr Ile His Thr Asp Asn Gly Ser Asn Phe Thr Gly Ala 675 680 685	2067
aca gtg agg gct gcc tgc tgg tgg gct ggc atc aag cag gag ttt ggc Thr Val Arg Ala Ala Cys Trp Trp Ala Gly Ile Lys Gln Glu Phe Gly 690 695 700	2115
atc ccc tac aac ccc cag tcc cag ggg gtg gtg gag tcc atg aac aag Ile Pro Tyr Asn Pro Gln Ser Gln Gly Val Val Glu Ser Met Asn Lys 705 710 715	2163
gag ctg aag aag atc att ggg cag gtg agg gac cag gct gag cac ctg Glu Leu Lys Ile Ile Gly Gln Val Arg Asp Gln Ala Glu His Leu 720 725 730	2211
aag aca gct gtg cag atg gct gtg ttc atc cac aac ttc aag agg aag Lys Thr Ala Val Gln Met Ala Val Phe Ile His Asn Phe Lys Arg Lys 735 740 745 750	2259
ggg ggc atc ggg ggc tac tcc gct ggg gag agg att gtg gac atc att Gly Gly Ile Gly Gly Tyr Ser Ala Gly Glu Arg Ile Val Asp Ile Ile 755 760 765	2307
gcc aca gac atc cag acc aag gag ctc cag aag cag atc acc aag atc Ala Thr Asp Ile Gln Thr Lys Glu Leu Gln Lys Gln Ile Thr Lys Ile 770 775 780	2355
cag aac ttc agg gtg tac tac agg gac tcc agg aac ccc ctg tgg aag Gln Asn Phe Arg Val Tyr Tyr Arg Asp Ser Arg Asn Pro Leu Trp Lys 785 790 795	2403
ggc cct gcc aag ctg ctg tgg aag ggg gag ggg gct gtg gtg atc cag Gly Pro Ala Lys Leu Leu Trp Lys Gly Glu Gly Ala Val Val Ile Gln 800 805 810	2451
gac aac tct gac atc aag gtg gtg ccc agg agg aag gcc aag atc atc Asp Asn Ser Asp Ile Lys Val Val Pro Arg Arg Lys Ala Lys Ile Ile 815 820 825 830	2499
agg gac tat ggc aag cag atg gct ggg gat gac tgt gtg gcc tcc agg Arg Asp Tyr Gly Lys Gln Met Ala Gly Asp Asp Cys Val Ala Ser Arg 835 840 845	2547
cag gat gag gac taa agccccgggca gatct Gln Asp Glu Asp * 850	2577

&lt;211&gt; 850

&lt;212&gt; PRT

&lt;213&gt; Human Immunodeficiency Virus-1

&lt;400&gt; 2

Met Ala Pro Ile Ser Pro Ile Glu Thr Val Pro Val Lys Leu Lys Pro  
 1 5 10 15  
 Gly Met Asp Gly Pro Lys Val Lys Gln Trp Pro Leu Thr Glu Glu Lys  
 20 25 30  
 Ile Lys Ala Leu Val Glu Ile Cys Thr Glu Met Glu Lys Glu Gly Lys  
 35 40 45  
 Ile Ser Lys Ile Gly Pro Glu Asn Pro Tyr Asn Thr Pro Val Phe Ala  
 50 55 60  
 Ile Lys Lys Lys Asp Ser Thr Lys Trp Arg Lys Leu Val Asp Phe Arg  
 65 70 75 80  
 Glu Leu Asn Lys Arg Thr Gln Asp Phe Trp Glu Val Gln Leu Gly Ile  
 85 90 95  
 Pro His Pro Ala Gly Leu Lys Lys Ser Val Thr Val Leu Asp  
 100 105 110  
 Val Gly Asp Ala Tyr Phe Ser Val Pro Leu Asp Glu Asp Phe Arg Lys  
 115 120 125  
 Tyr Thr Ala Phe Thr Ile Pro Ser Ile Asn Asn Glu Thr Pro Gly Ile  
 130 135 140  
 Arg Tyr Gln Tyr Asn Val Leu Pro Gln Gly Trp Lys Gly Ser Pro Ala  
 145 150 155 160  
 Ile Phe Gln Ser Ser Met Thr Lys Ile Leu Glu Pro Phe Arg Lys Gln  
 165 170 175  
 Asn Pro Asp Ile Val Ile Tyr Gln Tyr Met Asp Asp Leu Tyr Val Gly  
 180 185 190  
 Ser Asp Leu Glu Ile Gly Gln His Arg Thr Lys Ile Glu Glu Leu Arg  
 195 200 205  
 Gln His Leu Leu Arg Trp Gly Leu Thr Thr Pro Asp Lys Lys His Gln  
 210 215 220  
 Lys Glu Pro Pro Phe Leu Trp Met Gly Tyr Glu Leu His Pro Asp Lys  
 225 230 235 240  
 Trp Thr Val Gln Pro Ile Val Leu Pro Glu Lys Asp Ser Trp Thr Val  
 245 250 255  
 Asn Asp Ile Gln Lys Leu Val Gly Lys Leu Asn Trp Ala Ser Gln Ile  
 260 265 270  
 Tyr Pro Gly Ile Lys Val Arg Gln Leu Cys Lys Leu Arg Gly Thr  
 275 280 285  
 Lys Ala Leu Thr Glu Val Ile Pro Leu Thr Glu Glu Ala Glu Leu Glu  
 290 295 300  
 Leu Ala Glu Asn Arg Glu Ile Leu Lys Glu Pro Val His Gly Val Tyr  
 305 310 315 320  
 Tyr Asp Pro Ser Lys Asp Leu Ile Ala Glu Ile Gln Lys Gln Gly Gln  
 325 330 335  
 Gly Gln Trp Thr Tyr Gln Ile Tyr Gln Glu Pro Phe Lys Asn Leu Lys  
 340 345 350  
 Thr Gly Lys Tyr Ala Arg Met Arg Gly Ala His Thr Asn Asp Val Lys  
 355 360 365  
 Gln Leu Thr Glu Ala Val Gln Lys Ile Thr Thr Glu Ser Ile Val Ile  
 370 375 380  
 Trp Gly Lys Thr Pro Lys Phe Lys Leu Pro Ile Gln Lys Glu Thr Trp  
 385 390 395 400  
 Glu Thr Trp Trp Thr Glu Tyr Trp Gln Ala Thr Trp Ile Pro Glu Trp  
 405 410 415  
 Glu Phe Val Asn Thr Pro Pro Leu Val Lys Leu Trp Tyr Gln Leu Glu  
 420 425 430  
 Lys Glu Pro Ile Val Gly Ala Glu Thr Phe Tyr Val Asp Gly Ala Ala  
 435 440 445

Asn Arg Glu Thr Lys Leu Gly Lys Ala Gly Tyr Val Thr Asn Arg Gly  
 450 455 460  
 Arg Gln Lys Val Val Thr Leu Thr Asp Thr Thr Asn Gln Lys Thr Glu  
 465 470 475 480  
 Leu Gln Ala Ile Tyr Leu Ala Leu Gln Asp Ser Gly Leu Glu Val Asn  
 485 490 495  
 Ile Val Thr Asp Ser Gln Tyr Ala Leu Gly Ile Ile Gln Ala Gln Pro  
 500 505 510  
 Asp Gln Ser Glu Ser Glu Leu Val Asn Gln Ile Ile Glu Gln Leu Ile  
 515 520 525  
 Lys Lys Glu Lys Val Tyr Leu Ala Trp Val Pro Ala His Lys Gly Ile  
 530 535 540  
 Gly Gly Asn Glu Gln Val Asp Lys Leu Val Ser Ala Gly Ile Arg Lys  
 545 550 555 560  
 Val Leu Phe Leu Asp Gly Ile Asp Lys Ala Gln Asp Glu His Glu Lys  
 565 570 575  
 Tyr His Ser Asn Trp Arg Ala Met Ala Ser Asp Phe Asn Leu Pro Pro  
 580 585 590  
 Val Val Ala Lys Glu Ile Val Ala Ser Cys Asp Lys Cys Gln Leu Lys  
 595 600 605  
 Gly Glu Ala Met His Gly Gln Val Asp Cys Ser Pro Gly Ile Trp Gln  
 610 615 620  
 Leu Asp Cys Thr His Leu Glu Gly Lys Val Ile Leu Val Ala Val His  
 625 630 635 640  
 Val Ala Ser Gly Tyr Ile Glu Ala Glu Val Ile Pro Ala Glu Thr Gly  
 645 650 655  
 Gln Glu Thr Ala Tyr Phe Leu Leu Lys Leu Ala Gly Arg Trp Pro Val  
 660 665 670  
 Lys Thr Ile His Thr Asp Asn Gly Ser Asn Phe Thr Gly Ala Thr Val  
 675 680 685  
 Arg Ala Ala Cys Trp Trp Ala Gly Ile Lys Gln Glu Phe Gly Ile Pro  
 690 695 700  
 Tyr Asn Pro Gln Ser Gln Gly Val Val Glu Ser Met Asn Lys Glu Leu  
 705 710 715 720  
 Lys Lys Ile Ile Gly Gln Val Arg Asp Gln Ala Glu His Leu Lys Thr  
 725 730 735  
 Ala Val Gln Met Ala Val Phe Ile His Asn Phe Lys Arg Lys Gly Gly  
 740 745 750  
 Ile Gly Gly Tyr Ser Ala Gly Glu Arg Ile Val Asp Ile Ile Ala Thr  
 755 760 765  
 Asp Ile Gln Thr Lys Glu Leu Gln Lys Gln Ile Thr Lys Ile Gln Asn  
 770 775 780  
 Phe Arg Val Tyr Tyr Arg Asp Ser Arg Asn Pro Leu Trp Lys Gly Pro  
 785 790 795 800  
 Ala Lys Leu Leu Trp Lys Gly Glu Gly Ala Val Val Ile Gln Asp Asn  
 805 810 815  
 Ser Asp Ile Lys Val Val Pro Arg Arg Lys Ala Lys Ile Ile Arg Asp  
 820 825 830  
 Tyr Gly Lys Gln Met Ala Gly Asp Asp Cys Val Ala Ser Arg Gln Asp  
 835 840 845  
 Glu Asp  
 850

<210> 3  
 <211> 2577  
 <212> DNA  
 <213> Human Immunodeficiency Virus-1

<220>  
 <221> CDS  
 <222> (10)...(2562)

<400> 3  
 agatctacc atg gcc ccc atc tcc ccc att gag act gtg cct gtg aag ctg       51  
           Met Ala Pro Ile Ser Pro Ile Glu Thr Val Pro Val Lys Leu  
           1               5               10  
 aag cct ggc atg gat ggc ccc aag gtg aag cag tgg ccc ctg act gag       99  
           Lys Pro Gly Met Asp Gly Pro Lys Val Lys Gln Trp Pro Leu Thr Glu  
           15              20              25              30  
 gag aag atc aag gcc ctg gtg gaa atc tgc act gag atg gag aag gag   147  
           Glu Lys Ile Lys Ala Leu Val Glu Ile Cys Thr Glu Met Glu Lys Glu  
           35              40              45  
 ggc aaa atc tcc aag att ggc ccc gag aac ccc tac aac acc cct gtg   195  
           Gly Lys Ile Ser Lys Ile Gly Pro Glu Asn Pro Tyr Asn Thr Pro Val  
           50              55              60  
 ttt gcc atc aag aag gac tcc acc aag tgg agg aag ctg gtg gac   243  
           Phe Ala Ile Lys Lys Asp Ser Thr Lys Trp Arg Lys Leu Val Asp  
           65              70              75  
 ttc agg gag ctg aac aag agg acc cag gac ttc tgg gag gtg cag ctg   291  
           Phe Arg Glu Leu Asn Lys Arg Thr Gln Asp Phe Trp Glu Val Gln Leu  
           80              85              90  
 ggc atc ccc cac ccc gct ggc ctg aag aag aag tct gtg act gtg   339  
           Gly Ile Pro His Pro Ala Gly Leu Lys Lys Lys Ser Val Thr Val  
           95              100              105              110  
 ctg gct gtg ggg gat gcc tac ttc tct gtg ccc ctg gat gag gac ttc   387  
           Leu Ala Val Gly Asp Ala Tyr Phe Ser Val Pro Leu Asp Glu Asp Phe  
           115              120              125  
 agg aag tac act gcc ttc acc atc ccc tcc atc aac aat gag acc cct   435  
           Arg Lys Tyr Thr Ala Phe Thr Ile Pro Ser Ile Asn Asn Glu Thr Pro  
           130              135              140  
 ggc atc agg tac cag tac aat gtg ctg ccc cag ggc tgg aag ggc tcc   483  
           Gly Ile Arg Tyr Gln Tyr Asn Val Leu Pro Gln Gly Trp Lys Gly Ser  
           145              150              155  
 cct gcc atc ttc cag tcc tcc atg acc aag atc ctg gag ccc ttc agg   531  
           Pro Ala Ile Phe Gln Ser Ser Met Thr Lys Ile Leu Glu Pro Phe Arg  
           160              165              170  
 aag cag aac cct gac att gtg atc tac cag tac atg gct gcc ctg tat   579  
           Lys Gln Asn Pro Asp Ile Val Ile Tyr Gln Tyr Met Ala Ala Leu Tyr  
           175              180              185              190  
 gtg ggc tct gac ctg gag att ggg cag cac agg acc aag att gag gag   627  
           Val Gly Ser Asp Leu Glu Ile Gly Gln His Arg Thr Lys Ile Glu Glu  
           195              200              205  
 ctg agg cag cac ctg ctg agg tgg ggc ctg acc acc cct gac aag aag   675  
           Leu Arg Gln His Leu Leu Arg Trp Gly Leu Thr Thr Pro Asp Lys Lys  
           210              215              220  
 cac cag aag gag ccc ccc ttc ctg tgg atg ggc tat gag ctg cac ccc   723  
           His Gln Lys Glu Pro Pro Phe Leu Trp Met Gly Tyr Glu Leu His Pro  
           225              230              235

gac aag tgg act gtg cag ccc att gtg ctg cct gag aag gac tcc tgg Asp Lys Trp Thr Val Gln Pro Ile Val Leu Pro Glu Lys Asp Ser Trp 240 245 250	771
act gtg aat gac atc cag aag ctg gtg ggc aag ctg aac tgg gcc tcc Thr Val Asn Asp Ile Gln Lys Leu Val Gly Lys Leu Asn Trp Ala Ser 255 260 265 270	819
caa atc tac cct ggc atc aag gtg agg cag ctg tgc aag ctg ctg agg Gln Ile Tyr Pro Gly Ile Lys Val Arg Gln Leu Cys Lys Leu Leu Arg 275 280 285	867
ggc acc aag gcc ctg act gag gtg atc ccc ctg act gag gag gct gag Gly Thr Lys Ala Leu Thr Glu Val Ile Pro Leu Thr Glu Glu Ala Glu 290 295 300	915
ctg gag ctg gct gag aac agg gag atc ctg aag gag cct gtg cat ggg Leu Glu Leu Ala Glu Asn Arg Glu Ile Leu Lys Glu Pro Val His Gly 305 310 315	963
gtg tac tat gac ccc tcc aag gac ctg att gct gag atc cag aag cag Val Tyr Tyr Asp Pro Ser Lys Asp Leu Ile Ala Glu Ile Gln Lys Gln 320 325 330	1011
ggc cag ggc cag tgg acc tac caa atc tac cag gag ccc ttc aag aac Gly Gln Gly Gln Trp Thr Tyr Gln Ile Tyr Gln Glu Pro Phe Lys Asn 335 340 345 350	1059
ctg aag act ggc aag tat gcc agg atg agg ggg gcc cac acc aat gat Leu Lys Thr Gly Lys Tyr Ala Arg Met Arg Gly Ala His Thr Asn Asp 355 360 365	1107
gtg aag cag ctg act gag gct gtg cag aag atc acc act gag tcc att Val Lys Gln Leu Thr Glu Ala Val Gln Lys Ile Thr Thr Glu Ser Ile 370 375 380	1155
gtg atc tgg ggc aag acc ccc aag ttc aag ctg ccc atc cag aag gag Val Ile Trp Gly Lys Thr Pro Lys Phe Lys Leu Pro Ile Gln Lys Glu 385 390 395	1203
acc tgg gag acc tgg tgg act gag tac tgg cag gcc acc tgg atc cct Thr Trp Glu Thr Trp Thr Glu Tyr Trp Gln Ala Thr Trp Ile Pro 400 405 410	1251
gag tgg gag ttt gtg aac acc ccc ccc ctg gtg aag ctg tgg tac cag Glu Trp Glu Phe Val Asn Thr Pro Pro Leu Val Lys Leu Trp Tyr Gln 415 420 425 430	1299
ctg gag aag gag ccc att gtg ggg gct gag acc ttc tat gtg gct ggg Leu Glu Lys Glu Pro Ile Val Gly Ala Glu Thr Phe Tyr Val Ala Gly 435 440 445	1347
gct gcc aac agg gag acc aag ctg ggc aag gct ggc tat gtg acc aac Ala Ala Asn Arg Glu Thr Lys Leu Gly Lys Ala Gly Tyr Val Thr Asn 450 455 460	1395
agg ggc agg cag aag gtg gtg acc ctg act gac acc acc aac cag aag Arg Gly Arg Gln Lys Val Val Thr Leu Thr Asp Thr Thr Asn Gln Lys 465 470 475	1443

act gcc ctc cag gcc atc tac ctg gcc ctc cag gac tct ggc ctg gag Thr Ala Leu Gln Ala Ile Tyr Leu Ala Leu Gln Asp Ser Gly Leu Glu 480 485 490	1491
gtg aac att gtg act gcc tcc cag tat gcc ctg ggc atc atc cag gcc Val Asn Ile Val Thr Ala Ser Gln Tyr Ala Leu Gly Ile Ile Gln Ala 495 500 505 510	1539
cag cct gat cag tct gag tct gag ctg gtg aac cag atc att gag cag Gln Pro Asp Gln Ser Glu Ser Glu Leu Val Asn Gln Ile Glu Gln 515 520 525	1587
ctg atc aag aag gag aag gtg tac ctg gcc tgg gtg cct gcc cac aag Leu Ile Lys Lys Glu Lys Val Tyr Leu Ala Trp Val Pro Ala His Lys 530 535 540	1635
ggc att ggg ggc aat gag cag gtg gac aag ctg gtg tct gct ggc atc Gly Ile Gly Asn Glu Gln Val Asp Lys Leu Val Ser Ala Gly Ile 545 550 555	1683
agg aag gtg ctg ttc ctg gat ggc att gac aag gcc cag gat gag cat Arg Lys Val Leu Phe Leu Asp Gly Ile Asp Lys Ala Gln Asp Glu His 560 565 570	1731
gag aag tac cac tcc aac tgg agg gct atg gcc tct gac ttc aac ctg Glu Lys Tyr His Ser Asn Trp Arg Ala Met Ala Ser Asp Phe Asn Leu 575 580 585 590	1779
ccc cct gtg gtg gct aag gag att gtg gcc tcc tgt gac aag tgc cag Pro Pro Val Val Ala Lys Glu Ile Val Ala Ser Cys Asp Lys Cys Gln 595 600 605	1827
ctg aag ggg gag gcc atg cat ggg cag gtg gac tgc tcc cct ggc atc Leu Lys Gly Glu Ala Met His Gly Gln Val Asp Cys Ser Pro Gly Ile 610 615 620	1875
tgg cag ctg gcc tgc acc cac ctg gag ggc aag gtg atc ctg gtg gct Trp Gln Leu Ala Cys Thr His Leu Glu Gly Lys Val Ile Leu Val Ala 625 630 635	1923
gtg cat gtg gcc tcc ggc tac att gag gct gag gtg atc cct gct gag Val His Val Ala Ser Gly Tyr Ile Glu Ala Glu Val Ile Pro Ala Glu 640 645 650	1971
aca ggc cag gag act gcc tac ttc ctg ctg aag ctg gct ggc agg tgg Thr Gly Gln Glu Thr Ala Tyr Phe Leu Leu Lys Leu Ala Gly Arg Trp 655 660 665 670	2019
cct gtg aag acc atc cac act gcc aat ggc tcc aac ttc act ggg gcc Pro Val Lys Thr Ile His Thr Ala Asn Gly Ser Asn Phe Thr Gly Ala 675 680 685	2067
aca gtg agg gct gcc tgc tgg tgg gct ggc atc aag cag gag ttt ggc Thr Val Arg Ala Ala Cys Trp Trp Ala Gly Ile Lys Gln Glu Phe Gly 690 695 700	2115
atc ccc tac aac ccc cag tcc cag ggg gtg gtg gcc tcc atg aac aag Ile Pro Tyr Asn Pro Gln Ser Gln Gly Val Val Ala Ser Met Asn Lys 705 710 715	2163

gag ctg aag aag atc att ggg cag gtg agg gac cag gct gag cac ctg Glu Leu Lys Lys Ile Ile Gly Gln Val Arg Asp Gln Ala Glu His Leu 720 725 730	2211
aag aca gct gtg cag atg gct gtg ttc atc cac aac ttc aag agg aag Lys Thr Ala Val Gln Met Ala Val Phe Ile His Asn Phe Lys Arg Lys 735 740 745 750	2259
ggg ggc atc ggg ggc tac tcc gct ggg gag agg att gtg gac atc att Gly Gly Ile Gly Tyr Ser Ala Gly Glu Arg Ile Val Asp Ile Ile 755 760 765	2307
gcc aca gac atc cag acc aag gag ctc cag aag cag atc acc aag atc Ala Thr Asp Ile Gln Thr Lys Glu Leu Gln Lys Gln Ile Thr Lys Ile 770 775 780	2355
cag aac ttc agg gtg tac tac agg gac tcc agg aac ccc ctg tgg aag Gln Asn Phe Arg Val Tyr Tyr Arg Asp Ser Arg Asn Pro Leu Trp Lys 785 790 795	2403
ggc cct gcc aag ctg ctg tgg aag ggg gag ggg gct gtg gtg atc cag Gly Pro Ala Lys Leu Leu Trp Lys Gly Glu Gly Ala Val Val Ile Gln 800 805 810	2451
gac aac tct gac atc aag gtg gtg ccc agg agg aag gcc aag atc atc Asp Asn Ser Asp Ile Lys Val Val Pro Arg Arg Lys Ala Lys Ile Ile 815 820 825 830	2499
agg gac tat ggc aag cag atg gct ggg gat gac tgt gtg gcc tcc agg Arg Asp Tyr Gly Lys Gln Met Ala Gly Asp Asp Cys Val Ala Ser Arg 835 840 845	2547
cag gat gag gac taa agcccgggca gatct Gin Asp Glu Asp * 850	2577

<210> 4  
<211> 850  
<212> PRT  
<213> Human Immunodeficiency Virus-1

<400> 4  
Met Ala Pro Ile Ser Pro Ile Glu Thr Val Pro Val Lys Leu Lys Pro  
1 5 10 15  
Gly Met Asp Gly Pro Lys Val Lys Gln Trp Pro Leu Thr Glu Glu Lys  
20 25 30  
Ile Lys Ala Leu Val Glu Ile Cys Thr Glu Met Glu Lys Glu Gly Lys  
35 40 45  
Ile Ser Lys Ile Gly Pro Glu Asn Pro Tyr Asn Thr Pro Val Phe Ala  
50 55 60  
Ile Lys Lys Asp Ser Thr Lys Trp Arg Lys Leu Val Asp Phe Arg  
65 70 75 80  
Glu Leu Asn Lys Arg Thr Gln Asp Phe Trp Glu Val Gln Leu Gly Ile  
85 90 95  
Pro His Pro Ala Gly Leu Lys Lys Lys Ser Val Thr Val Leu Ala  
100 105 110  
Val Gly Asp Ala Tyr Phe Ser Val Pro Leu Asp Glu Asp Phe Arg Lys  
115 120 125  
Tyr Thr Ala Phe Thr Ile Pro Ser Ile Asn Asn Glu Thr Pro Gly Ile  
130 135 140

Arg Tyr Gln Tyr Asn Val Leu Pro Gln Gly Trp Lys Gly Ser Pro Ala  
 145 150 155 160  
 Ile Phe Gln Ser Ser Met Thr Lys Ile Leu Glu Pro Phe Arg Lys Gln  
 165 170 175  
 Asn Pro Asp Ile Val Ile Tyr Gln Tyr Met Ala Ala Leu Tyr Val Gly  
 180 185 190  
 Ser Asp Leu Glu Ile Gly Gln His Arg Thr Lys Ile Glu Glu Leu Arg  
 195 200 205  
 Gln His Leu Leu Arg Trp Gly Leu Thr Thr Pro Asp Lys Lys His Gln  
 210 215 220  
 Lys Glu Pro Pro Phe Leu Trp Met Gly Tyr Glu Leu His Pro Asp Lys  
 225 230 235 240  
 Trp Thr Val Gln Pro Ile Val Leu Pro Glu Lys Asp Ser Trp Thr Val  
 245 250 255  
 Asn Asp Ile Gln Lys Leu Val Gly Lys Leu Asn Trp Ala Ser Gln Ile  
 260 265 270  
 Tyr Pro Gly Ile Lys Val Arg Gln Leu Cys Lys Leu Leu Arg Gly Thr  
 275 280 285  
 Lys Ala Leu Thr Glu Val Ile Pro Leu Thr Glu Glu Ala Glu Leu Glu  
 290 295 300  
 Leu Ala Glu Asn Arg Glu Ile Leu Lys Glu Pro Val His Gly Val Tyr  
 305 310 315 320  
 Tyr Asp Pro Ser Lys Asp Leu Ile Ala Glu Ile Gln Lys Gln Gly Gln  
 325 330 335  
 Gly Gln Trp Thr Tyr Gln Ile Tyr Gln Glu Pro Phe Lys Asn Leu Lys  
 340 345 350  
 Thr Gly Lys Tyr Ala Arg Met Arg Gly Ala His Thr Asn Asp Val Lys  
 355 360 365  
 Gln Leu Thr Glu Ala Val Gln Lys Ile Thr Thr Glu Ser Ile Val Ile  
 370 375 380  
 Trp Gly Lys Thr Pro Lys Phe Lys Leu Pro Ile Gln Lys Glu Thr Trp  
 385 390 395 400  
 Glu Thr Trp Thr Glu Tyr Trp Gln Ala Thr Trp Ile Pro Glu Trp  
 405 410 415  
 Glu Phe Val Asn Thr Pro Pro Leu Val Lys Leu Trp Tyr Gln Leu Glu  
 420 425 430  
 Lys Glu Pro Ile Val Gly Ala Glu Thr Phe Tyr Val Ala Gly Ala Ala  
 435 440 445  
 Asn Arg Glu Thr Lys Leu Gly Lys Ala Gly Tyr Val Thr Asn Arg Gly  
 450 455 460  
 Arg Gln Lys Val Val Thr Leu Thr Asp Thr Thr Asn Gln Lys Thr Ala  
 465 470 475 480  
 Leu Gln Ala Ile Tyr Leu Ala Leu Gln Asp Ser Gly Leu Glu Val Asn  
 485 490 495  
 Ile Val Thr Ala Ser Gln Tyr Ala Leu Gly Ile Ile Gln Ala Gln Pro  
 500 505 510  
 Asp Gln Ser Glu Ser Glu Leu Val Asn Gln Ile Ile Glu Gln Leu Ile  
 515 520 525  
 Lys Lys Glu Lys Val Tyr Leu Ala Trp Val Pro Ala His Lys Gly Ile  
 530 535 540  
 Gly Gly Asn Glu Gln Val Asp Lys Leu Val Ser Ala Gly Ile Arg Lys  
 545 550 555 560  
 Val Leu Phe Leu Asp Gly Ile Asp Lys Ala Gln Asp Glu His Glu Lys  
 565 570 575  
 Tyr His Ser Asn Trp Arg Ala Met Ala Ser Asp Phe Asn Leu Pro Pro  
 580 585 590  
 Val Val Ala Lys Glu Ile Val Ala Ser Cys Asp Lys Cys Gin Leu Lys  
 595 600 605  
 Gly Glu Ala Met His Gly Gln Val Asp Cys Ser Pro Gly Ile Trp Gln  
 610 615 620  
 Leu Ala Cys Thr His Leu Glu Gly Lys Val Ile Leu Val Ala Val His  
 625 630 635 640

Val Ala Ser Gly Tyr Ile Glu Ala Glu Val Ile Pro Ala Glu Thr Gly  
 645 650 655  
 Gln Glu Thr Ala Tyr Phe Leu Leu Lys Leu Ala Gly Arg Trp Pro Val  
 660 665 670  
 Lys Thr Ile His Thr Ala Asn Gly Ser Asn Phe Thr Gly Ala Thr Val  
 675 680 685  
 Arg Ala Ala Cys Trp Trp Ala Gly Ile Lys Gln Glu Phe Gly Ile Pro  
 690 695 700  
 Tyr Asn Pro Gln Ser Gln Gly Val Val Ala Ser Met Asn Lys Glu Leu  
 705 710 715 720  
 Lys Lys Ile Ile Gly Gln Val Arg Asp Gln Ala Glu His Leu Lys Thr  
 725 730 735  
 Ala Val Gln Met Ala Val Phe Ile His Asn Phe Lys Arg Lys Gly Gly  
 740 745 750  
 Ile Gly Gly Tyr Ser Ala Gly Glu Arg Ile Val Asp Ile Ala Thr  
 755 760 765  
 Asp Ile Gln Thr Lys Glu Leu Gln Lys Gln Ile Thr Lys Ile Gln Asn  
 770 775 780  
 Phe Arg Val Tyr Tyr Arg Asp Ser Arg Asn Pro Leu Trp Lys Gly Pro  
 785 790 795 800  
 Ala Lys Leu Leu Trp Lys Gly Glu Gly Ala Val Val Ile Gln Asp Asn  
 805 810 815  
 Ser Asp Ile Lys Val Val Pro Arg Arg Lys Ala Lys Ile Ile Arg Asp  
 820 825 830  
 Tyr Gly Lys Gln Met Ala Gly Asp Asp Cys Val Ala Ser Arg Gln Asp  
 835 840 845  
 Glu Asp  
 850

&lt;210&gt; 5

&lt;211&gt; 2650

&lt;212&gt; DNA

&lt;213&gt; Human Immunodeficiency Virus-1

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (8)...(2635)

&lt;400&gt; 5

gatcacc atg gat gca atg aag aga ggg ctc tgc tgt gtg ctg ctg ctg	49
Met Asp Ala Met Lys Arg Gly Leu Cys Cys Val Leu Leu Leu	
1 5 10	

tgt gga gca gtc ttc gtt tcg ccc agc gag atc tcc gcc ccc atc tcc	97
Cys Gly Ala Val Phe Val Ser Pro Ser Glu Ile Ser Ala Pro Ile Ser	
15 20 25 30	

ccc att gag act gtg cct gtg aag ctg aag cct ggc atg gat ggc ccc	145
Pro Ile Glu Thr Val Pro Val Lys Leu Lys Pro Gly Met Asp Gly Pro	
35 40 45	

aag gtg aag cag tgg ccc ctg act gag aag atc aag ggc ctg gtg	193
Lys Val Lys Gln Trp Pro Leu Thr Glu Glu Lys Ile Lys Ala Leu Val	
50 55 60	

gaa atc tgc act gag atg gag aag gag ggc aaa atc tcc aag aag att ggc	241
Glu Ile Cys Thr Glu Met Glu Lys Glu Gly Lys Ile Ser Lys Ile Gly	
65 70 75	

ccc gag aac ccc tac aac acc cct gtg ttt gcc atc aag aag aag gac	289
Pro Glu Asn Pro Tyr Asn Thr Pro Val Phe Ala Ile Lys Lys Lys Asp	
80 85 90	

tcc acc aag tgg agg aag ctg gtg gac ttc agg gag ctg aac aag agg Ser Thr Lys Trp Arg Lys Leu Val Asp Phe Arg Glu Leu Asn Lys Arg 95 100 105 110	337
acc cag gac ttc tgg gag gtg cag ctg ggc atc ccc cac ccc gct ggc Thr Gln Asp Phe Trp Glu Val Gln Leu Gly Ile Pro His Pro Ala Gly 115 120 125	385
ctg aag aag aag tct gtg act gtg ctg gat gtg ggg gat gcc tac Leu Lys Lys Lys Ser Val Thr Val Leu Asp Val Gly Asp Ala Tyr 130 135 140	433
tcc tct gtg ccc ctg gat gag gac ttc agg aag tac act gcc ttc acc Phe Ser Val Pro Leu Asp Glu Asp Phe Arg Lys Tyr Thr Ala Phe Thr 145 150 155	481
atc ccc tcc atc aac aat gag acc cct ggc atc agg tac cag tac aat Ile Pro Ser Ile Asn Asn Glu Thr Pro Gly Ile Arg Tyr Gln Tyr Asn 160 165 170	529
gtg ctg ccc cag ggc tgg aag ggc tcc cct gcc atc ttc cag tcc tcc Val Leu Pro Gln Gly Trp Lys Gly Ser Pro Ala Ile Phe Gln Ser Ser 175 180 185 190	577
atg acc aag atc ctg gag ccc ttc agg aag cag aac cct gac att gtg Met Thr Lys Ile Leu Glu Pro Phe Arg Lys Gln Asn Pro Asp Ile Val 195 200 205	625
atc tac cag tac atg gat gac ctg tat gtg ggc tct gac ctg gag att Ile Tyr Gln Tyr Met Asp Asp Leu Tyr Val Gly Ser Asp Leu Glu Ile 210 215 220	673
ggg cag cac agg acc aag att gag gag ctg agg cag cac ctg ctg agg Gly Gln His Arg Thr Lys Ile Glu Glu Leu Arg Gln His Leu Leu Arg 225 230 235	721
tgg ggc ctg acc acc cct gac aag aag cac cag aag gag ccc ccc ttc Trp Gly Leu Thr Thr Pro Asp Lys Lys His Gln Lys Glu Pro Pro Phe 240 245 250	769
ctg tgg atg ggc tat gag ctg cac ccc gac aag tgg act gtg cag ccc Leu Trp Met Gly Tyr Glu Leu His Pro Asp Lys Trp Thr Val Gln Pro 255 260 265 270	817
att gtg ctg cct gag aag gac tcc tgg act gtg aat gac atc cag aag Ile Val Leu Pro Glu Lys Asp Ser Trp Thr Val Asn Asp Ile Gln Lys 275 280 285	865
ctg gtg ggc aag ctg aac tgg gcc tcc caa atc tac cct ggc atc aag Leu Val Gly Lys Leu Asn Trp Ala Ser Gln Ile Tyr Pro Gly Ile Lys 290 295 300	913
gtg agg cag ctg tgc aag ctg ctg agg ggc acc aag gcc ctg act gag Val Arg Gln Leu Cys Lys Leu Leu Arg Gly Thr Lys Ala Leu Thr Glu 305 310 315	961
gtg atc ccc ctg act gag gag gct gag ctg gag ctg gct gag aac agg Val Ile Pro Leu Thr Glu Glu Ala Glu Leu Glu Leu Ala Glu Asn Arg 320 325 330	1009

gag atc ctg aag gag cct gtg cat ggg gtg tac tat gac ccc tcc aag Glu Ile Leu Lys Glu Pro Val His Gly Val Tyr Tyr Asp Pro Ser Lys 335 340 345 350	1057
gac ctg att gct gag atc cag aag cag ggc cag ggc cag tgg acc tac Asp Leu Ile Ala Glu Ile Gln Lys Gln Gly Gln Gln Trp Thr Tyr 355 360 365	1105
caa atc tac cag gag ccc ttc aag aac ctg aag act ggc aag tat gcc Gln Ile Tyr Gln Glu Pro Phe Lys Asn Leu Lys Thr Gly Lys Tyr Ala 370 375 380	1153
agg atg agg ggg gcc cac acc aat gat gtg aag cag ctg act gag gct Arg Met Arg Gly Ala His Thr Asn Asp Val Lys Gln Leu Thr Glu Ala 385 390 395	1201
gtg cag aag atc acc act gag tcc att gtg atc tgg ggc aag acc ccc Val Gln Lys Ile Thr Thr Glu Ser Ile Val Ile Trp Gly Lys Thr Pro 400 405 410	1249
aag ttc aag ctg ccc atc cag aag gag acc tgg gag acc tgg tgg act Lys Phe Lys Leu Pro Ile Gln Lys Glu Thr Trp Glu Thr Trp Trp Thr 415 420 425 430	1297
gag tac tgg cag gcc acc tgg atc cct gag tgg gag ttt gtg aac acc Glu Tyr Trp Gln Ala Thr Trp Ile Pro Glu Trp Glu Phe Val Asn Thr 435 440 445	1345
ccc ccc ctg gtg aag ctg tgg tac cag ctg gag aag gag ccc att gtg Pro Pro Leu Val Lys Leu Trp Tyr Gln Leu Glu Lys Glu Pro Ile Val 450 455 460	1393
ggg gct gag acc ttc tat gtg gat ggg gct gcc aac agg gag acc aag Gly Ala Glu Thr Phe Tyr Val Asp Gly Ala Ala Asn Arg Glu Thr Lys 465 470 475	1441
ctg ggc aag gct ggc tat gtg acc aac agg ggc agg cag aag gtg gtg Leu Gly Lys Ala Gly Tyr Val Thr Asn Arg Gly Arg Gln Lys Val Val 480 485 490	1489
acc ctg act gac acc acc aac cag aag act gag ctc cag gcc atc tac Thr Leu Thr Asp Thr Asn Gln Lys Thr Glu Leu Gln Ala Ile Tyr 495 500 505 510	1537
ctg gcc ctc cag gac tct ggc ctg gag gtg aac att gtg act gac tcc Leu Ala Leu Gln Asp Ser Gly Leu Glu Val Asn Ile Val Thr Asp Ser 515 520 525	1585
cag tat gcc ctg ggc atc atc cag gcc cag cct gat cag tct gag tct Gln Tyr Ala Leu Gly Ile Ile Gln Ala Gln Pro Asp Gln Ser Glu Ser 530 535 540	1633
gag ctg gtg aac cag atc att gag cag ctg atc aag aag gag aag gtg Glu Leu Val Asn Gln Ile Ile Glu Gln Leu Ile Lys Lys Glu Lys Val 545 550 555	1681
tac ctg gcc tgg gtg cct gcc cac aag ggc att ggg ggc aat gag cag Tyr Leu Ala Trp Val Pro Ala His Lys Gly Ile Gly Asn Glu Gln 560 565 570	1729

gtg gac aag ctg gtg tct gct ggc atc agg aag gtg ctg ttc ctg gat Val Asp Lys Leu Val Ser Ala Gly Ile Arg Lys Val Leu Phe Leu Asp 575 580 585 590	1777
ggc att gac aag gcc cag gat gag cat gag aag tac cac tcc aac tgg Gly Ile Asp Lys Ala Gln Asp Glu His Glu Lys Tyr His Ser Asn Trp 595 600 605	1825
agg gct atg gcc tct gac ttc aac ctg ccc cct gtg gtg gct aag gag Arg Ala Met Ala Ser Asp Phe Asn Leu Pro Pro Val Val Ala Lys Glu 610 615 620	1873
att gtg gcc tcc tgt gac aag tgc cag ctg aag ggg gag gcc atg cat Ile Val Ala Ser Cys Asp Lys Cys Gln Leu Lys Gly Glu Ala Met His 625 630 635	1921
ggg cag gtg gac tgc tcc cct ggc atc tgg cag ctg gac tgc acc cac Gly Gln Val Asp Cys Ser Pro Gly Ile Trp Gln Leu Asp Cys Thr His 640 645 650	1969
ctg gag ggc aag gtg atc ctg gtg gct gtg cat gtg gcc tcc ggc tac Leu Glu Gly Lys Val Ile Leu Val Ala Val His Val Ala Ser Gly Tyr 655 660 665 670	2017
att gag gct gag gtg atc cct gct gag aca ggc cag gag act gcc tac Ile Glu Ala Glu Val Ile Pro Ala Glu Thr Gly Gln Glu Thr Ala Tyr 675 680 685	2065
ttc ctg ctg aag ctg gct ggc agg tgg cct gtg aag acc atc cac act Phe Leu Leu Lys Leu Ala Gly Arg Trp Pro Val Lys Thr Ile His Thr 690 695 700	2113
gac aat ggc tcc aac ttc act ggg gcc aca gtg agg gct gcc tgc tgg Asp Asn Gly Ser Asn Phe Thr Gly Ala Thr Val Arg Ala Ala Cys Trp 705 710 715	2161
tgg gct ggc atc aag cag gag ttt ggc atc ccc tac aac ccc cag tcc Trp Ala Gly Ile Lys Gln Glu Phe Gly Ile Pro Tyr Asn Pro Gln Ser 720 725 730	2209
cag ggg gtg gag tcc atg aac aag gag ctg aag aag atc att ggg Gln Gly Val Val Glu Ser Met Asn Lys Glu Leu Lys Lys Ile Ile Gly 735 740 745 750	2257
cag gtg agg gac cag gct gag cac ctg aag aca gct gtg cag atg gct Gln Val Arg Asp Gln Ala Glu His Leu Lys Thr Ala Val Gln Met Ala 755 760 765	2305
gtg ttc atc cac aac ttc aag agg aag ggg ggc atc ggg ggc tac tcc Val Phe Ile His Asn Phe Lys Arg Lys Gly Gly Ile Gly Tyr Ser 770 775 780	2353
gct ggg gag agg att gtg gac atc att gcc aca gac atc cag acc aag Ala Gly Glu Arg Ile Val Asp Ile Ile Ala Thr Asp Ile Gln Thr Lys 785 790 795	2401
gag ctc cag aag cag atc acc aag atc cag aac ttc agg gtg tac tac Glu Leu Gln Lys Gln Ile Thr Lys Ile Gln Asn Phe Arg Val Tyr Tyr 800 805 810	2449

agg gac tcc agg aac ccc ctg tgg aag ggc cct gcc aag ctg ctg tgg Arg Asp Ser Arg Asn Pro Leu Trp Lys Gly Pro Ala Lys Leu Leu Trp 815 820 825 830	2497
aag ggg gag ggg gct gtg gtg atc cag gac aac tct gac atc aag gtg Lys Gly Glu Gly Ala Val Val Ile Gln Asp Asn Ser Asp Ile Lys Val 835 840 845	2545
gtg ccc agg agg aag gcc aag atc atc agg gac tat ggc aag cag atg Val Pro Arg Arg Lys Ala Lys Ile Ile Arg Asp Tyr Gly Lys Gln Met 850 855 860	2593
gct ggg gat gac tgt gtg gcc tcc agg cag gat gag gac taa Ala Gly Asp Asp Cys Val Ala Ser Arg Gln Asp Glu Asp * 865 870 875	2635
agccccggca gatct	2650
<210> 6	
<211> 875	
<212> PRT	
<213> Human Immunodeficiency Virus-1	
<400> 6	
Met Asp Ala Met Lys Arg Gly Leu Cys Cys Val Leu Leu Cys Gly 1 5 10 15	
Ala Val Phe Val Ser Pro Ser Glu Ile Ser Ala Pro Ile Ser Pro Ile 20 25 30	
Glu Thr Val Pro Val Lys Leu Lys Pro Gly Met Asp Gly Pro Lys Val 35 40 45	
Lys Gln Trp Pro Leu Thr Glu Lys Ile Lys Ala Leu Val Glu Ile 50 55 60	
Cys Thr Glu Met Glu Lys Glu Gly Lys Ile Ser Lys Ile Gly Pro Glu 65 70 75 80	
Asn Pro Tyr Asn Thr Pro Val Phe Ala Ile Lys Lys Lys Asp Ser Thr 85 90 95	
Lys Trp Arg Lys Leu Val Asp Phe Arg Glu Leu Asn Lys Arg Thr Gln 100 105 110	
Asp Phe Trp Glu Val Gln Leu Gly Ile Pro His Pro Ala Gly Leu Lys 115 120 125	
Lys Lys Lys Ser Val Thr Val Leu Asp Val Gly Asp Ala Tyr Phe Ser 130 135 140	
Val Pro Leu Asp Glu Asp Phe Arg Lys Tyr Thr Ala Phe Thr Ile Pro 145 150 155 160	
Ser Ile Asn Asn Glu Thr Pro Gly Ile Arg Tyr Gln Tyr Asn Val Leu 165 170 175	
Pro Gln Gly Trp Lys Gly Ser Pro Ala Ile Phe Gln Ser Ser Met Thr 180 185 190	
Lys Ile Leu Glu Pro Phe Arg Lys Gln Asn Pro Asp Ile Val Ile Tyr 195 200 205	
Gln Tyr Met Asp Asp Leu Tyr Val Gly Ser Asp Leu Glu Ile Gly Gln 210 215 220	
His Arg Thr Lys Ile Glu Glu Leu Arg Gln His Leu Leu Arg Trp Gly 225 230 235 240	
Leu Thr Thr Pro Asp Lys Lys His Gln Lys Glu Pro Pro Phe Leu Trp 245 250 255	
Met Gly Tyr Glu Leu His Pro Asp Lys Trp Thr Val Gln Pro Ile Val 260 265 270	
Leu Pro Glu Lys Asp Ser Trp Thr Val Asn Asp Ile Gln Lys Leu Val 275 280 285	
Gly Lys Leu Asn Trp Ala Ser Gln Ile Tyr Pro Gly Ile Lys Val Arg 290 295 300	

Gln Leu Cys Lys Leu Leu Arg Gly Thr Lys Ala Leu Thr Glu Val Ile  
 305 310 315 320  
 Pro Leu Thr Glu Glu Ala Glu Leu Glu Leu Ala Glu Asn Arg Glu Ile  
 325 330 335  
 Leu Lys Glu Pro Val His Gly Val Tyr Tyr Asp Pro Ser Lys Asp Leu  
 340 345 350  
 Ile Ala Glu Ile Gln Lys Gln Gly Gln Gly Gln Trp Thr Tyr Gln Ile  
 355 360 365  
 Tyr Gln Glu Pro Phe Lys Asn Leu Lys Thr Gly Lys Tyr Ala Arg Met  
 370 375 380  
 Arg Gly Ala His Thr Asn Asp Val Lys Gln Leu Thr Glu Ala Val Gln  
 385 390 395 400  
 Lys Ile Thr Thr Glu Ser Ile Val Ile Trp Gly Lys Thr Pro Lys Phe  
 405 410 415  
 Lys Leu Pro Ile Gln Lys Glu Thr Trp Glu Thr Trp Trp Thr Glu Tyr  
 420 425 430  
 Trp Gln Ala Thr Trp Ile Pro Glu Trp Glu Phe Val Asn Thr Pro Pro  
 435 440 445  
 Leu Val Lys Leu Trp Tyr Gln Leu Glu Lys Glu Pro Ile Val Gly Ala  
 450 455 460  
 Glu Thr Phe Tyr Val Asp Gly Ala Ala Asn Arg Glu Thr Lys Leu Gly  
 465 470 475 480  
 Lys Ala Gly Tyr Val Thr Asn Arg Gly Arg Gln Lys Val Val Thr Leu  
 485 490 495  
 Thr Asp Thr Thr Asn Gln Lys Thr Glu Leu Gln Ala Ile Tyr Leu Ala  
 500 505 510  
 Leu Gln Asp Ser Gly Leu Glu Val Asn Ile Val Thr Asp Ser Gln Tyr  
 515 520 525  
 Ala Leu Gly Ile Ile Gln Ala Gln Pro Asp Gln Ser Glu Ser Glu Leu  
 530 535 540  
 Val Asn Gln Ile Ile Glu Gln Leu Ile Lys Lys Glu Lys Val Tyr Leu  
 545 550 555 560  
 Ala Trp Val Pro Ala His Lys Gly Ile Gly Gly Asn Glu Gln Val Asp  
 565 570 575  
 Lys Leu Val Ser Ala Gly Ile Arg Lys Val Leu Phe Leu Asp Gly Ile  
 580 585 590  
 Asp Lys Ala Gln Asp Glu His Glu Lys Tyr His Ser Asn Trp Arg Ala  
 595 600 605  
 Met Ala Ser Asp Phe Asn Leu Pro Pro Val Val Ala Lys Glu Ile Val  
 610 615 620  
 Ala Ser Cys Asp Lys Cys Gln Leu Lys Gly Glu Ala Met His Gly Gln  
 625 630 635 640  
 Val Asp Cys Ser Pro Gly Ile Trp Gln Leu Asp Cys Thr His Leu Glu  
 645 650 655  
 Gly Lys Val Ile Leu Val Ala Val His Val Ala Ser Gly Tyr Ile Glu  
 660 665 670  
 Ala Glu Val Ile Pro Ala Glu Thr Gly Gln Glu Thr Ala Tyr Phe Leu  
 675 680 685  
 Leu Lys Leu Ala Gly Arg Trp Pro Val Lys Thr Ile His Thr Asp Asn  
 690 695 700  
 Gly Ser Asn Phe Thr Gly Ala Thr Val Arg Ala Ala Cys Trp Trp Ala  
 705 710 715 720  
 Gly Ile Lys Gln Glu Phe Gly Ile Pro Tyr Asn Pro Gln Ser Gln Gly  
 725 730 735  
 Val Val Glu Ser Met Asn Lys Glu Leu Lys Lys Ile Ile Gly Gln Val  
 740 745 750  
 Arg Asp Gln Ala Glu His Leu Lys Thr Ala Val Gln Met Ala Val Phe  
 755 760 765  
 Ile His Asn Phe Lys Arg Lys Gly Gly Ile Gly Gly Tyr Ser Ala Gly  
 770 775 780  
 Glu Arg Ile Val Asp Ile Ile Ala Thr Asp Ile Gln Thr Lys Glu Leu  
 785 790 795 800

Gln Lys Gln Ile Thr Lys Ile Gln Asn Phe Arg Val Tyr Tyr Arg Asp  
 805 810 815  
 Ser Arg Asn Pro Leu Trp Lys Gly Pro Ala Lys Leu Leu Trp Lys Gly  
 820 825 830  
 Glu Gly Ala Val Val Ile Gln Asp Asn Ser Asp Ile Lys Val Val Pro  
 835 840 845  
 Arg Arg Lys Ala Lys Ile Ile Arg Asp Tyr Gly Lys Gln Met Ala Gly  
 850 855 860  
 Asp Asp Cys Val Ala Ser Arg Gln Asp Glu Asp  
 865 870 875

<210> 7  
 <211> 2650

<212> DNA

<213> Human Immunodeficiency Virus-1

<220>

<221> CDS

<222> (8)...(2635)

<400> 7

gatcacc atg gat gca atg aag aga ggg ctc tgc tgt gtg ctg ctg ctg	49
Met Asp Ala Met Lys Arg Gly Leu Cys Cys Val Leu Leu Leu	
1 5 10	

tgt gga gca gtc ttc gtt tcg ccc agc gag atc tcc gcc ccc atc tcc	97
Cys Gly Ala Val Phe Val Ser Pro Ser Glu Ile Ser Ala Pro Ile Ser	
15 20 25 30	

ccc att gag act gtg cct gtg aag ctg aag cct ggc atg gat ggc ccc	145
Pro Ile Glu Thr Val Pro Val Lys Leu Lys Pro Gly Met Asp Gly Pro	
35 40 45	

aag gtg aag cag tgg ccc ctg act gag gag aag atc aag gcc ctg gtg	193
Lys Val Lys Gln Trp Pro Leu Thr Glu Glu Lys Ile Lys Ala Leu Val	
50 55 60	

gaa atc tgc act gag atg gag aag gag ggc aaa atc tcc aag att ggc	241
Glu Ile Cys Thr Glu Met Glu Lys Glu Gly Lys Ile Ser Lys Ile Gly	
65 70 75	

ccc gag aac ccc tac aac acc cct gtg ttt gcc atc aag aag aag gac	289
Pro Glu Asn Pro Tyr Asn Thr Pro Val Phe Ala Ile Lys Lys Lys Asp	
80 85 90	

tcc acc aag tgg agg aag ctg gtg gac ttc agg gag ctg aac aag agg	337
Ser Thr Lys Trp Arg Lys Leu Val Asp Phe Arg Glu Leu Asn Lys Arg	
95 100 105 110	

acc cag gac ttc tgg gag gtg cag ctg ggc atc ccc cac ccc gct ggc	385
Thr Gln Asp Trp Glu Val Gln Leu Gly Ile Pro His Pro Ala Gly	
115 120 125	

ctg aag aag aag aag tct gtg act gtg ctg gct gtg ggg gat gcc tac	433
Leu Lys Lys Lys Ser Val Thr Val Leu Ala Val Gly Asp Ala Tyr	
130 135 140	

ttc tct gtg ccc ctg gat gag gac ttc agg aag tac act gcc ttc acc	481
Phe Ser Val Pro Leu Asp Glu Asp Phe Arg Lys Tyr Thr Ala Phe Thr	
145 150 155	

atc ccc tcc atc aac aat gag acc cct ggc atc agg tac cag tac aat Ile Pro Ser Ile Asn Asn Glu Thr Pro Gly Ile Arg Tyr Gln Tyr Asn 160 165 170	529
gtg ctg ccc cag ggc tgg aag ggc tcc cct gcc atc ttc cag tcc tcc Val Leu Pro Gin Gly Trp Lys Gly Ser Pro Ala Ile Phe Gln Ser Ser 175 180 185 190	577
atg acc aag atc ctg gag ccc ttc agg aag cag aac cct gac att gtg Met Thr Lys Ile Leu Glu Pro Phe Arg Lys Gln Asn Pro Asp Ile Val 195 200 205	625
atc tac cag tac atg gct gcc ctg tat gtg ggc tct gac ctg gag att Ile Tyr Gln Tyr Met Ala Ala Leu Tyr Val Gly Ser Asp Leu Glu Ile 210 215 220	673
ggg cag cac agg acc aag att gag gag ctg agg cag cac ctg ctg agg Gly Gln His Arg Thr Lys Ile Glu Glu Leu Arg Gln His Leu Leu Arg 225 230 235	721
tgg ggc ctg acc acc cct gac aag aag cac cag aag gag ccc ccc ttc Trp Gly Leu Thr Thr Pro Asp Lys Lys His Gln Lys Glu Pro Pro Phe 240 245 250	769
ctg tgg atg ggc tat gag ctg cac ccc gac aag tgg act gtg cag ccc Leu Trp Met Gly Tyr Glu Leu His Pro Asp Lys Trp Thr Val Gln Pro 255 260 265 270	817
att gtg ctg cct gag aag gac tcc tgg act gtg aat gac atc cag aag Ile Val Leu Pro Glu Lys Asp Ser Trp Thr Val Asn Asp Ile Gln Lys 275 280 285	865
ctg gtg ggc aag ctg aac tgg gcc tcc caa atc tac cct ggc atc aag Leu Val Gly Lys Leu Asn Trp Ala Ser Gln Ile Tyr Pro Gly Ile Lys 290 295 300	913
gtg agg cag ctg tgc aag ctg ctg agg ggc acc aag gcc ctg act gag Val Arg Gln Leu Cys Lys Leu Arg Gly Thr Lys Ala Leu Thr Glu 305 310 315	961
gtg atc ccc ctg act gag gag gct gag ctg gag ctg gct gag aac agg Val Ile Pro Leu Thr Glu Glu Ala Glu Leu Glu Leu Ala Glu Asn Arg 320 325 330	1009
gag atc ctg aag gag cct gtg cat ggg gtg tac tat gac ccc tcc aag Glu Ile Leu Lys Glu Pro Val His Gly Val Tyr Tyr Asp Pro Ser Lys 335 340 345 350	1057
gac ctg att gct gag atc cag aag cag ggc cag ggc cag tgg acc tac Asp Leu Ile Ala Glu Ile Gln Lys Gln Gly Gln Gln Trp Thr Tyr 355 360 365	1105
caa atc tac cag gag ccc ttc aag aac ctg aag act ggc aag tat gcc Gln Ile Tyr Gln Glu Pro Phe Lys Asn Leu Lys Thr Gly Lys Tyr Ala 370 375 380	1153
agg atg agg ggg gcc cac acc aat gat gtg aag cag ctg act gag gct Arg Met Arg Gly Ala His Thr Asn Asp Val Lys Gln Leu Thr Glu Ala 385 390 395	1201

gtg cag aag atc acc act gag tcc att gtg atc tgg ggc aag acc ccc Val Gln Lys Ile Thr Thr Glu Ser Ile Val Ile Trp Gly Lys Thr Pro 400 405 410	1249
aag ttc aag ctg ccc atc cag aag gag acc tgg gag acc tgg tgg act Lys Phe Lys Leu Pro Ile Gln Lys Glu Thr Trp Glu Thr Trp Trp Thr 415 420 425 430	1297
gag tac tgg cag gcc acc tgg atc cct gag tgg gag ttt gtg aac acc Glu Tyr Trp Gln Ala Thr Trp Ile Pro Glu Trp Glu Phe Val Asn Thr 435 440 445	1345
ccc ccc ctg gtg aag ctg tgg tac cag ctg gag aag gag ccc att gtg Pro Pro Leu Lys Leu Trp Tyr Gln Leu Glu Lys Glu Pro Ile Val 450 455 460	1393
ggg gct gag acc ttc tat gtg gct ggg gct gcc aac agg gag acc aag Gly Ala Glu Thr Phe Tyr Val Ala Gly Ala Ala Asn Arg Glu Thr Lys 465 470 475	1441
ctg ggc aag gct ggc tat gtg acc aac agg ggc agg cag aag gtg gtg Leu Gly Lys Ala Gly Tyr Val Thr Asn Arg Gly Arg Gln Lys Val Val 480 485 490	1489
acc ctg act gac acc acc aac cag aag act gcc ctc cag gcc atc tac Thr Leu Thr Asp Thr Thr Asn Gln Lys Thr Ala Leu Gln Ala Ile Tyr 495 500 505 510	1537
ctg gcc ctc cag gac tct ggc ctg gag gtg aac att gtg act gcc tcc Leu Ala Leu Gln Asp Ser Gly Leu Glu Val Asn Ile Val Thr Ala Ser 515 520 525	1585
cag tat gcc ctg ggc atc atc cag gcc cag cct gat cag tct gag tct Gln Tyr Ala Leu Gly Ile Ile Gln Ala Gln Pro Asp Gln Ser Glu Ser 530 535 540	1633
gag ctg gtg aac cag atc att gag cag ctg atc aag aag gag aag gtg Glu Leu Val Asn Gln Ile Ile Glu Gln Leu Ile Lys Lys Glu Lys Val 545 550 555	1681
tac ctg gcc tgg gtg cct gcc cac aag ggc att ggg ggc aat gag cag Tyr Leu Ala Trp Val Pro Ala His Lys Gly Ile Gly Gly Asn Glu Gln 560 565 570	1729
gtg gac aag ctg gtg tct gct ggc atc agg aag gtg ctg ttc ctg gat Val Asp Lys Leu Val Ser Ala Gly Ile Arg Lys Val Leu Phe Leu Asp 575 580 585 590	1777
ggc att gac aag gcc cag gat gag cat gag aag tac cac tcc aac tgg Gly Ile Asp Lys Ala Gln Asp Glu His Glu Lys Tyr His Ser Asn Trp 595 600 605	1825
agg gct atg gcc tct gac ttc aac ctg ccc cct gtg gtg gct aag gag Arg Ala Met Ala Ser Asp Phe Asn Leu Pro Pro Val Val Ala Lys Glu 610 615 620	1873
att gtg gcc tcc tgt gac aag tgc cag ctg aag ggg gag gcc atg cat Ile Val Ala Ser Cys Asp Lys Cys Gln Leu Lys Gly Glu Ala Met His 625 630 635	1921

ggg cag gtg gac tgc tcc cct ggc atc tgg cag ctg gcc tgc acc cac Gly Gln Val Asp Cys Ser Pro Gly Ile Trp Gln Leu Ala Cys Thr His 640 645 650	1969
ctg gag ggc aag gtg atc ctg gtg gct gtg cat gtg gcc tcc ggc tac Leu Glu Gly Lys Val Ile Leu Val Ala Val His Val Ala Ser Gly Tyr 655 660 665 670	2017
att gag gct gag gtg atc cct gct gag aca ggc cag gag act gcc tac Ile Glu Ala Glu Val Ile Pro Ala Glu Thr Gly Gln Glu Thr Ala Tyr 675 680 685	2065
ttc ctg ctg aag ctg gct ggc agg tgg cct gtg aag acc atc cac act Phe Leu Leu Lys Leu Ala Gly Arg Trp Pro Val Lys Thr Ile His Thr 690 695 700	2113
gcc aat ggc tcc aac ttc act ggg gcc aca gtg agg gct gcc tgc tgg Ala Asn Gly Ser Asn Phe Thr Gly Ala Thr Val Arg Ala Ala Cys Trp 705 710 715	2161
tgg gct ggc atc aag cag gag ttt ggc atc ccc tac aac ccc cag tcc Trp Ala Gly Ile Lys Gln Glu Phe Gly Ile Pro Tyr Asn Pro Gln Ser 720 725 730	2209
cag ggg gtg gtg gcc tcc atg aac aag gag ctg aag aag atc att ggg Gln Gly Val Val Ala Ser Met Asn Lys Glu Leu Lys Lys Ile Ile Gly 735 740 745 750	2257
cag gtg agg gac cag gct gag cac ctg aag aca gct gtg cag atg gct Gln Val Arg Asp Gln Ala Glu His Leu Lys Thr Ala Val Gln Met Ala 755 760 765	2305
gtg ttc atc cac aac ttc aag agg aag ggg ggc atc ggg ggc tac tcc Val Phe Ile His Asn Phe Lys Arg Lys Gly Gly Ile Gly Gly Tyr Ser 770 775 780	2353
gct ggg gag agg att gtg gac atc att gcc aca gac atc cag acc aag Ala Gly Glu Arg Ile Val Asp Ile Ile Ala Thr Asp Ile Gln Thr Lys 785 790 795	2401
gag ctc cag aag cag atc acc aag atc cag aac ttc agg gtg tac tac Glu Leu Gln Lys Gln Ile Thr Lys Ile Gln Asn Phe Arg Val Tyr Tyr 800 805 810	2449
agg gac tcc agg aac ccc ctg tgg aag ggc cct gcc aag ctg ctg tgg Arg Asp Ser Arg Asn Pro Leu Trp Lys Gly Pro Ala Lys Leu Leu Trp 815 820 825 830	2497
aag ggg gag ggg gct gtg gtg atc cag gac aac tct gac atc aag gtg Lys Gly Glu Gly Ala Val Val Ile Gln Asp Asn Ser Asp Ile Lys Val 835 840 845	2545
gtg ccc agg agg aag gcc aag atc atc agg gac tat ggc aag cag atg Val Pro Arg Arg Lys Ala Lys Ile Ile Arg Asp Tyr Gly Lys Gln Met 850 855 860	2593
gct ggg gat gac tgt gtg gcc tcc agg cag gat gag gac taa Ala Gly Asp Asp Cys Val Ala Ser Arg Gln Asp Glu Asp * 865 870 875	2635
agccccggca gatct	2650

<210> 8  
<211> 875  
<212> PRT  
<213> Human Immunodeficiency Virus-1

<400> 8  
Met Asp Ala Met Lys Arg Gly Leu Cys Cys Val Leu Leu Leu Cys Gly  
1 5 10 15  
Ala Val Phe Val Ser Pro Ser Glu Ile Ser Ala Pro Ile Ser Pro Ile  
20 25 30  
Glu Thr Val Pro Val Lys Leu Lys Pro Gly Met Asp Gly Pro Lys Val  
35 40 45  
Lys Gln Trp Pro Leu Thr Glu Glu Lys Ile Lys Ala Leu Val Glu Ile  
50 55 60  
Cys Thr Glu Met Glu Lys Glu Gly Lys Ile Ser Lys Ile Gly Pro Glu  
65 70 75 80  
Asn Pro Tyr Asn Thr Pro Val Phe Ala Ile Lys Lys Lys Asp Ser Thr  
85 90 95  
Lys Trp Arg Lys Leu Val Asp Phe Arg Glu Leu Asn Lys Arg Thr Gln  
100 105 110  
Asp Phe Trp Glu Val Gln Leu Gly Ile Pro His Pro Ala Gly Leu Lys  
115 120 125  
Lys Lys Ser Val Thr Val Leu Ala Val Gly Asp Ala Tyr Phe Ser  
130 135 140  
Val Pro Leu Asp Glu Asp Phe Arg Lys Tyr Thr Ala Phe Thr Ile Pro  
145 150 155 160  
Ser Ile Asn Asn Glu Thr Pro Gly Ile Arg Tyr Gln Tyr Asn Val Leu  
165 170 175  
Pro Gln Gly Trp Lys Gly Ser Pro Ala Ile Phe Gln Ser Ser Met Thr  
180 185 190  
Lys Ile Leu Glu Pro Phe Arg Lys Gln Asn Pro Asp Ile Val Ile Tyr  
195 200 205  
Gln Tyr Met Ala Ala Leu Tyr Val Gly Ser Asp Leu Glu Ile Gly Gln  
210 215 220  
His Arg Thr Lys Ile Glu Glu Leu Arg Gln His Leu Leu Arg Trp Gly  
225 230 235 240  
Leu Thr Thr Pro Asp Lys Lys His Gln Lys Glu Pro Pro Phe Leu Trp  
245 250 255  
Met Gly Tyr Glu Leu His Pro Asp Lys Trp Thr Val Gln Pro Ile Val  
260 265 270  
Leu Pro Glu Lys Asp Ser Trp Thr Val Asn Asp Ile Gln Lys Leu Val  
275 280 285  
Gly Lys Leu Asn Trp Ala Ser Gln Ile Tyr Pro Gly Ile Lys Val Arg  
290 295 300  
Gln Leu Cys Lys Leu Leu Arg Gly Thr Lys Ala Leu Thr Glu Val Ile  
305 310 315 320  
Pro Leu Thr Glu Glu Ala Glu Leu Glu Leu Ala Glu Asn Arg Glu Ile  
325 330 335  
Leu Lys Glu Pro Val His Gly Val Tyr Tyr Asp Pro Ser Lys Asp Leu  
340 345 350  
Ile Ala Glu Ile Gln Lys Gln Gly Gln Gly Gln Trp Thr Tyr Gln Ile  
355 360 365  
Tyr Gln Glu Pro Phe Lys Asn Leu Lys Thr Gly Lys Tyr Ala Arg Met  
370 375 380  
Arg Gly Ala His Thr Asn Asp Val Lys Gln Leu Thr Glu Ala Val Gln  
385 390 395 400  
Lys Ile Thr Thr Glu Ser Ile Val Ile Trp Gly Lys Thr Pro Lys Phe  
405 410 415  
Lys Leu Pro Ile Gln Lys Glu Thr Trp Glu Thr Trp Trp Thr Glu Tyr  
420 425 430  
Trp Gln Ala Thr Trp Ile Pro Glu Trp Glu Phe Val Asn Thr Pro Pro  
435 440 445

Leu Val Lys Leu Trp Tyr Gln Leu Glu Lys Glu Pro Ile Val Gly Ala  
 450 455 460  
 Glu Thr Phe Tyr Val Ala Gly Ala Ala Asn Arg Glu Thr Lys Leu Gly  
 465 470 475 480  
 Lys Ala Gly Tyr Val Thr Asn Arg Gly Arg Gln Lys Val Val Thr Leu  
 485 490 495  
 Thr Asp Thr Thr Asn Gln Lys Thr Ala Leu Gln Ala Ile Tyr Leu Ala  
 500 505 510  
 Leu Gln Asp Ser Gly Leu Glu Val Asn Ile Val Thr Ala Ser Gln Tyr  
 515 520 525  
 Ala Leu Gly Ile Ile Gln Ala Gln Pro Asp Gln Ser Glu Ser Glu Leu  
 530 535 540  
 Val Asn Gln Ile Ile Glu Gln Leu Ile Lys Lys Glu Lys Val Tyr Leu  
 545 550 555 560  
 Ala Trp Val Pro Ala His Lys Gly Ile Gly Gly Asn Glu Gln Val Asp  
 565 570 575  
 Lys Leu Val Ser Ala Gly Ile Arg Lys Val Leu Phe Leu Asp Gly Ile  
 580 585 590  
 Asp Lys Ala Gln Asp Glu His Glu Lys Tyr His Ser Asn Trp Arg Ala  
 595 600 605  
 Met Ala Ser Asp Phe Asn Leu Pro Pro Val Val Ala Lys Glu Ile Val  
 610 615 620  
 Ala Ser Cys Asp Lys Cys Gln Leu Lys Gly Glu Ala Met His Gly Gln  
 625 630 635 640  
 Val Asp Cys Ser Pro Gly Ile Trp Gln Leu Ala Cys Thr His Leu Glu  
 645 650 655  
 Gly Lys Val Ile Leu Val Ala Val His Val Ala Ser Gly Tyr Ile Glu  
 660 665 670  
 Ala Glu Val Ile Pro Ala Glu Thr Gly Gln Glu Thr Ala Tyr Phe Leu  
 675 680 685  
 Leu Lys Leu Ala Gly Arg Trp Pro Val Lys Thr Ile His Thr Ala Asn  
 690 695 700  
 Gly Ser Asn Phe Thr Gly Ala Thr Val Arg Ala Ala Cys Trp Trp Ala  
 705 710 715 720  
 Gly Ile Lys Gln Glu Phe Gly Ile Pro Tyr Asn Pro Gln Ser Gln Gly  
 725 730 735  
 Val Val Ala Ser Met Asn Lys Glu Leu Lys Lys Ile Ile Gly Gln Val  
 740 745 750  
 Arg Asp Gln Ala Glu His Leu Lys Thr Ala Val Gln Met Ala Val Phe  
 755 760 765  
 Ile His Asn Phe Lys Arg Lys Gly Gly Ile Gly Gly Tyr Ser Ala Gly  
 770 775 780  
 Glu Arg Ile Val Asp Ile Ile Ala Thr Asp Ile Gln Thr Lys Glu Leu  
 785 790 795 800  
 Gln Lys Gln Ile Thr Lys Ile Gln Asn Phe Arg Val Tyr Tyr Arg Asp  
 805 810 815  
 Ser Arg Asn Pro Leu Trp Lys Gly Pro Ala Lys Leu Leu Trp Lys Gly  
 820 825 830  
 Glu Gly Ala Val Val Ile Gln Asp Asn Ser Asp Ile Lys Val Val Pro  
 835 840 845  
 Arg Arg Lys Ala Lys Ile Ile Arg Asp Tyr Gly Lys Gln Met Ala Gly  
 850 855 860  
 Asp Asp Cys Val Ala Ser Arg Gln Asp Glu Asp  
 865 870 875

&lt;210&gt; 9

&lt;211&gt; 4945

&lt;212&gt; DNA

&lt;213&gt; E. coli (V1Jns-tpa)

&lt;400&gt; 9

tcgcgcgttt cggatgac ggtaaaaacc tctgacacat gcagcccc gagacggtca

60

cagttgtct	gtaagcggat	gccgggagca	gacaaggccg	tcagggcgcg	tcaggggtg	120
ttggcgggtg	tcggggctgg	cttaactatg	cgccatcaga	gcagattgt	ctgagagtgc	180
accatatgcg	gtgtgaaata	ccgcacagat	gcgttaaggag	aaaataccgc	atcagattgg	240
ctattggcca	ttgcatacgt	tgtattccata	tcataaatatg	tacatttata	ttggctcatg	300
tccaaacatta	ccgcccattt	gacattgatt	attgactagt	tattaatagt	aatcaattac	360
ggggtcattt	gttcatagcc	catatatgg	gttccgcgtt	acataactta	cggtaaatgg	420
cccgccctggc	tgaccgcccc	acgaccccc	cccatgtacgc	tcaataatga	cgtatgttcc	480
catagtaacg	ccaataggg	ctttccattt	acgtcaatgg	gtggagtatt	tacggtaaac	540
tgcccacttg	gcagttacatc	aagtgtatca	tatgccaagt	acgcccccta	ttgacgtcaa	600
tgacggtaaa	tggccgcctt	ggcattatgc	ccagttacatg	accttatgg	actttccatc	660
ttggcagtac	atctacgtat	tagtcatgc	tattaccatg	gtatgcgtt	tttggcagta	720
catcaatggg	cgttgtatgc	ggtttgactt	acggggattt	ccaaatctcc	acccatgtga	780
cgtcaatggg	agtttggttt	ggcacaaaa	tcaacgggac	tttccaaat	gtcgttaacaa	840
ctccggccca	ttgacgcaaa	tgggcgttag	gcgtgtacgg	tgggggttct	atataagcag	900
agctcggtt	gtgacaccgc	agatcgctt	gagacgcctt	ccacgcgtt	ttgacccatc	960
tagaaagac	cgggaccat	ccaggccctt	cgggggggaa	cggtgatgg	gaacgcggat	1020
tcccccgtgcc	aaaggtgacg	taagtaaccgc	ctatagactc	tataggcaca	cccccttggc	1080
tcttatgcat	gctatactgt	ttttggctt	gggcctatac	accccccgtt	ccttatgtcta	1140
taggtgtatgg	tatagtttag	cctataggt	tgggttattt	accattatgg	accactcccc	1200
tattgggtac	gatactttcc	attactaattc	cataacatgg	ctctttccca	caactatetc	1260
tattggctat	atgccaataac	tctgttcc	agagactgc	acggactctg	tatttttaca	1320
ggatgggggtc	ccattttat	tttacaaaatt	cacatataca	acaacgcgt	ccccctggcc	1380
cgcagttttt	attaaacata	gcgtgggatc	tccacgcgaa	tctcgggtac	gtgtttccga	1440
catgggctct	tctccggtag	cgggcgagat	tccacatccg	agccctggtc	ccatgcctcc	1500
agggcgtcat	ggtcgtctt	cagtcctt	ctccaaacag	tggaggccag	acttaggcac	1560
agcacaatgc	ccaccacac	cagtgtccg	cacaaggccg	tggcgttagg	gtatgttct	1620
gaaaatgagc	gtggagattt	ggctcgacg	gctgacgcag	atggaagact	taaggcagcg	1680
gcagaagaag	atgcaggcag	ctgagggtt	gtattctgt	aagagtca	gttaactccc	1740
gttgcgggtc	gtttaacgg	ggggggcgt	gtatgtcg	cagtactctg	tgctgccg	1800
cgcggccacca	gacataatag	ctgacagact	aacgactgt	tcctttccat	gggtcttttc	1860
tgcagtacacc	gtccttagat	caccatggat	gcaatgaaga	gagggctctg	ctgtgtctg	1920
ctgctgttg	gagcagtctt	cgtttgc	agcagatct	gctgtgcctt	ctagttgcca	1980
gccatctgtt	gtttggccct	ccccctgtcc	ttccttgacc	ctggaagggt	ccactccac	2040
tgtcctttcc	taataaaaatg	aggaaattgc	atcgtcatgt	ctgagtaggt	gtcattctat	2100
tctgggggg	gggggtgggg	aggacgacaa	ggggggaggat	tgggaagaca	atagcaggca	2160
tgtggggat	gggtgggct	ctatggccgc	tgccggccagg	tgctgaagaa	ttgaccgg	2220
tcctcctggg	ccagaaagaa	gcaggcacat	cccttctct	tgacacacc	ctgtccacgc	2280
ccctgggtct	tagttccacg	cccactata	ggacactcat	agctcaggag	ggctccgcct	2340
tcaatccac	cgcgtaaatg	acttggagcg	gtctctcc	ccctcatcag	cccaccaa	2400
caaacatgc	cttcaagact	gggaaagaaat	taaaaccaaga	taggttattt	agtgcagagg	2460
gagagaaaat	gcctccaaca	tgtgaggaag	taatgagaga	aatcatagaa	tttctccgc	2520
ttcctcgctc	actgactcgc	tgcgctcggt	cggtcgctg	cggcgagccg	tatcagctca	2580
ctcaaaggcg	gtaatacgtt	tatccacaga	atcaggggat	aacgcggaaa	agaacatgtg	2640
agaaaaaggc	cagaaaaagg	ccaggaaccg	taaaaaggcc	gcgttgcgtt	cgttttcca	2700
tagctccgc	ccccctgcac	agcatcaca	aaatcgacgc	tcaagtca	ggtggcggaaa	2760
cccgacagga	ctataaagat	accaggcgtt	tccccctgg	agtcctctcg	tgcgctctcc	2820
tgtccgacc	ctgcccctt	ccggatacct	gttccgcctt	ctcccttccg	gaagcgtggc	2880
gctttctcat	agcttcacgt	gttaggtat	cagttcgtt	tagtgcgtt	gctccaaatc	2940
gggtgtgt	cacggacccc	ccgttccac	cgaccgcgtc	gccttaccc	gtaaactatcg	3000
tcttgcgtt	aacccggtaa	gacacgactt	atcgccactt	gcagcagcca	ctggtaacag	3060
gattagcaga	gcgagggtat	taggcgtt	tacagagtt	ttgaagtgt	ggcctaacta	3120
cggctacact	agaagaacag	tatgggtat	ctgcgtctgt	ctgaaggcc	ttacccctcg	3180
aaaaagagtt	ggtagcttt	gatccggca	aaaaacacc	gtgggttagc	gtgggttttt	3240
tgtttgcaga	cagcagat	cgccgcagaa	aaaaggatct	caagaagatc	ttttgatctt	3300
ttctacgggg	tctgacgttc	agtggaaacga	aaactcactt	taagggtt	ttgtcatgag	3360
attatcaaaa	aggatcttca	cctagatctt	tttaaattaa	aatgaagg	ttaaatcaat	3420
ctaaagtata	tatgagtaaa	cttggcttga	cagttaacca	tgcttaatca	gtgaggcc	3480
tatctcagcg	atctgtctat	ttcggttcatc	catagttgcc	tgactcg	ggggggggcg	3540
ctgagggtct	cctcgttgaag	aagggttgc	tgactcatac	caggcctgaa	tcgccccatc	3600
atccagccag	aaagtgggg	agccacgggtt	gatgagagct	ttgttgcagg	tggaccagg	3660
ggtgattttt	aacttttgc	ttgccacgga	acggctcg	ttgtcgggaa	gatgcgtgt	3720
ctgatccttc	aactcagcaa	aagttcgatt	tattcaacaa	agccgcgcgtc	ccgtcaagtc	3780

agcgtaatgc tctgccagtg ttacaaccaa ttaaccaatt ctgatttagaa aaactcatcg	3840
agcatcaaat gaaactgcaa ttatttcata tcaggattat caataccata ttttggaaaa	3900
agccgttct gtaatgaagg agaaaactca ccgaggcagt tccataggat ggcaagatcc	3960
tggtatcggt ctgcgattcc gactcgcca acatcaatac aacctattaa ttcccctcg	4020
tcaaaaataa gtttatcaag tgagaatca ccatgagtga cgactgaatc cggtgagaat	4080
ggcaaaaagct tatgcatttc ttccagact tggtaacag gccagccatt acgctcgta	4140
tcaaaaatcac tcgcacatcaac caaacgtta ttcatcggt attgcgcctg agcgagacga	4200
aatacgcgt cgctgttaaa aggacaatta caaacaggaa tcaaatgcaa ccggcgcagg	4260
aacactgcca gcgcacatcaac aatatttca cctgaatcag gatatttttc taataacctgg	4320
aatgtgttt tccccgggat cgcagtggtg agtaaccatg catcatcagg agtacggata	4380
aaatgtgtga tggtcggaaag aggataaat tccgtcagcc agtttagtct gaccatctca	4440
tctgttaatc cattggcaac gtcacccctt ccatgtttca gaaacaactc tggcgcatcg	4500
ggcttcccat acaatcgata gattgtcgca cctgattgcc cgacattatc gcgagccat	4560
ttatacccat ataaatcagg atccatgtt gaatttaatc gcggcctcg gcaagacgtt	4620
tccgttggaa tatggctcat aacaccctt gtattactgt ttatgttaagc agacagttt	4680
attgttcatg atgatatat tttatcttgt gcaatgttaac atcagagatt ttgagacaca	4740
acgtggctt cccccccccc ccattattga agcatttgc agggttatttgc ttcatgagc	4800
ggatacatat ttgaatgtat ttagaaaaat aaacaaatag ggggtccgcg cacattccc	4860
cgaaaaagtgc cacctgacgt ctaagaaacc attattatca tgacattaaac ctataaaaat	4920
aggcgatca cgaggccctt tcgtc	4945

<210> 10  
<211> 23  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> oligonucleotide

<400> 10  
ctatataagc agagctcggt tag

23

<210> 11  
<211> 30  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> oligonucleotide

<400> 11  
gtagcaaaga tctaaggacg gtgactgcag

30

<210> 12  
<211> 39  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> oligonucleotide

<400> 12  
gtatgtgtct gaaaatgagc gtggagattt ggctcgac

39

<210> 13  
<211> 39  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> oligonucleotide

<400> 13  
gtgcgagccc aatctccacg ctcattttca gacacatac

39

<210> 14  
<211> 4432  
<212> DNA  
<213> E. coli (V1J plasmid)

<400> 14						
tcgcgcgtt	cggtgatgac	ggtaaaaacc	tctgacacat	gcagctcccg	gagacggtca	60
cagcttgtct	gtaagcggat	gccccggagca	gacaagcccg	tcagggcgcg	tcagcgggtg	120
ttggcgggtg	tcggggctgg	cttaactatg	cgccatcaga	gcagattgtt	ctgagagtgc	180
accatatgcg	gtgtaaata	ccgcacagat	gcgttaaggag	aaaataccgc	atcagattgg	240
ctattggcca	ttgcatacgt	tgatccata	tcataaatatg	tacattata	ttggctcatg	300
tccacacatta	ccgccccatgtt	gacattgtt	attgactagt	tattaatagt	aatcaattac	360
ggggtcattt	gttcatagcc	catatatgg	gttccgcgtt	acataactta	cggttaatgg	420
ccgcctggc	tgaccgccc	acgacccccc	cccattgacg	tcaataatga	cgtatgttcc	480
catagtaacg	ccaataggg	ctttcattt	acgtcaatgg	gtggagtatt	tacggtaaac	540
tgcccaactt	gcgtatcattt	aagtgtatc	tatgcaatgt	acgccccctt	ttgacgtcaa	600
tgacggtaaa	ttggccgtt	ggcattatgc	ccagatcattt	actttatgg	actttcttac	660
ttggcagttt	atctacgtat	tagtcatcg	tattaccatg	gtgatgcgtt	tttgcgtt	720
catcaatggg	cgtggatagc	ggtttactc	acggggattt	ccaagtctcc	acccattgtt	780
cgtcaatggg	agtttggttt	ggcacaaaaa	tcaacgggac	tttccaaaaat	gtcgtaccaa	840
ctccggccca	ttgacgcattt	ttggccgtt	gtgtgtacgg	tgggggttct	atataagcag	900
agtcgtttt	gtgaaaccgtt	agatcgctt	gagacgcattt	ccacgcgtt	ttgacacttca	960
tagaaagacac	cgggaccgtt	ccagccctcg	cgccccggaa	cggtgcattt	gaacgcggat	1020
tcccgtgcc	aagagtgttt	taagtaccgc	ctatagagtc	tataggccca	cccccttggc	1080
ttcttatgtca	tgctatactt	tttttggttt	gggttctata	cacccttgc	tcctcatgtt	1140
ataggtgtt	gtatagctt	gcctataatgt	gttgggttatt	gaccattatt	gaccactccc	1200
ctattgggtt	cgatattttt	cattactaaat	ccataacatg	gtcttttgc	acaactctt	1260
ttattggcta	tatgccaata	cactgtcattt	cagagactga	cacggactt	gtatttttac	1320
aggatgggtt	ctcattttt	atttacaaat	tcacatatac	aacaccaccc	tcccccagtgc	1380
ccgcagttt	tattaaacat	aacgtgggtt	ctccacgcga	atctcggtt	cgtgttccgg	1440
acatgggttt	ttctccggta	ggggccggac	tttcatatcc	gagccctgtt	cccatgcctc	1500
cagcgactt	ttgtcgctt	gcagcttcc	gtcttcaata	gtggaggcc	gacttaggtca	1560
cagcacgtt	cccaccacca	ccagtgcc	gcacaaggcc	gtggcggtt	ggtatgttgc	1620
tgaaaatgg	ctcggggagc	gggttgcac	cgctgacgc	tttggaaagac	ttaaggcagc	1680
ggcagaagaa	gatgcaggca	gctgtttgtt	tgtgttctga	taagagttag	aggttaactcc	1740
cgttgcgtt	ctgttaacgg	tggaggccag	tgtgttctga	gcagacttgc	ttgctgccc	1800
gcccggccacc	agacataata	gctgacagac	taacagacttgc	ttcccttcc	ttgggttttt	1860
ctgcagtcc	cgtccatttt	tctgctgtt	cttctatgtt	ccagccat	ttgtgttgc	1920
cctcccccgt	gccttccctt	acccttggaa	gtgcacttcc	cactgttcc	tcctataataa	1980
ataggaaat	tgcattgtt	tgtctgtt	gggttcttcc	tattttgggg	gttgggggtt	2040
ggcagcacag	aaagggggg	gatggggaa	acaatagcag	gcattgttgg	gttgggttgg	2100
gctctatggg	tacccagggtt	ctgaaattt	gaccgggtt	ctcctgggg	agaaaagaagc	2160
aggcacatcc	ccttctctgt	gacacaccct	gtccacgc	ctgggttctt	gttccagccc	2220
cactcatagg	acactcatag	ctcaggagg	ctccgcctt	aatccccc	gctaaagtac	2280
ttggagcggt	cttccccc	ctcatcagg	caccaaaacca	aaccttagct	ccaagagtgg	2340
gaagaattaa	aaggcaata	ggctttaat	tgcaagaggga	gaaaaatgc	ctccaaatgt	2400
tgaggaagta	atgagagaaa	tcatagaatt	tctccgtt	cctcgcttac	tgactcgct	2460
cgttcgggtt	ttcgggttgc	gcgagccgtt	tcaacttact	caaaggccgt	aatacggtt	2520
tccacagaat	caggggat	cgccaggaa	aactatgttgc	aaaaaggcc	gcaaaaaggcc	2580
aggaaccgtt	aaaaggccgtt	gttgcgttgc	ttttccata	gttgcgttgc	ccctgacgc	2640
catcacaata	atcgacgtt	aaatcgagg	tggcgaaacc	cgacaggact	ataaaagatac	2700
caggcggttt	ccccctggaa	ctccctcg	cgcttcc	ttccgaccct	gccgettacc	2760
ggataccgtt	ccgccttcc	cccttccgg	agcgttgc	tttctcaat	ctcacgtt	2820
aggtatctca	gttgcgttgc	ggtgcgttgc	tccaaatgttgc	gttgcgttgc	cgaaacccccc	2880
gttcagcccg	accgcgttgc	tttccatgttgc	aactatgttgc	tttgcgttgc	cccggtt	2940
cacgacttat	cgccacttgc	agcaggact	ggtaacagg	tttgcgttgc	cccggtt	3000
ggcggtgtca	cagagtttcc	gaagtgggtt	cctaaatgttgc	gttgcgttgc	gaggatgttgc	3060
tttgcgttgc	gcaagccgtt	acccctggaa	aaagatgttgc	tttgcgttgc	tttgcgttgc	3120
tccggcaaac	aaaccaccgc	tttgcgttgc	tttgcgttgc	tttgcgttgc	tttgcgttgc	3180

cgcagaaaaa	aaggatctca	agaagatcct	ttgatcttt	ctacgggtc	tgacgctcag	3240
tggaacgaaa	actcacgtt	aggatgttt	gtcatgagat	tatcaaaaag	gatcttcacc	3300
tagatcttt	taaattaaaa	atgaagttt	aaatcaatct	aaagtata	tgagtaaact	3360
tggctgaca	gttacaatg	cttaatcagt	gaggcaccta	tctcagcgat	ctgtcttattt	3420
cgttcatcca	tagttgcctg	actccccgtc	gttagataa	ctacgatacg	ggagggctta	3480
ccatctggcc	ccagtgtgc	aatgataccg	cgagacccac	gctcaccggc	tccagattta	3540
tcagcaataa	accaggccgc	cggaaaggcc	gagcgcagaa	gtggctcgc	aactttatcc	3600
gcctccatcc	agtctttaa	ttgttgcgg	gaagctagag	taagttagtt	gcccagttat	3660
agtttgcga	acgttgcgt	cattgtcaca	ggcatcgtag	tgtcacgtc	gtcgtttgt	3720
atgcttcat	tcagtcgcgg	ttcccaacga	tcaaggcgg	ttacatgatc	ccccatgttg	3780
tgcaaaaaag	cggttagctc	cttcggctt	ccgatcggt	tcagaagtaa	gttggccgca	3840
gtgttacatc	tcatgtttat	ggcagactg	cataattctc	ttactgtcat	gccatccgt	3900
agatgtttt	ctgtgactgg	tgagatc	accaagtcat	tctgagaata	gtgtatgcgg	3960
cgaccgggtt	gctctggcc	ggcgtaata	cgggataata	ccgcgcacca	tagcagaact	4020
ttaaaagtgc	tcatcattgg	aaaacgttct	tcggggcgaa	aactctcaag	gatcttaccg	4080
ctgtttagat	ccagttcgat	gtaacccact	cgtcaccaca	actgatctt	agcatcttt	4140
acttcacca	cggttctgg	gtgagcaaaa	acaggaaggc	aaaatccgc	aaaaaaggga	4200
ataaggcgca	cacggaaat	ttgaatactc	atacttcc	tttttcaata	ttattgaagc	4260
atttatcagg	gttattgtc	catgagcgg	tatcatattt	aatgtattt	aaaaataaaa	4320
caaatagggg	ttccgcgcac	atttccccga	aaagtccac	ctgacgtcta	agaaaccatt	4380
attatcatga	cattaaccta	taaaaatagg	cgtatcacga	ggccctttcg	tc	4432

&lt;210&gt; 15

&lt;211&gt; 4864

&lt;212&gt; DNA

&lt;213&gt; E. coli (V1Jneo plasmid)

&lt;400&gt; 15

tcgcgcgtt	cggtgatgac	ggtaaaaacc	tctgacacat	gcagctccg	gagacggtca	60
cagcttgc	gtaagcggat	gcccggagca	gacaagcccg	tcagggcgcg	tcaggggtg	120
ttggcgggt	tcggggctgg	cttaactatg	ccgcacatcaga	gcagattgtc	ctgagaaatgc	180
accatatgcg	gtgtgaat	ccgcacatcaga	gctgtaaaggag	aaaatccgc	atcagattgg	240
ctattggcc	ttgcatacgt	tgtatccata	tcataatata	tacattttata	ttggctcatg	300
tccaaacatta	ccgccccgtt	gacatttatt	attgactatgt	tattaatagt	aatcaattac	360
gggttcat	gttcatagcc	catatatgg	gttccgcgtt	acataactta	cggtaaatgg	420
ccgccttgc	tgaccggccca	acgacccccc	cccatatgc	tcaataatga	cgtatgttcc	480
catagtaacg	ccataatgg	ctttccattt	acgtcaatgg	ttgggatatt	tacggtaaac	540
tgcccaactt	cgactacatc	aatgtatca	tatgccaatgt	acgccccctt	ttgacgtcaa	600
tgacggtaaa	tggccgcctt	ggcattatgc	ccagttatgc	accttatggg	actttctac	660
ttggcagtac	atctactgtat	tagtcatcgc	tattaccatg	gtatgcgtt	tttggcagta	720
catcaatggg	cgttgatage	ggtttgcact	acggggattt	ccaagtctcc	accccatgtg	780
cgtaatggg	agttttttttt	ggcaccaaaa	tcaacgggac	tttccaaaat	gtcgtaacaa	840
ctccgcggca	ttgacgcaaa	tggcggttag	gggtgtacgg	ttgggggtt	atataaagcag	900
agctcggtt	gtgaaccgtc	agatcgctg	gagacgccat	ccacgcgtt	ttgaccccttca	960
tagaaagac	cgggaccgt	ccagccctcg	cgccggggaa	cggtgcattt	gaacgcggat	1020
tcccccgtcc	aaagatgtac	taatgtacc	ctatagatgc	tataggccca	cccccttggc	1080
ttcttatgc	tgcttactgt	tttttgcctt	ggggcttata	caccccccgt	tccctatgtt	1140
ataggtgtat	gtatgttca	gcctataggt	gtgggttatt	gaccattatt	gaccactccc	1200
ctattgggt	cgatactttc	cattactaat	ccataacatg	gctctttgcc	acaacttct	1260
ttatgggt	tatgccaata	cactgtccctt	cagagactga	cacggactt	gtatttttac	1320
aggatgggtt	tcattatatt	atttacaaat	tcacatatac	aaacccatcg	tccccactgtc	1380
ccgcagttt	tataaaat	aacgtggat	ctccacgcga	atctgggtt	cgtgttccgg	1440
acatgggctc	tttccgggt	gcccggggac	tttccatcc	gagccctgt	cccatgcctc	1500
cagcgactca	tggtcgtcg	gcagctccctt	gctccctaaca	gtggggccca	gactttaggca	1560
cagcacgt	cccaccacca	ccaggtgtcc	gcacaaggcc	gtggcggtag	ggtatgtgc	1620
tgaaaatgg	ctggggggac	gggttttgcac	cgctgacgca	tttggaaagac	ttaaggcage	1680
ggcagaagaa	gatggcggca	gctgagggtt	tgtgttctga	taagagtca	aggtaactcc	1740
cgttgcgtt	ctgttaacgg	tggaggggcag	tgtgttctga	gcagtactcg	ttgctgcccgc	1800
gcccgcacc	agacataata	gctgacagac	taacagactg	ttcctttcca	tgggtttttt	1860
ctgcagtac	cgtccatgt	tctgtctgtc	cttcttagtt	ccagccatct	gttgggttgc	1920
cctccccgt	gccttccttg	accctggaaag	gtggcactcc	cactgtccctt	tccataataaaa	1980
ataggaaat	tgcacatcgat	tgtctgagta	ggtgtcattt	tattctgggg	ggtgggggtgg	2040

ggcagcacag	caagggggag	gattgggaag	acaatagcg	gcatgctggg	gatgcgggtgg	2100
gctctatggg	tacccaggtg	ctgaagaatt	gaccgggttc	ctcctggggc	agaaaagaagc	2160
aggcacatcc	ccttcttgt	gacacaccct	gtccacgccc	ctgggtctta	gttccagccc	2220
cactcatagg	acactcatag	ctcaggaggg	ctccgccttc	aatcccaccc	gctaaagtac	2280
ttggagcgggt	ctctccctcc	ctcatcagcc	caccaaacca	aacctagcct	ccaagagtgg	2340
gaagaaatta	aagcaagata	ggcttataag	tgcaagggga	gagaaaaatgc	ctccaaacatg	2400
tgaggaagta	atgagagaaa	tcatagaatt	tctccgctt	cctcgctcad	tgactcgctg	2460
cgctcggctg	ttcggctg	gcaagcggta	tcagctact	caaaggccgt	aatacgttta	2520
tccacagaat	caggggataa	cgcaggaaag	aacatgttag	aaaaggcaca	gcaaaaggcc	2580
aggAACGTA	aaaaggccgc	gttgcggcg	tttttccata	ggctccggcc	ccctgacgag	2640
catcacaaaa	actcagcgtc	aagtcaaggg	tggcggaaacc	cgacaggact	ataaaagatac	2700
caggcggttc	ccccctggaa	ctccctctgt	cgctctccgt	ttccgaccct	gcccgttacc	2760
ggataccgt	ccgccttct	cccttcggga	agcgtggcgc	tttctcaatg	ctcacgtgt	2820
aggtatctca	gttcgggtga	ggtcgttgc	tccaaagctgg	gctgtgtca	cgaacccccc	2880
gttcagcccg	accgcgtcgc	cttataccgt	aactatcgtc	tttagtccaa	cccggttaaga	2940
cacgacttat	cgccacttggc	agcagccact	ggtaacagga	ttagcagagc	gaggtatgt	3000
ggccgtgtca	caaggttctt	gaagtgtgg	cctaactacg	gtacactag	aaggacagta	3060
tttggtatct	gcgctctgt	gaagccagtt	acccctggaa	aaagagttgg	tagctttga	3120
tccggcaaac	aaaccaccgc	tggtagcgg	ggtttttttg	tttgcagaca	gcagattacg	3180
cgcagaaaaa	aaggatctca	agaagatctt	ttgatctttt	ctacgggggtc	tgacgctcag	3240
tggAACGAAA	actcacgtt	agggattttt	gtcatagat	tatccaaaag	gatcttcacc	3300
tagatcctt	taaattaaaa	atgaagttt	aaatcaatct	aaatgtatata	tgagtaaact	3360
tggctgaca	gttaccaatg	cttaatcagt	gaggcaccta	tctcagcgat	ctgtctattt	3420
cgttcatcca	tagttgcctt	actccggggg	ggggggggcgc	tgaggctcgc	ctcgtgaaga	3480
aggtgttgc	gactcatacc	aggccgtat	cgccccatca	tccagccaga	aagtggggga	3540
gccacgggtt	atagagctt	tgtttaggt	ggaccagttt	tgatgttgc	actttgtctt	3600
tgcacggaa	cggctcgct	tgtcgggaag	atgcgtgatc	tgatccttca	actcagcaaa	3660
agttcgattt	atccaacaaa	gccggcgtcc	cgtcaagtca	gcgtaatgt	ctgcccgtgt	3720
tacaacaaat	taaccaattt	tgattagaaa	aactcatcg	gcatcaaatg	aaactgcaat	3780
ttattccat	caggattatc	aataccatat	ttttggaaaa	ggcggttctg	taatgaagga	3840
gaaaactcac	cgaggcagt	ccatagatg	gcaagatct	ggatcggtc	tgcgatccg	3900
actcgtccaa	catcaataca	acctattat	ttccctctgt	aaaaaaataag	gttatacaat	3960
gagaAAATCAC	catgagtgc	gactgaatcc	ggtagagaatg	gaaaaagctt	atgcatttct	4020
ttccagactt	gttcaacacgg	ccagccgtc	cgtctgtcat	aaaaatctact	cgccatcaacc	4080
aaaccgttat	tcattctgt	ttgcgcctga	gcgagacgaa	atacgcgtat	gtgtttaaaa	4140
ggacaattac	aaacaggaat	cgaatgcac	ccggcggcgg	acactggccag	cgcataaca	4200
atattttcac	ctgaatcagg	atattttct	aataacctgg	atgctgtttt	cccggggatc	4260
gcagtgtgt	gtaaaccatgc	atcatcagga	gtacggataa	aatgctgtat	gttcggaaaga	4320
ggcataaaat	ccgtcagggc	gtttagtct	accatctcat	ctgtacacatc	attggcaacg	4380
ctaccccttg	catgtttcg	aaacaaactt	ggcgcacatgg	gttcccccata	caatcgatag	4440
attgtcgac	ctgattggcc	gacattatcg	cgagccattt	tataccccata	taatcagca	4500
tccatgttgg	aatttaatcg	cggcctcgag	caagacgttt	cccggttgaat	atggctcata	4560
acaccccttg	tattactgtt	tatgtaaagca	gacatgtttt	ttgttcatga	tgatatatattt	4620
ttatcttctg	caatgttaca	tcagagattt	tgagacacaa	ctgtggcttt	cccccccccc	4680
cattattgaa	gcattttatca	gggtttatgt	tcatcagcg	gatacatatt	tgaatgtatt	4740
tagaaaaata	aacaaatagg	ggttccgcgc	acattttcccc	gaaaagtgc	acctgacgtc	4800
taagaaacca	ttattatcat	gacattaacc	tataaaaata	ggcgtatcac	gaggccctt	4860
cgtc						4864

&lt;210&gt; 16

&lt;211&gt; 4867

&lt;212&gt; DNA

&lt;213&gt; E. coli (V1Jns plasmid)

&lt;400&gt; 16

tcgcgcgttt	cgggtatgac	ggtaaaaacc	tctgacacat	gcagctcccg	gagacggtca	60
cagcttgtct	gtaagcggat	gccgggagca	gacaagcccg	tcagggcgcgc	tcagcgggtg	120
ttggcgggtg	tcggggctgg	cttaactatg	cggcatcaga	gcagattgtat	ctgagagtgc	180
accatgtcg	gtgtgaaata	ccgcacagat	gcgtaaaggag	aaaataccgc	atcagattgg	240
ctatggcca	ttgcatacgt	tgtatccata	tcataatatg	tacatttata	ttggctcatg	300
tccaaacatta	ccgcatgtt	gacatttgatt	attgactagt	tattaatagt	aatcaattac	360
ggggtcattt	gttcatagcc	catatatgg	gttccgcgtt	acataactta	cggtaaaatgg	420

ccgcctggc	tgaccgccc	acgacc	cccc	ccattgac	tcaataatga	cgtatgttcc	480
catagtaacg	ccaatagg	cttc	catt	acgtcaatgg	gtggagtatt	tacggtaaac	540
tgcccactt	gcagtacatc	aagt	gttatca	tatgccaagt	acgcccccta	ttgacgtcaa	600
tgacggtaaa	tggccgcct	ggcattatgc	ccagtacatg	accttatggg	actttctac	660	
ttggcagttac	atctacgtat	tagtcatcg	tattaccatg	gtgatgcggt	tttggcagta	720	
catcaatggg	cgtggatagc	ggttt	gactc	acggggattt	ccaagtctcc	accccatgt	780
cgtcaatggg	agtttgtttt	ggcacaaaaa	tcaacgggac	tttccaaaat	gtcgttaacaa	840	
ctccgcccc	ttgacgc	ttggccgtag	gctgtacgg	ttggagggtt	atataa	900	
agctcg	ttgaa	ccgc	gat	ccat	ccacgctt	ttgac	960
tagaa	gggacc	ccagc	cc	cg	cggtcatt	gaac	1020
tccc	ccat	ggat	gg	gg	acaacgc	cccc	1080
tctt	atgc	tttt	gg	cc	tataggc	tttgc	1140
taggt	atag	tttt	gg	cc	accattatt	accact	1200
tattgg	gtat	tttt	gg	cc	cttgc	caactat	1260
tat	atgc	tttt	gg	cc	acggact	tat	1320
ggat	ccat	tttt	gg	cc	tttttac	tttttac	1380
cgc	at	tttt	gg	cc	acaacgc	cccc	1440
cat	gg	tttt	gg	cc	tcgttgc	gtgttcc	1500
agc	gg	tttt	gg	cc	ccatgc	ccatgc	1560
agcacaat	ccacc	cagt	gtgc	cacaagg	ttggcgtt	gtatgtt	1620
gaaaat	gagc	gg	gtc	gcac	atgg	taagg	1680
gcaga	aga	atgc	gg	gt	tttgc	tttttgc	1740
gttgc	gg	tttgc	gg	gg	tttttgc	tttttgc	1800
cgcc	ccac	gacataat	act	tttt	tttttgc	tttttgc	1860
tgc	act	tttt	gg	cc	tttttgc	tttttgc	1920
ctcc	cc	tttt	gg	cc	tttttgc	tttttgc	1980
tgagg	aa	tttt	gg	cc	tttttgc	tttttgc	2040
gcagg	ac	tttt	gg	cc	tttttgc	tttttgc	2100
ctctat	gg	tttt	gg	cc	tttttgc	tttttgc	2160
aagg	cc	tttt	gg	cc	tttttgc	tttttgc	2220
gccc	act	tttt	gg	cc	tttttgc	tttttgc	2280
gtact	tttt	gg	cc	tttttgc	tttttgc	2340	
gttgg	aa	tttt	gg	cc	tttttgc	tttttgc	2400
catgt	gg	tttt	gg	cc	tttttgc	tttttgc	2460
gctgc	gtc	tttt	gg	cc	tttttgc	tttttgc	2520
gttat	cc	tttt	gg	cc	tttttgc	tttttgc	2580
ggc	agg	tttt	gg	cc	tttttgc	tttttgc	2640
cgac	cat	tttt	gg	cc	tttttgc	tttttgc	2700
atacc	gg	tttt	gg	cc	tttttgc	tttttgc	2760
tacc	gg	tttt	gg	cc	tttttgc	tttttgc	2820
ctgt	gg	tttt	gg	cc	tttttgc	tttttgc	2880
ccc	gtt	tttt	gg	cc	tttttgc	tttttgc	2940
aag	ac	tttt	gg	cc	tttttgc	tttttgc	3000
tgtagg	gg	tttt	gg	cc	tttttgc	tttttgc	3060
agttt	gg	tttt	gg	cc	tttttgc	tttttgc	3120
ttt	gat	tttt	gg	cc	tttttgc	tttttgc	3180
tac	gc	tttt	gg	cc	tttttgc	tttttgc	3240
tc	ag	tttt	gg	cc	tttttgc	tttttgc	3300
cac	ctt	tttt	gg	cc	tttttgc	tttttgc	3360
aactt	gg	tttt	gg	cc	tttttgc	tttttgc	3420
attc	gtt	tttt	gg	cc	tttttgc	tttttgc	3480
aga	agg	tttt	gg	cc	tttttgc	tttttgc	3540
gg	gg	tttt	gg	cc	tttttgc	tttttgc	3600
ctt	gg	tttt	gg	cc	tttttgc	tttttgc	3660
aaa	agg	tttt	gg	cc	tttttgc	tttttgc	3720
tgtt	aca	tttt	gg	cc	tttttgc	tttttgc	3780
aattt	tat	tttt	gg	cc	tttttgc	tttttgc	3840
gg	aaa	tttt	gg	cc	tttttgc	tttttgc	3900
ccg	act	tttt	gg	cc	tttttgc	tttttgc	3960
agt	gag	tttt	gg	cc	tttttgc	tttttgc	4020
acc	aa	tttt	gg	cc	tttttgc	tttttgc	4080
acca	acc	tttt	gg	cc	tttttgc	tttttgc	4140

aaaggacaat	tacaaaacagg	aatcgaaatgc	aaccggcgca	ggaacactgc	cagcgcata	4200
acaatattt	cacctgaatc	aggatattct	tctaatacct	ggaatgtgt	tttccccggg	4260
atcgagtgg	tgagtaacc	tgcatacatca	ggagtacgga	taaaatgctt	gatggtcga	4320
agaggcataa	attccgtcag	ccagtttagt	ctgaccatct	catctgtaac	atcattggca	4380
acgttacctt	tgccatgtt	cagaaacaac	tctggcgcat	cgggcttccc	atacaatcga	4440
tagattgtcg	cacctgattt	cccgacatta	tcgcgagccc	atttataccc	atataaatcga	4500
gcatccatgt	tggatttaa	tcgcggcctc	gagcaagacg	tttcccggtt	aatatggctc	4560
ataaaccccc	ttgtattact	gtttatgtaa	gcagacagtt	ttattgttca	tgatgatata	4620
tttttatctt	gtgcaatgta	acatcaaga	tttgagaca	caacgtggct	ttccccccccc	4680
cccattattt	gaagcattt	tcagggttat	tgtctcatga	gcccatacat	atttgaatgt	4740
atttagaaaa	ataaacaaat	aggggttccg	cgcacatttc	cccgaaaagt	gccacctgac	4800
gtctaagaaa	ccattattat	catgacattt	acctataaaa	ataggcgtat	cacgaggcccc	4860
tttcgtc						4867
<210>	17					
<211>	75					
<212>	DNA					
<213>	Artificial Sequence					
<220>						
<223>	oligonucleotide					
<400>	17					
gatcaccatg	gatgcaatga	agagagggct	ctgtgtgt	ctgctgtgt	gagcagtc	60
cgttcggccc	agcga					75
<210>	18					
<211>	78					
<212>	DNA					
<213>	Artificial Sequence					
<220>						
<223>	oligonucleotide					
<400>	18					
gatctcgctg	ggcgaaacga	agactgctcc	acacagcagc	agcacacagc	agagccctct	60
cttcatttgc	tccatgg					78
<210>	19					
<211>	33					
<212>	DNA					
<213>	Artificial Sequence					
<220>						
<223>	oligonucleotide					
<400>	19					
ggtacaaata	ttggctattt	gccatttgc	acg			33
<210>	20					
<211>	36					
<212>	DNA					
<213>	Artificial Sequence					
<220>						
<223>	oligonucleotide					
<400>	20					
ccacatctcg	aggaaccggg	tcaattttc	agcacc			36
<210>	21					
<211>	38					

<212> DNA  
<213> Artificial Sequence

<220>  
<223> oligonucleotide

<400> 21  
ggtacagata tcggaaagcc acgttgttc tcaaaaatc 38

<210> 22  
<211> 36  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> oligonucleotide

<400> 22  
cacatggatc cgtaatgctc tgccagtgtt acaacc 36

<210> 23  
<211> 39  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> oligonucleotide

<400> 23  
ggtacatgtat cacgttagaaa agatcaaagg atcttcttg 39

<210> 24  
<211> 35  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> oligonucleotide

<400> 24  
ccacatgtcg acccgtaaaa aggccgcgtt gctgg 35

<210> 25  
<211> 4864  
<212> DNA  
<213> E. coli (V1R plasmid)

<400> 25  
tcgcgcgttt cggtgatgac ggtgaaaacc tctgacacat gcagctcccg gagacggtca 60  
cagcttgtct gtaagcggat gcccggagca gacaagcccg tcagggcgcg tcagcgggtg 120  
ttggcgggtg tcggggctgg cttaactatg cggcatcaga gcagattgtt ctgagagtgc 180  
accatatgcg gtgtgaaata ccgcacagat gcgttggaggaaaataccgc atcagattgg 240  
ctattggcca ttgcatactg tttatccata tcataatatg tacattttata ttggctcatg 300  
tccaaacatta ccgcctatgtt gacattgtt attgactatgt tttatatgtt aatcaattac 360  
ggggtcattt gttcatagcc cataatggat gttccgcgtt acataactta cggtaaatgg 420  
ccgccttgcg tgaccgccta acgaccccg cccattgacg tcaataatgtt cgtatgtcc 480  
catagtaacg ccaataggga ctttccattt acgttacatgg gtggaggattt tacggtaaac 540  
tgcccaacttg gcagttacatc aagtgttatca tatgccaatgtt acgccccctta ttgacgtcaa 600  
tgacggtaaa tggccgcctt ggcattatgc ccagtatgtt accttatggg actttccatc 660  
ttggcagttac atctacgtat tagtcatcgc tattaccatgtt gtgtatgcgtt ttggcagtt 720  
catcaatggg cgtggatagc gggttgactc acggggattt ccaagtctcc accccattgtt 780  
cgtcaatggg agtttgggtt ggcacccaaa tcaacgggac ttccaaaat gtcgttaacaa 840

ctccgccccca	ttgacgc当地	tggcgtag	gcgtgtacgg	tgggaggctct	atataagcag	900
agtcgttta	gtgaaccgc当地	agatcgccgt	gagacccat	ccacgcgtct	ttgacccat	960
tagaaagac	ccggaccgt	ccagccctcg	cggccggaa	cggtgattt	gaacgcggat	1020
tcccggtcc	aagagt当地	taagtaccgc	ctatagagtc	tataggccca	cccccttgc	1080
ttcttatgc	tgctatactg	ttttggctt	ggggtctata	caccccccgt	tcctcatgtt	1140
ataggtgatg	gtatagctt	gcctataagg	gtgggttatt	gaccatttatt	gaccactccc	1200
ctatgggt	cgatactt	cattactaat	ccatacatg	gctcttgc	acaactct	1260
ttattggct	tatggcaata	cactgtcctt	cagagactga	cacggactt	gtattttac	1320
aggatgggt	ctcattttat	atttacaaat	tcacatatac	aacaccaccc	tcccaagtgc	1380
cccgagttt	tattaaacat	aacgtggat	ctccacgcga	atctcggtt	cgtgttccgg	1440
acatgggctc	tttcccgta	gcccgc当地	ttctacatcc	gagccctgt	cccatgcctc	1500
cagcgactc	ttgtcgctcg	gcagcttctt	gctcttaaca	gtggaggcc	gacttaggca	1560
cagcacatg	cccacccaca	ccagtgtcc	gcacaaggcc	gtggcggt	gttatgtgtc	1620
tgaaaatgag	ctcgggggagc	gggttgcac	cgctgacgc	tttggaaagac	ttaaggcagc	1680
ggcagaagaa	gatgcaggca	gctgagg	tgttctgt	taagagtcag	aggtaactcc	1740
cgttgcgg	ctgttaacgg	tggagggcag	tgtatgtc	gcagtaactcg	ttgctgccgc	1800
gcccgc当地	agacataata	gctgacagac	taacagact	ttcccttcca	tgggtcttt	1860
ctgcagtac	cgtcttaga	tctgtgtc	cttcttagt	ccagccatct	tttgttgc	1920
cctccccgt	gccttcttgc	acccttgc当地	gtgccactcc	cactgtcctt	tcctaataaaa	1980
atgaggaaat	tgcatcgat	tgtctgagta	ggtgttattt	tattctgggg	gttgggttgg	2040
ggcagcagac	caagggggag	gattggaaag	acaatagcg	gatgtctgg	gatgcgggtt	2100
gcttatggg	taccagggt	ctgaagaatt	gaccgggtt	ctccctggcc	agaaagaagc	2160
aggcacatcc	ccttctctgt	gacacaccct	gtccacgc当地	cttgcgttta	gttccagccc	2220
cactcatagg	acactcatag	ctcaggaggg	ctccgc当地	aatcccaccc	gctaaagtac	2280
ttggagcgtt	ctctccctcc	ctcatcagcc	accacaa	aacctagctt	ccaagagtgg	2340
gaagaaat	aagcaagat	ggcttataag	tgcaaggaa	gagaaaatgc	ctccaaatcg	2400
tgagaaatg	atagagaaaa	tctatggat	cttcggctt	ctctgc当地	tgactcgctg	2460
cgctcggtcg	tccggctcg	gcccgc当地	tcaact	caaaggccgt	aatacgttta	2520
tccacagaat	caggggataa	cgccaggaa	aatatgttag	aaaaggcc	gcaaaaggcc	2580
aggAACCGTA	aaaaggccgc	gttgc当地	ttttccata	ggctccgccc	ccctgacgc当地	2640
catcacaaaa	atcgacgc当地	aatgc当地	tggc当地	ccacaggact	ataaaagatac	2700
caggcg	tttgc当地	ccccc当地	cgctcttgc	ttccgc当地	gcccgttacc	2760
ggatacctgt	ccgc当地	cccttccgg	agcgtgc当地	tttctcaatg	ctcacgtgt	2820
aggtatctca	gttgc当地	gttgc当地	tccaaatgc	gctgtgtc	cgaacccccc	2880
gttcagcccg	accgc当地	cttattcgtt	aactatgc	tttgc当地	cccggtt当地	2940
cacgacttat	ccgc当地	agcaggact	ggttacagg	tttagc	gaggatgt	3000
ggcggtct	cgaggactt	gaatgttgg	cctaact	gtacact	aaggacagta	3060
tttgc当地	gcgc当地	gaaggcactt	acccgc当地	aaagatgtt	tagcttgc	3120
tccggcaaa	aaaccaccgc	tggtagcgt	ggttt	tttgc当地	gcagattac	3180
cgccaggaaa	aaggatctca	agaagatctt	tttgc当地	tttgc当地	tgacgc当地	3240
tggaaacaaa	actcacgtt	aggatgtt	gtcatgat	tatccaaa	gatcttacc	3300
tagatctt	tttgc当地	tttgc当地	tttgc当地	tttgc当地	tttgc当地	3360
tggctgaca	gttaccat	cttaccat	gaggccat	tctc当地	actc当地	3420
cgttcatcca	tagtgc当地	actccgggg	ggggggcc	tgaggct	ctc当地	3480
agggttgc	gactcatacc	aggccat	ccccc当地	tccaggcc	aatgtggg	3540
gcccagg	tttgc当地	tttgc当地	tttgc当地	tttgc当地	tttgc当地	3600
tgccacggaa	cggtctcg	tgccggaa	atgc当地	tgatcc	acttgc当地	3660
agttcgattt	attcaacaaa	gccc当地	cgtaact	gcgtat	ctgccc当地	3720
tacaacaaat	taaccat	tgattagaaa	aactatcg	gcat	aaactgc当地	3780
ttattcatat	caggattat	aataccat	tttgc当地	tttgc当地	tttgc当地	3840
gaaaatcc	cgaggcgt	aatatggat	gcaatgc	ggatcc	tttgc当地	3900
actcgtccaa	catcaat	accttataat	ttccctcg	ccaaaat	tttgc当地	3960
gagaaatcac	catgact	gactgaaat	ggtgact	gaaaat	tttgc当地	4020
ttccagactt	gttcaacagg	ccaggcatta	cgctcgat	aaaat	tttgc当地	4080
aaaccgttat	tcattcg	ttgc当地	gccc当地	atacgc当地	tttgc当地	4140
ggacaaat	aaacaggaa	cgaatgc	ccggc当地	actcgcc	tttgc当地	4200
atatttcac	ctgaaatc	atattctt	aaatcttgc	tttgc当地	tttgc当地	4260
gcagtgg	gtaaatc	atcatc	gtacggata	aatgtt	tttgc当地	4320
ggcataaatt	ccgtcagcc	gtttagtct	accatctat	ctgt	tttgc当地	4380
ctacccttgc	catgttca	aaacaactct	ggc当地	tttgc当地	tttgc当地	4440
attgtcgac	ctgatttgc	gacattatcg	cgagccat	tttgc当地	tttgc当地	4500
tccatgttgg	aatatc	cgccctcg	caagacgtt	cccg	tttgc当地	4560

acaccccttg tattactgtt tatgttaagca gacagttta ttgttcatga tgatatattt 4620  
 ttatcttgtg caatgttaaca tcagagattt tgagacacaa cgtggcttc cccccccccc 4680  
 cattattgaa gcatttatca gggttattgt ctcatgagcg gatacatatt tgaatgtatt 4740  
 tagaaaaata aacaaatagg gggtccgcgc acatcccccc gaaaagtgcc acctgacgtc 4800  
 taagaaacca ttattatcat gacattaacc tataaaaata ggcgtatcac gaggcccttt 4860  
 cgtc 4864

<210> 26  
 <211> 36  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> oligonucleotide

<400> 26  
 ggtacaagat ctccgccccc atctcccca ttgaga 36

<210> 27  
 <211> 33  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> oligonucleotide

<400> 27  
 ccacatagat ctgcccgggc ttttagtcctc atc 33

<210> 28  
 <211> 27  
 <212> PRT  
 <213> Homo sapien

<400> 28  
 Met Asp Ala Met Lys Arg Gly Leu Cys Cys Val Leu Leu Leu Cys Gly  
 1 5 10 15  
 Ala Val Phe Val Ser Pro Ser Glu Ile Ser Ser  
 20 25

<210> 29  
 <211> 45  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> oligonucleotide

<400> 29  
 caggcgagat ctaccatggc ccccatggc cctattgaga ctgtta 45

<210> 30  
 <211> 48  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> oligonucleotide

<400> 30  
 caggcgagat ctgcccgggc tttaatcctc atcctgtcta cttgccac 48

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/34724

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(7) : A61K 48/00; C12Q 1/70.  
 US CL : 514/44; 435/5; 424/93.1.

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)  
 U.S. : 514/44; 435/5; 424/93.1.

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)  
 Medline, embase, scisearch, biosis, caplus and WEST**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y,P	US 6,099,848 A (FRANKEL et al) 08 August 2000 (08.08.2000), page 12 paragraph 6.	1-14, 17
Y	WO 97/31115 A2 (MERCK & CO. INC.), 28 August 1997, page 36.	4
X	WO 90/10230 A1 (UNIVERSITY OF OTTAWA) 07 September 1990, page 11.	17
Y	US 5,858,646 A (KANG) 12 January 1999 (12.01.1999), col. 2, lines 10-17	1-14, 17

 Further documents are listed in the continuation of Box C. 

See patent family annex.

* Special categories of cited documents:	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be of particular relevance	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier application or patent published on or after the international filing date	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"&"	document member of the same parent family
"O" document referring to an oral disclosure, use, exhibition or other means		
"P" document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search  22 February 2001	Date of mailing of the international search report  09 MAR 2001
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703)305-3230	Authorized officer  TERRY J. DEY Eleanor Sorbello PARALEGAL SPECIALIST Telephone No. 703-308-0196 Technology Center 1600

**INTERNATIONAL SEARCH REPORT**

Internat application No.

PCT/US00/34724

**Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)**

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1.  Claim Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
  
2.  Claim Nos.:  
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
  
3.  Claim Nos.: 15 & 16  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

**Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)**

This International Searching Authority found multiple inventions in this international application, as follows:

1.  As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2.  As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3.  As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
  
4.  No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

**Remark on Protest**  

The additional search fees were accompanied by the applicant's protest.

No protest accompanied the payment of additional search fees.